

***Characidium longum* (Characiformes: Crenuchidae), a new fish from Venezuela**

DONALD C. TAPHORN B.¹, CARMEN G. MONTAÑA¹ & PAULO BUCKUP²

¹Museo de Zoología, BioCentro, Programa Ciencias del Agro y Mar, UNELLEZ, Guanare, estado Portuguesa, Venezuela 3310.

²Dept. de Vertebrados Museu Nacional, Quinta de Boa Vista, 20940-040 Rio de Janeiro, RJ, Brazil.

Abstract

We describe a new species of *Characidium* Reinhardt, 1867, from tributaries of the blackwater rivers Capanaparo, Cinaruco, Caura and Casiquiare in Apure, Bolivar and Amazonas states of Venezuela. *Characidium longum* is diagnosed by an extremely elongate body and a unique pigmentation pattern consisting of 13 or more black vertical bars, each with a concentrated spot of pigment at mid-body. These bars are united with a series of reddish-brown dorsal saddles, which cross over the dorsum and unite with bars from the opposite side of the body.

Key words: *Characidium*, new species, Venezuela, Orinoco, Caura, Casiquiare, Cinaruco, Capanaparo

Resumen

Se describe una especie nueva de *Characidium* Reinhardt, 1867, colectada en afluentes de los ríos Capanaparo, Cinaruco, Caura y Casiquiare, en los estados Apure, Bolívar y Amazonas de Venezuela. *Characidium longum* se distingue de las otras especies del género por su cuerpo extremadamente alargado y por su patrón de pigmentación distintivo que consiste de una serie de al menos 13 bandas negras verticales, cada una con un punto de pigmento concentrado en el flanco medio-lateral, unidas en el dorso por una serie de bandas marrón-rojizas.

Palabras claves: *Characidium*, especie nueva, Venezuela, Orinoco, Caura, Casiquiare, Cinaruco, Capanaparo