



Three new species of *Stelis* (Orchidaceae; Pleurothallidinae) from Mexico

RODOLFO SOLANO GOMEZ

Instituto Politecnico Nacional, Centro Interdisciplinario de Investigacion para el Desarrollo Integral Regional Unidad Oaxaca, Hornos 1003, Santa Cruz Xoxocotlan, 7230, Oaxaca, Mexico; E-mail: solanogo@yahoo.com.mx

Abstract

Three new species in the genus *Stelis* (Orchidaceae) are here described and illustrated for the first time: two have been previously mentioned and are published formally here. For each taxon, information is provided about its distribution, habitat, phenology, traits that distinguish it from similar species, and conservation status. A line drawing, photo, and map for the known localities of the three species are provided.

Key words: Orchids, *Stelis guerrerensis*, *Stelis kaiae*, *Stelis lapinerae*.

Resumen. Se describe e ilustra por primera vez tres nuevas especies en el género *Stelis* (Orchidaceae): dos habían sido mencionadas previamente como nombres no publicados y aquí son formalmente publicados. Para cada taxón se proporciona información acerca de su distribución, hábitat, fenología, rasgos que la distinguen de especies similares, así como su estatus de conservación. Se proporciona un dibujo a línea, foto y mapa para las localidades conocidas de las tres especies aquí descritas.

Palabras clave: orquídeas, *Stelis guerrerensis*, *Stelis kaiae*, *Stelis lapinerae*

Introduction

The genus *Stelis* Swartz (1799: 239), with approximately 900 species in its narrower circumscription, according to Luer (2007, 2009) and almost 1100 in its broadest circumscription *sensu* Pridgeon *et al.* (2001, 2002, 2005), is one of the largest genera in Orchidaceae, comparable in species richness to genera such as *Bulbophyllum* Thouars (1822: Table 3), *Dendrobium* Swartz (1799: 82), *Epidendrum* Linnaeus (1763: 952), and *Lepanthes* Swartz (1799: 85). The species of *Stelis* have their greatest richness in the Andes, especially in Colombia, Ecuador, and Peru. The genus is taxonomically difficult because botanists have traditionally neglected it, and currently there are few systematists specializing in it.

In Mexico, 60 species and one subspecies of *Stelis* have been recorded and formally published (Hagsater & Soto Arenas, 2003, 2008; Solano, 1993, 2000, 2010, 2011; Solano & Salazar, 2007; Soto Arenas *et al.*, 2007; Ramos-Castro *et al.*, 2012). Nonetheless, in recent years the continuous review of Mexican specimens in this group has led to the discovery of taxa that have not been formally named and described; three of them are described for the first time here. One was recently discovered in Chiapas, and the other two species had been mentioned in the literature but were not formally published (Soto *et al.*, 2007; Szyszko, 2011). As a result of this, the number of Mexican taxa of *Stelis* *sensu lato* increases to 63 species and one subspecies.

Taxonomy

Stelis guerrerensis Soto Arenas & R.Solano, sp. nov. (Figs. 1, 4A)

Similar to *Stelis pachyglossa* (Lindl.) Pridgeon & M.W.Chase from which it differs by its smaller and caespitose habit, arching inflorescence, smaller flowers, lateral sepals united with each other to their apices, and distribution.

Type:—MEXICO. Guerrero: municipio Atoyac de Alvarez, El Molote, selva perennifolia de montaña, ca. 1600 m elev., prensado de material cultivado, 18 Sep. 2006, Santiago in Salazar 6739 (MEXU!).




FIGURE 5. Map for known localities of *Stelis guerrerensis* (black star), *Stelis kaiae* (black triangle), and *Stelis lapinerae* (black circle).

References

- Hagsater, E. & Soto Arenas, M.A. (eds.) (2003) *Icones orchidacearum 5–6: Orchids of Mexico 2–3*. Herbario AMO, Mexico, D.F., pp. 680–695.
- Hagsater, E. & Soto Arenas, M.A. (eds.) (2008) *Icones orchidacearum 10: Orchids of Mexico 4*. Herbario AMO. Mexico, D.F., pp. 1095–1098.
- Lindley, J. (1837) Notes upon some genera and species of American Orchidaceae, part 1. *Companion to the Botanical Magazine* 2: 353–357.
- Lindley, J. (1840) Miscellaneous notices. *Edward's Botanical Register* 26: 1–90.
- Lindley, J. (1859). *Pleurothallis. Folia orchidacea* Matthews, London, pp. 1–46.
- Linnaeus, C. (1763) *Species plantarum*, tomus II, 2nd edition. Salvii, Stockholm, 560 pp.
- Luer, C.A. (1986) *Icones pleurothallidinarum 1: Systematics of Pleurothallis*. *Monographs in Systematic Botany from Missouri Botanical Garden* 15: 1–81.
- Luer, C.A. (2007) *Icones pleurothallidinarum 29: A third century of Stelis of Ecuador*. *Systematics of Apoda-Prorepentia. Monographs in Systematic Botany from Missouri Botanical Garden* 112: 1–130.
- Luer, C.A. (2009) *Icones pleurothallidinarum 30: Lepanthes of Jamaica*. *Systematics of Stelis. Stelis of Ecuador, part four. Systematics of Masdevallia, new species from Ecuador and miscellaneous new combinations*. *Monographs in Systematic Botany from Missouri Botanical Garden* 115: 1–260.
- Pridgeon, A.M. & Chase, M.W. (2001) A phylogenetic reclassification of Pleurothallidinae (Orchidaceae). *Lindleyana* 16: 235–271.
- Pridgeon, A.M. & Chase, M.W. (2002) Nomenclatural notes on Pleurothallidinae (Orchidaceae). *Lindleyana* 17: 98–101.
- Pridgeon, A.M., Solano-Gomez, R. & Chase, M.W. (2001) Phylogenetic relationships in Pleurothallidinae (Orchidaceae): combined evidence from nuclear and plastid DNA sequences. *American Journal of Botany* 88: 2286–2308.
<http://dx.doi.org/10.2307/3558390>
- Pridgeon, A.M., Cribb, P.J., Chase, M.W. & Rasmussen, F.N. (eds.). (2005). *Genera orchidacearum, vol. 4: Epidendroideae (part one)*. Oxford University Press, Oxford, 672 pp.
- Pupulin, F. (2002) Catalogo revisado y anotado de las Orchidaceae de Costa Rica. *Lankesteriana* 2: 1–88.
- Ramos-Castro, S.E., Castañeda-Zarate, M., Solano, R., & Salazar, G.A. (2012) *Stelis zootrophionoides* (Orchidaceae: Pleurothallidinae), a new species from Mexico. *PLoS ONE* 7: e48822.
<http://dx.doi.org/10.1371/journal.pone.0048822>

- Schlechter, F.R.R. (1923) Beitrage zur orchideenkunde von Zentralamerika II. Additamenta ad orchideologiam costaricensem. *Repertorium Specierum Novarum Regni Vegetabilis, Beihefte* 19: 1-307.
- Solano, R. (1993) El género *Stelis* Sw. (Orchidaceae: Pleurothallidinae) en Mexico. *Orquidea (Mexico City) n.s.* 13: 1-112.
- Solano, R. (2000) Additions to *Stelis* Sw. (Pleurothallidinae) from Mexico. *Lindleyana* 15: 49-52.
- Solano, R. (2010). Dos especies nuevas de Pleurothallidinae (Orchidaceae) para Mexico. *Lankesteriana* 9: 447-454.
- Solano, R. (2011) Three new species of *Stelis* (Orchidaceae) for Mexico. *Brittonia* 63: 325-333.
<http://dx.doi.org/10.1007/s12228-010-9171-z>
- Solano, R. & Salazar, G.A. (2007) A new species of *Stelis* (Orchidaceae: Pleurothallidinae) from Guerrero, Mexico. *Revista Mexicana de Biodiversidad* 78: 253-256.
- Soto Arenas, M.A., Solano, R. & Hagsater, E. (2007) Risk of extinction and patterns of diversity loss in Mexican orchids. *Lankesteriana* 7: 114-121.
- Soto Arenas, M.A., Hagsater, E., Salazar, G.A., Jimenez Machorro, R., Solano, R., Flores, R. & Ruiz, I. (2007) *Las orquideas de Mexico, catalogo digital*. Instituto Chino, Mexico, D.F.
- Swartz, O. (1799) Dianome Epidendri generis. *Journal für die Botanik* 2: 201-244.
- Swartz, O. (1799) *Dendrobium*. *Nova Acta Regiae Societatis Scientiarum Upsaliensis* 6: 82.
- Swartz, O. (1799) *Lepanthes*. *Nova Acta Regiae Societatis Scientiarum Upsaliensis* 6: 82-85, f. 6.
- Szeszko, D.R. (2011) *Stelis*. In: *La orquideoflora mexiquense*. Gobierno del Estado de Mexico, Mexico, pp. 358-359.
- Thouars, A.A.P. (1822) *Histoire particulière des plantes Orchidées recueillies sur les trois îles australes d'Afrique, de France, de Bourbon et de Madagascar*. Treuttel et Wurtz, Paris, 150 pp.
<http://dx.doi.org/10.5962/bhl.title.492>
- Williams, L.O. (1939). Two new combinations. *Botanical Museum Leaflets* 7: 188.