



Further insights into the taxonomy of the *Silene nocturna* species complex (Caryophyllaceae): a systematic survey of the taxa from Sardinia and Corsica

GIANLUIGI BACCHETTA¹, ANGELINO CARTA², GUILHAN PARADIS³, CAROLE PIAZZA⁴, LORENZO PERUZZI^{2*}

¹Centro Conservazione Biodiversità (CCB), Dipartimento di Scienze della Vita e dell'Ambiente, Università degli Studi di Cagliari, Viale S. Ignazio da Laconi 11–13, I 09123 Cagliari, Italy

²Dipartimento di Biologia, Unità di Botanica, Università di Pisa, Via Luca Ghini 13, I 56126, Pisa, Italy; e-mail lorenzo.peruzzi@unipi.it

³cours Général Leclerc, F 20000, Ajaccio

⁴Conservatoire botanique national de Corse, Office de l'Environnement de la Corse, Avenue Jean Nicoli, F 20250 Corte

*Author for correspondence

Abstract

The taxonomy of *Silene nocturna* subsp. *boullui* (putatively endemic to W Corsica) and *S. valsecchiae* (putatively endemic to E Sardinia) is investigated, by means of morphometric and karyological analyses. Both taxa resulted diploid with $2n = 24$ chromosomes. On the basis of morphological results, we confirm the species rank for *S. valsecchiae*, and consider *S. nocturna* subsp. *boullui* as the priority name, at subspecies rank, for *S. nocturna* subsp. *capraria* (= *S. reflexa*).

Key words: Central Mediterranean, chromosome numbers, morphology, seeds, SEM, *Silene* sect. *Scorpioideae*

Introduction

Recent work on the *Silene nocturna* Linnaeus (1753: 416) complex in the Central Mediterranean area (Peruzzi & Carta 2013, Peruzzi *et al.* 2014a) showed the existence of three taxonomic units: *S. mutabilis* Linnaeus (1756: 16) [= *S. neglecta* Tenore (1826: 13)], *S. nocturna* subsp. *nocturna* and *S. nocturna* subsp. *capraria* (Sommier 1896: 113) Peruzzi & Carta (2013: 46) [= *S. reflexa* (Linnaeus 1753: 416) Aiton (1811: 86)]. However, as already pointed out by Peruzzi & Carta (2013), two further taxa from the Corso-Sardinian biogeographic province need investigation: *S. nocturna* subsp. *boullui* (Jordan ex Rouy & Foucaud 1896: 114) Gamisans in Gamisans & Jeanmonod (1993: 243), originally described from Corsica (see also Jeanmonod 2007, 2013), and *S. valsecchiae* Bocchieri (1988: 305), putative endemic to eastern Sardinia (Bacchetta *et al.* 2006a, 2006b, Arrigoni 2010, Pinna *et al.* 2013).

This paper is part of a broader project on the taxonomic study of the endemic Italian flora (Domina *et al.* 2012, Peruzzi *et al.* 2014b), which also led to several recent other publications on the genus *Silene* (Brullo *et al.* 2012, 2014, Peruzzi & Carta 2013, Peruzzi *et al.* 2014a). The aim of the present study is to provide data concerning morphology, seed micromorphology and karyology of these two taxa, in order to contribute to their correct taxonomic circumscription.

Material and Methods

Quantitative morphological investigations is performed on herbarium specimens of *S. nocturna* subsp. *boullui* and *S. valsecchiae*. The herbaria checked were CAG and PI (codes according to Thiers 2014). The following eight characters were examined: plant size (cm), flower number, inclination of the lowest flower's pedicel [from 0° (erect and adpressed to peduncle upwards), to 180° (completely reflexed)], length of the lowest flower's pedicel (mm), calyx length (mm), carpophore length (mm), calyx teeth length and width (mm).

Silene nocturna* Linnaeus (1753: 416) subsp. *nocturna

Type (lectotype designated by Ghafoor 1978: 91):—PENNSYLVANIA. [*Silene*] *nocturna* 4 HU [Horto Upsaliensis] [on verso:] e semine D. Kalmii ex America, Herb. Linn. No. 583.8 (LINN!).

Specimina visa (besides those listed in Peruzzi & Carta, 2013):—FRANCE. Corsica: Grotta di u banditu (Farinole), 12 June 2013, *C. Piazza s.n.* (PI!, three sheets).

***Silene nocturna* L. subsp. *boullui* (Jord. ex Rouy & Foucaud) Gamisans in Gamisans & Jeanmonod (1993: 243)**

Bas.:—*Silene mirabilis* Rouy & Foucaud (1896: 114) subsp. *boullui* Jord. ex Rouy & Foucaud (1896: 114)

Type:—not designated. Described from “Corse: Rogliano; Bonifacio à la Trinité (Revelière); îles Sanguinaires et la Parata près Ajaccio (Boulli in herb. Rouy).” In Herbarium Rouy at LY no specimens which could be considered as original material for this name are conserved (M. Thiébaut, pers. comm.).

= *Cucubalus reflexus* Linnaeus (1753: 416)

Type (lectotype designated by Talavera in Cafferty & Jarvis, 2004: 1051):—Herb. Linn. No. 582.22 (LINN!)

≡ *Silene reflexa* (L.) Aiton (1811: 86)

= *Silene capraria* Sommier (1898: 113) ≡ *Silene nocturna* subsp. *capraria* (Sommier) Peruzzi & Carta (2013: 46), *syn. nov.*

Type (lectotype designated by Foggi *et al.* 2001: 13):—ITALY. **Tuscany**: Insula Capraria (Capraja), Punta del Trattoio, 6 April 1896, *Sommier s.n.* (FI!).

Specimina visa (besides those listed in Peruzzi & Carta, 2013):—FRANCE. Corsica: Mezzu Mare (Iles Sanguinaires), Ajaccio, 7 May 2013, *G. Paradis s.n.* (PI!, five sheets).

***Silene valsecchiai* Bocchieri (1988: 305)**

Type:—ITALY. **Sardinia**: Isola Serpentara, a SE della casa diruta, 11 May 1986, *E. Bocchieri s.n.* (holotype CAG!).

Specimina visa:—ITALY. **Sardinia**: Isola dei Cavoli, Cala Is Cascias, 15 May 2005, *R. Angius*, *G. Bacchetta et L. Podda s.n.* (CAG!); Isola Serpentara, settore sud-orientale, 7 April 2006, *G. Bacchetta*, *G. Fenu*, *G. Iiriti et L. Podda s.n.* (CAG!, two sheets); Isola di Serpentara, settore centrale, 13 May 2013, *G. Bacchetta s.n.* (CAG!, three sheets).

Acknowledgements

Many thanks are due to Francesca Lentini for helping in laboratory work and to M. Thiébaut for information on *Silene* specimens in LY. Financial funding of University of Pisa (Fondi di Ateneo EX60%) is gratefully acknowledged.

References

- Aiton, W.T. (1811) *Hortus Kewensis* Ed. 2, 3. Longman *et al.*, London, 432 pp.
- Arrigoni, P.V. (2010) *Flora dell'Isola di Sardegna* 2. Carlo Delfino Editore, Sassari, 623 pp.
- Bacchetta, G., Fenu, G., Iiritri, G., Mattana, E., Meloni, F., Mulè, P. & Podda, L. (2006a) Territory defence throughout conservation of the plant diversity: the project of the Protected Sea Area of Capo Carbonara (South eastern Sardinia). *Ist International Symposium Environment, Identities and Mediterranean Area* Article number 4150533: 302–307.
- Bacchetta, G., Fenu, G., Mattana, E. & Mulè, P. (2006b) Monitoraggio e conservazione della flora e della vegetazione costiera nell'Area Marina Protetta di Capo Carbonara (Sardegna sud-orientale). *Atti Simposio su Monitoraggio Costiero Mediterraneo* 97–106.
- Bocchieri, E. (1988) *Silene valsecchiai* e *Ferula arrigonii*, due nuove specie della Sardegna. *Bollettino della Società Sarda di Scienze Naturali* 26: 305–310.
- Bosc, G., Deschâtres, R. & Paradis, G. (1992) *Silene nocturna* L. var. *boullui* (Jordan) Fiori & Paol. In: Jeanmonod, D. & Gamisans, J. (eds.), Notes et contributions à flore de Corse, VIII. *Candollea* 47: 288.
- Briquet, J. (1910) *Prodrome de la Flore Corse* 1. Georg & Co. Libraires Éditeurs, Genève, Bale, Lyon, 656 pp.
- Brullo, C., Brullo, S., Giuso del Galdo, G., Ilardi, V. & Sciandrello, S. (2012) A new species of *Silene* sect. *Dipterosperma* (Caryophyllaceae) from Sicily. *Anales del Jardín Botánico de Madrid* 69: 209–216.

- http://dx.doi.org/10.3989/ajbm.2327
- Brullo, C., Brullo, S., Giusso, D.S., Minissale, P. & Sciandrello, S. (2014) *Silene peloritana* (Caryophyllaceae) a new species from Sicily. *Phytotaxa* 172: 256–264.
http://dx.doi.org/10.11646/phytotaxa.172.3.6
- Cafferty, S. & Jarvis, C.E. (2004) Typification of Linnaean plant names in Caryophyllaceae. *Taxon* 53: 1049–1054.
http://dx.doi.org/10.2307/4135573
- Domina, G., Giusso Del Galdo, G., Gargano, D., Labra, M., Peccenini, S., Peruzzi, L. & Raimondo F.M. (2012) The Italian Loci Classici Census. *Taxon* 61: 1351–1353.
- Dutartre, G. (1987) *Silene nocturna* L. var. *boullui* (Jordan) Fiori & Paol. In: Jeanmonod, D. & Gamisans, J. (Eds.) Notes et contributions à flore de Corse, II. *Candollea* 42: 59.
- Dutartre, G., Deschartres, L., Gamisans, J. & Muracciole, M. (1986) *Silene nocturna* L. var. *boullui* (Jordan) Fiori & Paol. In: Jeanmonod, D. & Gamisans, J. (Eds.) Notes et contributions à flore de Corse, I. *Candollea* 41: 31–32.
- Fawzi, N.M., Fawzy, A.M. & Mohamed, A.A.-H.A. (2010) Seed morphological studies on some species of *Silene* L. (Caryophyllaceae). *International Journal of Botany* 6: 287–292.
http://dx.doi.org/10.3923/ijb.2010.287.292
- Foggi, B., Grigioni, A. & Luzzi, P. (2001) La flora vascolare dell'Isola di Capraia (Arcipelago Toscano): aggiornamento, aspetti fitogeografici e di conservazione. *Parlatorea* 5: 5–53.
- Gamisans, J. & Jeanmonod, D. (1993) Catalogue des plantes vasculaires de la Corse Ed. 2. Conservatoire et Jardin botaniques de la Ville de Geneve, Geneve, 258 pp.
- Ghafoor, A. (1978) Caryophyllaceae. In: Jafri, S.M.H. & El-Gadi, A. (Eds) *Flora of Lybia* 59. Al Faateh University, Tripoli, 122 pp.
- Jeanmonod, D. (2007) Caryophyllaceae. In: Jeanmonod, D. & Gamisans, J. (Eds.) *Flora Corsica*. Édisud, Aix-en-Provence, pp. 336–360.
- Jeanmonod, D. (2013) Caryophyllaceae. In: Jeanmonod, D. & Gamisans, J. (Eds.) *Flora Corsica*. Société Botanique du Centre-Ouest, pp. 340–361.
- Linnaeus, C. (1753) *Species Plantarum* 2. Laurentii Salvii, Stockholm, 639 pp.
- Linnaeus, C. (1756) *Centuria II Plantarum*. Reg. Acad. Typogr., Uppsala, 38 pp.
- Peruzzi, L. & Carta, A. (2013) A taxonomic revision of *Silene nocturna* species complex (Caryophyllaceae) in Italy. *Phytotaxa* 88: 38–48.
- Peruzzi, L. & Eroğlu, E. (2013) Karyotype asymmetry: again, how to measure and what to measure? *Comparative Cytogenetics* 7: 1–9.
http://dx.doi.org/10.3897/compcytogen.v7i1.4431
- Peruzzi, L., Jarvis, C.E. & Carta, A. (2014a) On the application of the Linnaean names *Cucubalus reflexus*, *Silene nocturna* and *Silene mutabilis* (Caryophyllaceae). *Taxon* 63: 651–652.
http://dx.doi.org/10.12705/633.6
- Peruzzi, L., Conti, F. & Bartolucci, F. (2014b) An inventory of vascular plants endemic to Italy. *Phytotaxa* 168: 1–75.
- Pinna, M.S., Fois, M., Fenu, G., Cañadas, E.M. & Bacchetta, G. (2014) *Silene valsecchiae* Bocchieri. *Informatore Botanico Italiano* 45: 388–390.
- Rouy, G. & Foucaud, J. (1896) *Flore de France* 3. Société des sciences naturelles de la Charente Inférieure, 382 pp.
http://dx.doi.org/10.5962/bhl.title.29592
- Siljak-Yakovlev, S. & Peruzzi, L. (2012) Cytogenetic characterization of endemics: past and future. *Plant Biosystems* 146: 694–702.
- Sommier, S. (1898) Aggiunte alla florula dell'Isola di Capraia. *Nuovo Giornale Botanico Italiano, nuova serie* 5: 106–139.
- Tenore, M. (1826) *Ad Flora Neapolitanae Prodromum appendix quinta*. Marotta & Vanspandoch, Napoli, 34 pp.
- Thiers, B. (2014) *Index Herbariorum: A global directory of public herbaria and associated staff*. New York Botanical Garden's Virtual Herbarium. Available from <http://sweetgum.nybg.org/ih/> (accessed: 23 February 2014).