



Notes on Early Land Plants Today. 67. Notes on Lejeuneaceae subtribus Cololejeuneinae (Marchantiophyta)

TAMÁS PÓCS¹, RUI-LIANG ZHU², LARS SÖDERSTRÖM³, ANDERS HAGBORG⁴ & MATT VON KONRAT⁴

¹Department of Botany, Eszterházy College, pf. 43, H-3301 Eger, Hungary; colura@upcmail.hu

²Department of Biology, School of Life Sciences, East China Normal University, 3663 Zhong Shan North Road, Shanghai 200062, China; Shanghai Key Lab for Urban Ecological Processes and Eco-Restoration, East China Normal University, 500 Dongchuan Road, Shanghai 200241, China; rlzhu@bio.ecnu.edu.cn

³Department of Biology, Norwegian University of Science and Technology, N-7491 Trondheim, Norway; lars.soderstrom@bio.ntnu.no

⁴Department of Science and Education, The Field Museum, 1400 South Lake Shore Drive, Chicago, IL 60605–2496, USA; hagborg@pobox.com, mvonkonrat@fieldmuseum.org

Abstract

Cololejeunea subg. *Aphanolejeunea* is validated. Two new combinations, one validated species name, 14 new synonyms and four new lectotypes in *Cololejeunea* are proposed. The genus *Austrolejeunea* is shown to be invalid and all species are transferred to *Nephelolejeunea* making three new combinations and validating five species names.

Introduction

During the work with the forthcoming world checklist of liverworts and hornworts (Söderström *et al.*, in press), several necessary taxonomic and nomenclature changes have come to our attention. Here we present necessary changes in Lejeuneaceae subtrib. Cololejeuneinae (sensu Gradstein 2013). In a molecular study Yu *et al.* (2014) showed the infrageneric structure in the genus *Cololejeunea* (Spruce 1884: 291) Stephani (1891: 208), but it does not correspond to the morphological structure currently used. Until there is a better understanding how the genetic structure corresponds to morphology, a new infrageneric classification is premature. *Aphanolejeunea* Evans (1911: 273) is shown to belong to *Cololejeunea* (Pócs & Bernecker 2009, Yu *et al.* 2014), but the name *Cololejeunea* subg. *Aphanolejeunea* (A. Evans.) Benedix (1953: 15) is invalid (ICN Art. 41.5; basionym not cited). Although it may fall into synonymy of *Cololejeunea* subg. *Cololejeunea* (cf. Yu *et al.* 2014) we are validating it here to be used in the forthcoming world checklist. Some new synonyms and lectotypes in *Cololejeunea* are also proposed.

When Schuster described *Siphonolejeunea* subg. *Austrolejeunea* Schuster (1963a: 187) he did it with a subgeneric-specific description. However, only generic-specific descriptions (ICN Art. 38.5; McNeill *et al.* 2012) are allowed. Thus, when Schuster later the same year elevated the subgenus to genus as *Austrolejeunea* (R.M. Schust.) Schuster (1963b: 244) that combination became invalid as the basionym was not valid (ICN Art. 41.1). The type of *Nephelolejeunea* Grolle (1973: 252), *Nephelolejeunea talinayi* (Arnell 1956: 309) Grolle (1973: 253), was transferred to *Austrolejeunea talinayi* (S.W. Arnell) Pócs (2006: 187) without noticing that *Austrolejeunea* was invalid. However, as long as *Nephelolejeunea talinayi* is regarded congeneric with the type of *Austrolejeunea*, *Austrolejeunea olgae* (Schuster 1963a: 187) Schuster (1963b: 244), *Nephelolejeunea* is available as a generic name. We therefore transfer all *Austrolejeunea* taxa that do not already have a name there to *Nephelolejeunea*.

Formal treatment

The format of the note follows Söderström *et al.* (2012).

Cololejeunea* subg. *Aphanolejeunea* (A.Evans) Pócs, *comb. nov.

Basionym:—*Aphanolejeunea* A.Evans, *Bull. Torrey Bot. Club* 38: 272, 1911 (Evans 1911). Type:—*Aphanolejeunea microscopica* (Taylor 1836: 59) Evans (1911: 273) ≡ *Cololejeunea* subg. *Aphanolejeunea* (A.Evans.) Benedix, *Feddes Repert. Spec. Nov. Regni Veg. Beih.* 134: 15, 1953 (Benedix 1953) *nom. inval.* (ICN 41.5; basionym not cited).

***Cololejeunea cardiocarpa* (Mont.) A.Evans, *Mem. Torrey Bot. Club* 8: 172, 1902 (Evans 1902).**

Basionym:—*Lejeunea cardiocarpa* Mont., *Hist. Phys. Cuba*: 476, 1842 (Montagne 1842). Type:—CUBA. “Ad folia *Calophylli Calabae* repentem in Cuba insula legerunt hanc speciem clarr. *Ramon de la Sagra et Auber*” (PC-Mont., syntype)
= *Cololejeunea cardiocarpioides* Tixier, *Trop. Bryol.* 11: 38, 1995 (Tixier 1995a), *syn. nov.* Type:—RWANDA. Cyangugu: Nyungwe forest, Uwinka Station, epiphyllous in submontane forest, 2000 m., 14 August 1991, *E. Fischer 8516/108* (G-00113772, holotype).

***Cololejeunea lanciloba* Steph., *Hedwigia* 34: 250, 1895 (Stephani 1895).**

Type:—INDIA. Nicobar is.: Katschall, 1875, *W.S. Kurz 3917* [*Stephani herb. 3718*] (G-00128045, lectotype **here designated** [based on Thiers’ annotation 1986.04.01]). ≡ *Leptocolea lanciloba* (Steph.) A.Evans, *Bull. Torrey Bot. Club* 38: 268, 1911 (Evans 1911).
= *Cololejeunea kamchayana* Tixier, *Bryophyt. Bibl.* 27: 151, 1985 (Tixier (1985), *syn. nov.* Type:—CAMBODIA. Mt. Bokor, 800 m, *P. Tixier 3563* (PC, holotype).
= *Cololejeunea evansii* Tixier, *Cryptog. Bryol. Lichénol.* 16: 229, 1995 (Tixier 1995b), *syn. nov.* Type:—PUERTO RICO. Mayagüez, *A.A. Heller s.n.* sub nom. *Leptocolea planifolia* (YU, holotype).

***Cololejeunea obliqua* (Nees et Mont.) Schiffn., *Bot. Jahrb. Syst.* 23: 586, 1897 (Schiffner 1897).**

Basionym:—*Lejeunea obliqua* Nees et Mont., *Ann. Sci. Nat. Bot. (ser. 2)* 19: 264, 1843 (Montagne 1843). Type:—FRENCH GUIANA. Cayenne, *F. Leprieur* (PC 3280, 3591, 3588). Note:—Tixier (ms.) could not find any type material in PC.
= *Cololejeunea pseudo-obliqua* Tixier, *Trop. Bryol.* 11: 59, 1995 (Tixier 1995a), *syn. nov.* Type:—RWANDA: Nyungwe Nat. Park, Kamiranzovu., 2000 m., 13 Aug 1991, *E. Fischer 6223 p.p.* (G-00113769, holotype).
= *Physocolea semidentata* Steph., *Sp. Hepat. (Stephani)* 5: 883, 1916 (Stephani 1916), *syn. nov.* Type:—COSTA RICA. Bois de la vallée de Tuis, bassin du Reventarzon, September 1893, *A. Tonduz*, herb Cardot. n. 15591 (G-00069367, lectotype **here designated** [or possibly holotype, cf. McNeill 2014]). Note:—M.I. Morales annotated the type specimen as belonging to *Cololejeunea obliqua*, but the synonym seems never to have been published.

***Cololejeunea obtusifolia* (E.W.Jones) Tixier, *Trop. Bryol.* 11: 42, 1995 (Tixier 1995a).**

Basionym:—*Cololejeunea pusilla* var. *obtusifolia* E.W.Jones, *Trans. Brit. Bryol. Soc.* 2: 427, 1954 (Jones 1954). Type:—NIGERIA. Benin: Sapoba, 1 February 1948, *E.W. Jones 163* (E, lectotype designated by Tixier 1995a)
= *Cololejeunea heterolobula* Tixier, *Trop. Bryol.* 11: 40, 1995 (Tixier 1995a), *syn. nov.* Type:—RWANDA, Cyangugu: Forêt de Ngyungwé, Kamiranzovu, 2000 m, 13 August 1991, *E. Fischer 6223/18* (G-00113771, holotype).
= *Cololejeunea pseudopusilla* Tixier, *Trop. Bryol.* 11: 50, 1995 (Tixier 1995a) “*pseudo-pusilla*”, *syn. nov.* Type:—D. R. CONGO. Kivu: Mont Kahuzi, près de la route Bukawu-Irangi, 1900 m, *E. Fischer 8515/36* (G-00113768!, holotype).
= *Cololejeunea sphaerocarpa* Tixier, *Trop. Bryol.* 11: 42, 1995 (Tixier 1995a), *syn. nov.* Type:—D. R. CONGO. Kivu, station forestière d’Irangi, au S.W. Du Mt. Ilimo, 1300 m, 23 August 1991, *E. Fischer 8511/4* (G-00113767, holotype).

Cololejeunea obtusifolia* var. *madecassa* (Tixier) Pócs, *comb. nov.

Basionym:—*Cololejeunea androphylla* E.W.Jones var. *madecassa* Tixier, *Bull. Trimestriel Acad. Malgache, n.s.* 55: 216, 1977 [1979] (Tixier 1977). Type:—MADAGASCAR. Antananarivo, Mandialaza, 1200 m, 19 December 1975, *P. Tixier 7670* (PC).

***Cololejeunea planissima* (Mitt.) Abeyw., *Ceylon J. Sci., Biol. Sci.* 2 (1): 73, 1959 (Abeywickrama 1959).**

Basionym:—*Lejeunea planissima* Mitt., *J. Proc. Linn. Soc., Bot.* 5: 117, 1861 [1860] (Mitten 1861). Type:—SRI LANKA. Pt. Galle, *G. Gardner* 1393 (NY).
= *Cololejeunea planifolia* (A.Evans) R.M.Schust., *Beih. Nova Hedwigia* 9: 177, 1963 (Schuster 1963a), *syn. nov.* Basionym:—*Leptocolea*

planifolia A. Evans, *Bull. Torrey Bot. Club* 38: 265, 1911 (Evans 1911). Type:—PUERTO RICO. Utuado, E.G. Britton & D.W. Marble 882 p.p. (NY, holotype).

Cololejeunea stylilobula* Tixier ex R.L. Zhu, *sp. nov.

Based on:—*Cololejeunea stylilobula* Tixier, *Bryophyt. Bibl.* 27: 119, 1985 (Tixier 1985), *nom. inval.* (ICN Art. 40.1; no type indicated). Type:—VIETNAM. Ninh-Binh, parc national de Cuc Phuong, vers Mén, 400 m, 20 December 1965, T. Pócs & Nguyễn Ngọc Bích 3028 (PC!, holotype). Note:—When Tixier (1985) described *Cololejeunea stylilobula* he did not indicate any type. A type is here selected in order to validate the name. The description in Tixier (1985: 119) with the addition of the holotype information here validates the taxon.

***Cololejeunea trichomanis* (Gottsche) Steph., *Hedwigia* 34: 252, 1895 (Stephani 1895).**

Basionym:—*Lejeunea trichomanis* Gottsche, *Abh. Naturwiss. Vereins Bremen* 7: 362, 1882 (Gottsche 1882). Type:—AUSTRALIA. Queensland: Bellenden Ker Range, 1881, H. Karsten [Stephani herbarium no. 17352] (G-00115296, lectotype designated by Thiers 1988; MEL, isolectotype).
= *Cololejeunea dalatensis* Tixier, *Bryophyt. Bibl.* 27: 197, 1985 (Tixier 1985), *syn. nov.* Type:—VIETNAM. Tuyen Duc, Dalat, Mt. Lang Bian, 1900 m, 10 December 1958, P. Tixier 2297 (PC-104218, holotype).
= *Cololejeunea tixeriana* M. Dey, D. Singh et D.K. Singh, *Taiwania* 53 (3): 258, 2008 (Dey et al. 2008), *syn. nov.* Type:—INDIA. West Bengal: Darjeeling district, Rangji Rum, Bhutan road, ca 1750 m, 19 December 2004, K.P. Singh, 36397A (CAL, holotype).

***Cololejeunea vidaliana* Tixier, *Nat. Hist. Bull. Siam Soc.* 24 (3/4): 444, 1973 (Tixier 1973).**

Type:—LAOS. near Paksong (Boloovens), corticolous in clear forest, 29 December 1968, P. Tixier 4139 (PC, holotype).
= *Cololejeunea papulosa* Tixier, *Ann. Fac. Sci. Univ. Phnom Penh* 1: 58, 1967 [1968] (Tixier 1967), *nom. inval.* (ICN Art. 40.2; based on more than one gathering). ≡ *Cololejeunea papulosa* Tixier, *Bryophyt. Bibl.* 27: 41, 1985 (Tixier 1985) *nom. illeg.* (ICN Art. 53.1; non R.M. Schust. 1980), *syn. nov.* Type:—VIETNAM. Lam Đông, forêt de la Dalao, épiphyllous, 950 m, 1960, P. Tixier 251 (PC, holotype). Blocking name:—*Cololejeunea papulosa* R.M. Schust., *Phytologia* 45 (5): 433, 1980 (Schuster 1980).

***Cololejeunea zenkeri* (Steph.) E.W. Jones, *Trans. Brit. Bryol. Soc.* 2: 420, 1954 (Jones 1954).**

Basionym:—*Aphanolejeunea zenkeri* Steph., *Sp. Hepat. (Stephani)* 5: 858, 1916 (Stephani 1916). Type:—CAMEROON. s.loc., J.C. Zenker 1274a (G-00045059, lectotype here designated).
= *Cololejeunea duvignaudii* E.W. Jones, *Trans. Brit. Bryol. Soc.* 2: 418, 1954 (Jones 1954), *syn. nov.* Type:—D. R. CONGO, Panzi (sous-bois), P. Duvignaud 998c (BR-5040032317160!, holotype).
= *Cololejeunea duvignaudii* var. *papillata* Tixier, *Bull. Trimestriel Acad. Malgache, n.s.* 55: 223 1977 [1979] (Tixier 1977), *syn. nov.* Type:—MADAGASCAR. Antananarivo: Manjakatempo, 1700 m, R. Benoist s.n. (PC, holotype).

***Nephelolejeunea* Grolle, *J. Hattori Bot. Lab.* 37: 252, 1973 (Grolle 1973).**

Type:—*Nephelolejeunea talinayi* (S.W. Arnell) Grolle.
= *Siphonolejeunea* subg. *Austrolejeunea* R.M. Schust., *Beih. Nova Hedwigia* 9: 187, 1963 (Schuster 1963a), *nom. inval.* (ICN Art. 39.1; no Latin description). Type:—*Siphonolejeunea olgae* R.M. Schust., *Beih. Nova Hedwigia* 9: 187, 1963 (Schuster 1963b). ≡ *Austrolejeunea* (R.M. Schust.) R.M. Schust., *J. Hattori Bot. Lab.* 26: 244, 1963 (Schuster 1963b), *nom. inval.* (ICN Art. 41.1; basionym not valid).

Nephelolejeunea bidentata* B.M. Thiers ex L. Söderstr. et Hagborg, *sp. nov.

Based on:—*Austrolejeunea bidentata* B.M. Thiers, *Bryologist* 88: 350, 1985 [1986] (Thiers 1985), *nom. inval.* (ICN Art. 35.1; genus not valid). Type:—AUSTRALIA. New South Wales. Clyde Mt, Braidwood-Bateman's Bay Rd., 9 August 1984, B. Thiers 2938 (AD, holotype; NY, CBG, isotypes). Note:—The reference to the description in Thiers (1985: 350) validates the taxon.

Nephelolejeunea fragilis* (R.M. Schust.) L. Söderstr. et A. Hagborg, *comb. nov.

Basionym:—*Cololejeunea fragilis* R.M. Schust., *Phytologia* 56: 458, 1985 (Schuster 1985). Type:—NEW ZEALAND. South Island:

Waterfall Track, W. of Lewis Pass, Lewis Pass Reserve, *R.M. Schuster 84-1699d* (F, holotype). ≡ *Austrolejeunea fragilis* (R.M.Schust.) R.M.Schust., *J. Hattori Bot. Lab.* 72: 191, 1992 (Schuster 1992), *nom. inval.* (ICN Art. 35.1; genus not valid).

Nephelolejeunea hispida* R.M.Schust. ex L.Söderstr. et A.Hagborg, *sp. nov.

Based on:—*Austrolejeunea hispida* R.M.Schust., *Phytologia* 47: 305, 1981 (Schuster 1981), *nom. inval.* (ICN Art. 35.1; genus not valid).
Type:—NEW ZEALAND. South Island: Falls Creek, Upper Hollyford R. valley, 3 November 1961, *R.M. Schuster 48809* (F, holotype). Note:—The reference to the description in Schuster (1981: 305) validates the taxon.

Nephelolejeunea jarmaniana* Grolle ex L.Söderstr. et A.Hagborg, *sp. nov.

Based on:—*Austrolejeunea jarmaniana* Grolle, *Nova Hedwigia* 55: 112, 1992 (Grolle 1992), *nom. inval.* (ICN Art. 35.1; genus not valid).
Type:—AUSTRALIA. Tasmania: near the southern end of Romney Marsh, *J. Jarman 90/4* (JE-04002945, holotype; Hb. Jarman, isotype). Note:—The reference to the description in Grolle (1992: 112) validates the taxon.

Nephelolejeunea nudipes* (Hook. f. et Taylor) L.Söderstr. et A.Hagborg, *comb. nov.

Basionym:—*Jungermannia nudipes* Hook.f. et Taylor, *London J. Bot.* 3: 568, 1844 (Hooker & Taylor 1844). Type:—NEW ZEALAND. 1843, *J.D. Hooker* (S-B13523, S-B13524, isotypes). ≡ *Austrolejeunea nudipes* (Hook.f. et Taylor) Grolle, *J. Hattori Bot. Lab.* 37: 257, 1973 (Grolle 1973), *nom. inval.* (ICN Art. 35.1; genus not valid).
= *Siphonolejeunea olgae* R.M.Schust., *Beih. Nova Hedwigia* 9: 187, 1963 (Schuster 1963a). Type:—NEW ZEALAND. Otago, Table Hill Reservation, *R.M. Schuster 48581* (F!). ≡ *Austrolejeunea olgae* (R.M.Schust.) R.M.Schust., *J. Hattori Bot. Lab.* 26: 244, 1963 (Schuster 1963b), *nom. inval.* (ICN Art. 35.1; genus not valid).

Nephelolejeunea occidentalis* Pócs ex L.Söderstr. et A.Hagborg, *sp. nov.

Based on:—*Austrolejeunea occidentalis* Pócs, *J. Hattori Bot. Lab.* 99: 187, 2006 (Pócs 2006), *nom. inval.* (ICN Art. 35.1; genus not valid).
Type:—AUSTRALIA. Western Australia: Denmark Shire, Gigant Forest Block, 16 June 2000, *B.G. Hammersley 2498* (PERTH!), holotype). Note:—The reference to the description in Pócs (2006: 187) validates the taxon.

Nephelolejeunea radulifolia* (C.Massal.) L.Söderstr. et A.Hagborg, *comb. nov.

Basionym:—*Lejeunea radulifolia* C.Massal., *Nuovo Giorn. Bot. Ital.* 17 (3): 248, 1885 (Massalongo 1885), “*radulaefolia*”. Type:—ARGENTINA. Tierra del Fuego: I. de los Estados, *C. Spegazzini* (VER, G). ≡ *Austrolejeunea radulifolia* (C.Massal.) R.M.Schust., *J. Hattori Bot. Lab.* 26: 244, 1963 (Schuster 1963b), “*radulaefolia*”, *nom. inval.* (ICN Art. 53.1; genus not valid).

Nephelolejeunea secunda* M.A.M.Renner ex L.Söderstr. et A.Hagborg, *sp. nov.

Based on:—*Austrolejeunea secunda* M.A.M.Renner, *Bryologist* 113 (4): 782, 2010 (Renner 2010), *nom. inval.* (ICN Art. 53.1; genus not valid). Type:—NEW ZEALAND. North Island: Ruahine Range, Armstrong Saddle above Sunshine Hut, 17 October 2009, *M.A.M. Renner et al. 4453* (AK, holotype; CHR, isotype). Note:—The reference to the description in Renner (2010: 782) validates the taxon.

Acknowledgement

The Early Land Plants Today project (ELPT) has been generously supported in part by the Global Biological Information Facility (GBIF) Seed Money Award No.2007-41, activities facilitated in part by funding from the Biodiversity Synthesis Center of the Encyclopedia of Life (BioSynC), partial funding from the National Science Foundation (Award No's 0749762, 1115002), the Warwick Foundation, and the Negaunee Foundation. The second author (R-L. ZHU) acknowledges the financial support provided by the Special Program for the National Basic Work of the Ministry of Science and Technology, China (No. 2012FY110600) and National Natural Science Foundation of China (nos. 31370238, 31170190).

References

- Abeywickrama, B.A. (1959) The genera of liverworts of Ceylon. *Ceylon Journal of Science, Biological Sciences* 2 (1): 33–81.
- Arnell, S. (1956) Hepaticae collected by Dr. and Mrs. Carl Skottsberg on Cerro Talinay, Prov. Coquimbo, Chile, 1955. *Svensk Botanisk Tidskrift* 50: 308–312.
- Benedix, E.H. (1953) Indomalayische Cololejeuneen. *Feddes Repertorium specierum novarum regni vegetabilis. Beiheft* 134: 1–88.
- Dey, M., Singh, D. & Singh, D.K. (2008) A New Species of *Cololejeunea* (Hepaticae: Lejeuneaceae) from Eastern Himalaya, India. *Taiwania* 53 (3): 258–263.
- Evans, A.W. (1902) The Lejeuneae of the United States and Canada. *Memoirs of the Torrey Botanical Club* 8: 113–183.
- Evans, A.W. (1911) Hepaticae of Puerto Rico. X. *Cololejeunea*, *Leptocolea* and *Aphanolejeunea*. *Bulletin of the Torrey Botanical Club* 38: 251–286.
- Gottsche, C.M. (1882) Reliquiae Rutenbergianae. Lebermoose. *Abhandlungen herausgegeben vom Naturwissenschaftlichen Vereins zu Bremen* 7: 335–365.
- Gradstein, S.R. (2013) A classification of Lejeuneaceae (Marchantiophyta) based on molecular and morphological evidence. *Phytotaxa* 100: 6–20.
<http://dx.doi.org/10.11646/phytotaxa.100.1.2>
- Grolle, R. (1973) *Nephelolejeunea* - eine neue Gattung der Tuyamaelloideae. *Journal of the Hattori Botanical Laboratory* 37: 251–261.
- Grolle, R. (1992) *Austrolejeunea jarmaniana*, a new species of Hepaticae from Tasmania. *Nova Hedwigia* 55: 111–117.
- Hooker, J.D. & Taylor, T. (1844) Hepaticae Novae-Zelandiae et Tasmaniae. III. Species of New Zealand. *London Journal of Botany* 3: 556–577.
- Jones, E.W. (1954) African hepatics X. *Leptocolea* and *Cololejeunea*. *Transactions of the British Bryological Society* 2: 408–438.
<http://dx.doi.org/10.1179/006813854804830156>
- Massalongo, C. (1885) Epatiche raccolte alla Tierra del Fuoco dal Dott. C. Spegazzini nell'anno 1882. *Nuovo Giornale Botanico Italiano* 17: 201–277.
- McNeill, J. (2014) Holotype specimens and type citations: General issues. *Taxon* 63 (5): 1112–1113.
<http://dx.doi.org/10.12705/635.7>
- McNeill, J., Barrie, F.R., Buck, W.R., Demoulin, V., Greuter, W., Hawksworth, D.L., Herendeen, P.S., Knapp, S., Marhold, K., Prado, J., Prud'homme van Reine, W.F., Smith, G.F., Wiersema, J.H. & Turland, N.J. (2012) International Code of Nomenclature for algae, fungi and plants (Melbourne Code) adopted by the Eighteenth International Botanical Congress Melbourne, Australia, July 2011. *Regnum Vegetabile* 154: 1–240.
- Mitten, W. (1861) Hepaticae Indiae Orientalis. *Journal of the Proceedings of the Linnean Society. Botany* 5: 89–128.
<http://dx.doi.org/10.1111/j.1095-8312.1860.tb01045.x>
- Montagne, J.F.C. (1842) *Histoire Physique, Politique et Naturelle de l'Ile de Cuba*. Paris, 549 pp.
- Montagne, J.F.C. (1843) Quatrième centurie de plantes cellulaires exotiques nouvelles, décades I–VI. [Ser. 2] *Annales des Sciences Naturelles, Botanique* 19: 238–266.
- Pócs, T. (2006) Contributions to the bryoflora of Australia. II. On the Australasian “Tuyamaelloideae” (Lejeuneaceae), with the description of *Austrolejeunea occidentalis*. *Journal of the Hattori Botanical Laboratory* 99: 185–195.
- Pócs, T. & Bernecker, A. (2009) Knowledge of *Aphanolejeunea* (Jungermanniopsida) after 25 years. *Polish Botanical Journal* 54 (1): 1–11.
- Renner, M.A.M. (2010) Another new species of *Austrolejeunea* (Lejeuneaceae) from New Zealand's subalpine environs. *Bryologist* 113: 781–787.
<http://dx.doi.org/10.1639/0007-2745-113.4.781>
- Schiffner, V. (1897) Revision der Gattungen *Omphalanthus* und *Lejeunea* im Herbarium des Berliner Museums. *Botanische Jahrbücher für Systematik, Pflanzengeschichte und Pflanzengeographie* 23: 578–600.
- Schuster, R.M. (1963a) An annotated synopsis of the genera and subgenera of Lejeuneaceae. I. Introduction; annotated keys to subfamilies and genera. *Beihefte zur Nova Hedwigia* 9: 1–203.
- Schuster, R.M. (1963b) Studies on antipodal Hepaticae. I. Annotated keys to the genera of antipodal Hepaticae with special reference to New Zealand and Tasmania. *Journal of the Hattori Botanical Laboratory* 26: 185–309.
- Schuster, R.M. (1980) New combinations and taxa of Hepaticae I. *Phytologia* 45: 415–437.
- Schuster, R.M. (1981) Austral Hepaticae. VIII. Tuyamaelloideae. *Phytologia* 47: 301–308.
- Schuster, R.M. (1985) Austral Hepaticae. XIX. Some taxa new to New Zealand and New Caledonia. *Phytologia* 56: 449–464.
- Schuster, R.M. (1992) The oil-bodies of the Hepaticae. II. Lejeuneaceae (part 2). *Journal of the Hattori Botanical Laboratory* 72: 163–359.
- Söderström, L., Hagborg, A. & von Konrat, M. (2012) Notes on Early Land Plants Today. *Phytotaxa* 65: 41–42.

- Söderström, L., Hagborg, A., von Konrat M., Bartholomew-Began, S., Bell, D., Briscoe, L., Brown, E., Cargill, D.C., Costa, D.P., Crandall-Stotler, B.J., Cooper, E.D., Dauphin, G., Engel, J.J., Feldberg, K., Glenny, D., Gradstein, S.R., He, X., Ilkiu-Borges, A.L., Heinrichs, J., Hentschel, J., Katagiri, T., Konstantinova, N.A., Larrain, J., Long, D.G., Nebel, M., Pócs, T., Puche, F., Reiner-Drehwald, M.E., Renner, M.A.M., Sass-Gyarmati, A., Schäfer-Verwimp, A., Segarra Moragues, J.G., Stotler, R.E., Sukkharak, P., Thiers, B.M., Uribe, J., Váña, J., Villarreal, J.C., Wigginton, M., Zhang, L. & Zhu, R.-L. (in press) World checklist of hornworts and liverworts. *PhytoKeys*.
- Spruce, R. (1884) Hepaticae Amazonica et Andinae. *Transactions and Proceedings of the Botanical Society, Edinburgh* 15: 1–308.
- Stephani, F. (1891) Hepaticae africanae. *Hedwigia* 30: 201–217.
- Stephani, F. (1895) Hepaticarum species novae VIII. *Hedwigia* 34: 232–253.
- Stephani, F. (1916) *Species Hepaticarum* 5. George & Cie: Genève & Bale, pp. 849–1008.
- Taylor, T. (1836) *Flora Hibernica. Part second, comprising the musci, hepaticae and lichenes*. William Curry Jun and Co., Dublin, 279 pp.
<http://dx.doi.org/10.5962/bhl.title.6699>
- Thiers, B.M. (1985) *Austrolejeunea bidentata*, a new species of Lejeuneaceae subfamily Tuyamaelloideae from Australia. *Bryologist* 88: 350–352.
<http://dx.doi.org/10.2307/3242671>
- Thiers, B. (1988) The Australian species of *Cololejeunea*. *Beihefte zur Nova Hedwigia* 90: 113–146.
- Tixier, P. (1967) Bryophytae indosinicae. Inventaire bryologique du massif de Kiriom (Cambodge). *Annales de la Faculté Sciences, Université de Phnom Penh* 1: 41–68.
- Tixier, P. (1973) Contribution to the knowledge of genus *Cololejeunea* in south-east Asia. III. Some new species. *Natural History Bulletin of the Siam Society* 24: 439–447.
- Tixier, P. (1977) La famille des Cololejeuneoideae Grolle dans l’océan Indien occidental. *Bulletin trimestriel de l’académie malgache* 55: 173–247.
- Tixier, P. (1985) Contribution à la connaissance des Cololejeunoideae. *Bryophytorum Bibliotheca* 27: 1–439.
- Tixier, P. (1995a) Résultats taxonomiques de l’expédition BRYOTROP au Zaïre et Rwanda. 30. Bryophytes épiphylls (récoltes de E. Fischer). *Tropical Bryology* 11: 11–76.
- Tixier, P. (1995b) Rectifications nomenclaturales – Typifications. *Cryptogamie: Bryologie, Lichénologie* 16: 229–230.
- Yu, Y., Heinrichs, J., Schäfer-Verwimp, A., Zhu, R.-L., Schneider, H. (2014) Inferring the accumulation of morphological disparity in epiphyllous liverworts. *Organisms, Diversity and Evolution* 14: 151–162.
<http://dx.doi.org/10.1007/s13127-014-0166-6>