

A new species of *Trombidium* (Acari: Trombidiidae) from East Azarbaijan province, Iran

ALIREZA SABOORI¹ & KARIM HADDAD IRANI-NEJAD²

¹Department of Plant Protection, College of Agriculture, University of Tehran, Karaj, Iran. E-mail: saboori@ut.ac.ir

²Department of Plant Protection, College of Agriculture, University of Tabriz, Tabriz; Iran. E-mail: khaddad@tabrizu.ac.ir

Abstract

A new species of larval *Trombidium*, collected as free-living on soil, is described and illustrated from Tickmadash, Mianeh City, East Azarbaijan province, Iran. This is the second species of *Trombidium* from Iran. A key to Iranian genera of Trombidiidae (larva) is presented.

Key words: Trombidiidae, *Trombidium*, new species, larva, Iran

Introduction

At present, fifteen larval species of *Trombidium* have been described (Southcott 1986, Haitlinger 1996, 2004, Zhang & Saboori 1996). Only one species of *Trombidium* has been described from Iran (Zhang & Saboori 1996).

The terminology and abbreviations follow Zhang & Saboori (1996) and measurements are given in micrometers (μm).

Key to Iranian genera of Trombidiidae (Larva)

1. Setae h , much longer than other setae of idiosoma; palpal tarsal setae smooth 2
- Setae h , semi equal with other setae of idiosoma; palp tarsus at least with one barbed seta 6
2. With three dorsal scuta 3
- With two dorsal scuta 4
3. Coxa II with two setae *Iranitrombium* Saboori et al.
- Coxa II with one seta *Oskootrombium* Saboori et al.
4. Medial coxala I pectinate *Paratrombium* Bruyant
- Medial coxala I barbed or smooth (not pectinate) 5
5. Posterior claw of Ta III reduced; medial coxala I smooth; palp femur with one seta *Trombidium* Fabricius
- Posterior claw of Ta III normal; medial coxala I barbed; palp femur without seta *Azaritrombium* Saboori et al.
6. Ge II & III each with two seolenidia, Coxa II with two setae *Allothrombium* Berlese
- Ge II & III each with one seolenidion, Coxa II with one seta *Monotrombium* Zhang