

# ZOOTAXA

1737

**New World direct-developing frogs (Anura: Terrarana):  
Molecular phylogeny, classification, biogeography, and conservation**

S. BLAIR HEDGES, WILLIAM E. DUELLMAN, & MATTHEW P. HEINICKE



Magnolia Press  
Auckland, New Zealand

S. BLAIR HEDGES, WILLIAM E. DUELLMAN, & MATTHEW P. HEINICKE

**New World direct-developing frogs (Anura: Terrarana): Molecular phylogeny, classification, biogeography, and conservation**

(*Zootaxa* 1737)

182 pp.; 30 cm.

31 March 2008

ISBN 978-1-86977-197-3 (paperback)

ISBN 978-1-86977-198-0 (Online edition)

FIRST PUBLISHED IN 2008 BY

Magnolia Press

P.O. Box 41-383

Auckland 1346

New Zealand

e-mail: [zootaxa@mapress.com](mailto:zootaxa@mapress.com)

<http://www.mapress.com/zootaxa/>

© 2008 Magnolia Press

All rights reserved.

No part of this publication may be reproduced, stored, transmitted or disseminated, in any form, or by any means, without prior written permission from the publisher, to whom all requests to reproduce copyright material should be directed in writing.

This authorization does not extend to any other kind of copying, by any means, in any form, and for any purpose other than private research use.

ISSN 1175-5326 (Print edition)

ISSN 1175-5334 (Online edition)



## New World direct-developing frogs (Anura: Terrarana): Molecular phylogeny, classification, biogeography, and conservation

S. BLAIR HEDGES<sup>1\*</sup>, WILLIAM E. DUELLMAN<sup>2</sup>, & MATTHEW P. HEINICKE<sup>3</sup>

<sup>1</sup> Department of Biology, Pennsylvania State University, 208 Mueller Laboratory, University Park, PA 16802-5301 USA.  
Email: sbh1@psu.edu

<sup>2</sup> Natural History Museum and Biodiversity Research Center, University of Kansas, Lawrence, KS 66045 USA.  
Email: duellman@ku.edu

<sup>3</sup> Department of Biology, Pennsylvania State University, 208 Mueller Laboratory, University Park, PA 16802-5301 USA.  
Email: mph177@psu.edu

\* Corresponding author

### Table of Contents

Abstract	6
Introduction	6
Materials and Methods	9
Results	12
Systematic Accounts	21
Terrarana, New Taxon	21
Family Brachycephalidae Günther, 1858	22
Genus <i>Brachycephalus</i> Fitzinger, 1826	23
Genus <i>Ischnocnema</i> Reinhardt & Lütken, 1862	25
<i>Ischnocnema guentheri</i> Species Series	27
<i>Ischnocnema lactea</i> Species Series	27
<i>Ischnocnema parva</i> Species Series	28
<i>Ischnocnema ramagii</i> Species Series	28
<i>Ischnocnema verrucosa</i> Species Series	29
Family Craugastoridae, New Family	29
Genus <i>Craugastor</i> Cope, 1862	31
Subgenus <i>Campbellius</i> , New Subgenus	33
Subgenus <i>Craugastor</i> Cope, 1862	35
<i>Craugastor (Craugastor) fitzingeri</i> Species Group	37
<i>Craugastor (Craugastor) melanostictus</i> Species Group	37
<i>Craugastor (Craugastor) gulosus</i> Species Series	38
<i>Craugastor (Craugastor) mexicanus</i> Species Series	39
<i>Craugastor (Craugastor) rhodopis</i> Species Series	40
<i>Craugastor (Craugastor) podiciferus</i> Species Group	41
<i>Craugastor (Craugastor) rhodopis</i> Species Group	41
<i>Craugastor (Craugastor) punctariolus</i> Species Series	42
Subgenus <i>Hylactophryne</i> Lynch, 1968	42
<i>Craugastor (Hylactophryne) augusti</i> Species Series	44
<i>Craugastor (Hylactophryne) bocourti</i> Species Series	45
Genus <i>Haddadus</i> , New Genus	45

Family Eleutherodactylidae Lutz, 1954	47
Subfamily Eleutherodactylinae Lutz 1954	49
Genus <i>Diasporus</i> , New Genus	49
Genus <i>Eleutherodactylus</i> Duméril & Bibron, 1838	50
Subgenus <i>Eleutherodactylus</i> Duméril & Bibron, 1838	52
<i>Eleutherodactylus</i> ( <i>Eleutherodactylus</i> ) <i>auriculatus</i> Species Series	53
<i>Eleutherodactylus</i> ( <i>Eleutherodactylus</i> ) <i>abbotti</i> Species Group	54
<i>Eleutherodactylus</i> ( <i>Eleutherodactylus</i> ) <i>auriculatus</i> Species Group	55
<i>Eleutherodactylus</i> ( <i>Eleutherodactylus</i> ) <i>minutus</i> Species Group	56
<i>Eleutherodactylus</i> ( <i>Eleutherodactylus</i> ) <i>martinicensis</i> Species Series	56
<i>Eleutherodactylus</i> ( <i>Eleutherodactylus</i> ) <i>antillensis</i> Species Group	57
<i>Eleutherodactylus</i> ( <i>Eleutherodactylus</i> ) <i>antillensis</i> Species Subgroup	57
<i>Eleutherodactylus</i> ( <i>Eleutherodactylus</i> ) <i>gryllus</i> Species Subgroup	58
<i>Eleutherodactylus</i> ( <i>Eleutherodactylus</i> ) <i>locustus</i> Species Subgroup	59
<i>Eleutherodactylus</i> ( <i>Eleutherodactylus</i> ) <i>wightmanae</i> Species Subgroup	59
<i>Eleutherodactylus</i> ( <i>Eleutherodactylus</i> ) <i>flavescens</i> Species Group	59
<i>Eleutherodactylus</i> ( <i>Eleutherodactylus</i> ) <i>martinicensis</i> Species Group	59
<i>Eleutherodactylus</i> ( <i>Eleutherodactylus</i> ) <i>richmondi</i> Species Series	61
<i>Eleutherodactylus</i> ( <i>Eleutherodactylus</i> ) <i>varians</i> Species Series	61
<i>Eleutherodactylus</i> ( <i>Eleutherodactylus</i> ) <i>lamprotes</i> Species Group	61
<i>Eleutherodactylus</i> ( <i>Eleutherodactylus</i> ) <i>montanus</i> Species Group	62
<i>Eleutherodactylus</i> ( <i>Eleutherodactylus</i> ) <i>varians</i> Species Group	62
<i>Eleutherodactylus</i> ( <i>Eleutherodactylus</i> ) <i>leberi</i> Species Subgroup	63
<i>Eleutherodactylus</i> ( <i>Eleutherodactylus</i> ) <i>varians</i> Species Subgroup	64
<i>Eleutherodactylus</i> ( <i>Eleutherodactylus</i> ) <i>wetmorei</i> Species Group	64
<i>Eleutherodactylus</i> ( <i>Euhyas</i> ) <i>armstrongi</i> Species Series	66
<i>Eleutherodactylus</i> ( <i>Euhyas</i> ) <i>dimidiatus</i> Species Series	66
<i>Eleutherodactylus</i> ( <i>Euhyas</i> ) <i>dimidiatus</i> Species Group	67
<i>Eleutherodactylus</i> ( <i>Euhyas</i> ) <i>schmidti</i> Species Group	68
<i>Eleutherodactylus</i> ( <i>Euhyas</i> ) <i>greyi</i> Species Series	68
<i>Eleutherodactylus</i> ( <i>Euhyas</i> ) <i>luteolus</i> Species Series	69
<i>Eleutherodactylus</i> ( <i>Euhyas</i> ) <i>cuneatus</i> Species Group	69
<i>Eleutherodactylus</i> ( <i>Euhyas</i> ) <i>luteolus</i> Species Group	71
<i>Eleutherodactylus</i> ( <i>Euhyas</i> ) <i>cundalli</i> Species Subgroup	71
<i>Eleutherodactylus</i> ( <i>Euhyas</i> ) <i>gossei</i> Species Subgroup	71
<i>Eleutherodactylus</i> ( <i>Euhyas</i> ) <i>jamaicensis</i> Species Subgroup	72
<i>Eleutherodactylus</i> ( <i>Euhyas</i> ) <i>luteolus</i> Species Subgroup	72
<i>Eleutherodactylus</i> ( <i>Euhyas</i> ) <i>nubicola</i> Species Subgroup	72
<i>Eleutherodactylus</i> ( <i>Euhyas</i> ) <i>riparius</i> Species Group	73
<i>Eleutherodactylus</i> ( <i>Euhyas</i> ) <i>toa</i> Species Group	73
<i>Eleutherodactylus</i> ( <i>Euhyas</i> ) <i>oxyrhyncus</i> Species Series	74
<i>Eleutherodactylus</i> ( <i>Euhyas</i> ) <i>bakeri</i> Species Group	74
<i>Eleutherodactylus</i> ( <i>Euhyas</i> ) <i>glandulifer</i> Species Group	76
<i>Eleutherodactylus</i> ( <i>Euhyas</i> ) <i>jugans</i> Species Group	76
<i>Eleutherodactylus</i> ( <i>Euhyas</i> ) <i>oxyrhyncus</i> Species Group	77
<i>Eleutherodactylus</i> ( <i>Euhyas</i> ) <i>paulsoni</i> Species Group	77
<i>Eleutherodactylus</i> ( <i>Euhyas</i> ) <i>ruffifemoralis</i> Species Group	77
<i>Eleutherodactylus</i> ( <i>Euhyas</i> ) <i>planirostris</i> Species Series	78
<i>Eleutherodactylus</i> ( <i>Euhyas</i> ) <i>atkinsi</i> Species Group	78
<i>Eleutherodactylus</i> ( <i>Euhyas</i> ) <i>gundlachi</i> Species Group	78
<i>Eleutherodactylus</i> ( <i>Euhyas</i> ) <i>limbatus</i> Species Group	80
<i>Eleutherodactylus</i> ( <i>Euhyas</i> ) <i>pezopetrus</i> Species Group	80
<i>Eleutherodactylus</i> ( <i>Euhyas</i> ) <i>pinarensis</i> Species Group	81

<i>Eleutherodactylus (Euhyas) planirostris</i> Species Group	81
<i>Eleutherodactylus (Euhyas) ricordii</i> Species Series	81
<i>Eleutherodactylus (Euhyas) lentus</i> Species Group	82
<i>Eleutherodactylus (Euhyas) ricordii</i> Species Group	82
<i>Eleutherodactylus (Euhyas) zugi</i> Species Series	84
Subgenus <i>Pelorius</i> Hedges, 1989	84
<i>Eleutherodactylus (Pelorius) inoptatus</i> Species Series	85
<i>Eleutherodactylus (Pelorius) ruthae</i> Species Series	86
Subgenus <i>Schwartzius</i> , New Subgenus	87
Subgenus <i>Syrrhophus</i> Cope, 1878	88
<i>Eleutherodactylus (Syrrhophus) longipes</i> Species Series	89
<i>Eleutherodactylus (Syrrhophus) leprus</i> Species Group	89
<i>Eleutherodactylus (Syrrhophus) longipes</i> Species Group	90
<i>Eleutherodactylus (Syrrhophus) marnockii</i> Species Group	91
<i>Eleutherodactylus (Syrrhophus) modestus</i> Species Group	91
<i>Eleutherodactylus (Syrrhophus) nitidus</i> Species Group	91
<i>Eleutherodactylus (Syrrhophus) pipilans</i> Species Group	93
<i>Eleutherodactylus (Syrrhophus) symingtoni</i> Species Series	93
Subfamily <i>Phyzelaphryninae</i> , New Subfamily	93
Genus <i>Adelophryne</i> Hoogmoed and Lescure, 1984	94
Genus <i>Phyzelaphryne</i> Heyer, 1977	94
Family <i>Strabomantidae</i> , New Family	95
Subfamily <i>Holoadeninae</i> , New Subfamily	97
Genus <i>Barycholos</i> Heyer, 1969	97
Genus <i>Bryophryne</i> , New Genus	99
Genus <i>Euparkerella</i> Griffiths, 1959	99
Genus <i>Holoaden</i> Miranda-Ribeiro, 1920	100
Genus <i>Noblella</i> Barbour, 1930	102
Genus <i>Psychrophrynella</i> , New Genus	102
Subfamily <i>Strabomantinae</i> , New Subfamily	103
Genus <i>Atopophrynus</i> Lynch & Ruiz-Carranza, 1982	105
Genus <i>Dischidodactylus</i> Lynch, 1979	107
Genus <i>Geobatrachus</i> Ruthven, 1915 1	108
Genus <i>Isodactylus</i> , New Genus	108
Genus <i>Lynchius</i> , New Genus	109
Genus <i>Niceforonia</i> Goin & Cochran, 1963	109
Genus <i>Oreobates</i> Jiménez de la Espada, 1872	111
Genus <i>Phrynopus</i> Peters, 1873	111
Genus <i>Pristimantis</i> Jiménez de la Espada, 1871	112
Subgenus <i>Hypodictyon</i> Cope (1885)	114
<i>Pristimantis (Hypodictyon) ridens</i> Species Series	114
<i>Pristimantis (Hypodictyon) rubicundus</i> Species Series	115
Subgenus <i>Pristimantis</i> Jiménez de la Espada, 1871	116
<i>Pristimantis (Pristimantis) bellona</i> Species Group	118
<i>Pristimantis (Pristimantis) chalceus</i> Species Group	119
<i>Pristimantis (Pristimantis) conspicillatus</i> Species Group	120
<i>Pristimantis (Pristimantis) curtipes</i> Species Group	120
<i>Pristimantis (Pristimantis) devillei</i> Species Group	121
<i>Pristimantis (Pristimantis) frater</i> Species Group	121
<i>Pristimantis (Pristimantis) galdi</i> Species Group	122
<i>Pristimantis (Pristimantis) lacrimosus</i> Species Group	123
<i>Pristimantis (Pristimantis) leptolophus</i> Species Group	123
<i>Pristimantis (Pristimantis) loustes</i> Species Group	124

<i>Pristimantis (Pristimantis) myersi</i> Species Group	125
<i>Pristimantis (Pristimantis) orcesi</i> Species Group	125
<i>Pristimantis (Pristimantis) orestes</i> Species Group	125
<i>Pristimantis (Pristimantis) peruvianus</i> Species Group	126
<i>Pristimantis (Pristimantis) surdus</i> Species Group	126
<i>Pristimantis (Pristimantis) unistrigatus</i> Species Group	127
Subgenus <i>Yunganastes</i> Padial, Castroviejo-Fisher, Köhler, Domic & De la Riva 2007	128
Genus <i>Strabomantis</i> Peters, 1863	129
<i>Strabomantis biporcatus</i> Species Series	130
<i>Strabomantis biporcatus</i> Species Group	131
<i>Strabomantis cornutus</i> Species Group	131
<i>Strabomantis bufoniformis</i> Species Series	132
Discussion	133
Acknowledgments	140
References	141
Appendix I	151
Appendix II	172
Appendix III	181

## Abstract

New World frogs recently placed in a single, enormous family (Brachycephalidae) have direct development and reproduce on land, often far away from water. DNA sequences from mitochondrial and nuclear genes of 344 species were analyzed to estimate their relationships. The molecular phylogeny in turn was used as the basis for a revised classification of the group. The 882 described species are placed in a new taxon, Terrarana, and allocated to four families, four subfamilies, 24 genera, 11 subgenera, 33 species series, 56 species groups, and 11 species subgroups. Systematic accounts are provided for all taxa above the species level. Two families (Craugastoridae and Strabomantidae), three subfamilies (Holoadeninae, Phyzelaphryninae, and Strabomantinae), six genera (*Bryophryne*, *Diasporus*, *Haddadus*, *Isodactylus*, *Lynchius*, and *Psychrophrynella*), and two subgenera (*Campbellius* and *Schwartzzius*) are proposed and named as new taxa, 13 subspecies are considered to be distinct species, and 613 new combinations are formed. Most of the 100 informal groups (species series, species groups, and species subgroups) are new or newly defined. *Brachycephalus* and *Ischnocnema* are placed in Brachycephalidae, a relatively small clade restricted primarily to southeastern Brazil. Eleutherodactylidae includes two subfamilies, four genera, and five subgenera and is centered in the Caribbean region. Craugastoridae contains two genera and three subgenera and is distributed mainly in Middle America. Strabomantidae is distributed primarily in the Andes of northwestern South America and includes two subfamilies, 16 genera, and three subgenera. Images and distribution maps are presented for taxa above the species level and a complete list of species is provided. Aspects of the evolution, biogeography, and conservation of Terrarana are discussed.

**Key words:** Amphibia, Brachycephalidae, Craugastoridae, DNA sequence, Eleutherodactylidae, evolution, Strabomantidae, systematics, taxonomy

## Introduction

The twenty-first Century has witnessed a renaissance in systematic biology with respect to theory, methodology, and taxonomy, and perhaps most significantly the application of systematics to such diverse fields as ecology, behavior, and conservation, among others. This resurgence has occurred principally with the sequencing of DNA and use of newly developed methods of analysis. Thus, systematists have discovered a new array of tools and characters for the inference of phylogenetic relationships. These innovative approaches are being used from the levels of local phylogeography to ascertaining the relationships among prokaryotes and eukaryotes. The only work that has attempted to determine the phylogenetic relationships among all liv-