

Article



A review of the genus *Oxychalepus* Uhmann, 1937 (Coleoptera: Chrysomelidae: Cassidinae)

C. L. STAINES

Department of Entomology, MRC 187, National Museum of Natural History, Smithsonian Institution, P. O. Box 37012, Washington, DC 20013-7012, UNITED STATES. E-mail: stainesc@si.edu

Abstract

The species of *Oxychalepus* Uhmann, 1937 are reviewed. Thirteen species are treated as valid. *Oxychalepus alienus* (Baly, 1885) is removed from synonymy; *O. angulatus* from Argentina and Bolivia is described as new; *O. insignatus* (Chapuis, 1877) is reinstated to full species status; *O. trispinosus* (Pic, 1931) is treated as *incertae sedis*. All species are illustrated and a key to the species is presented.

Key words: Oxychalepus, Chrysomelidae, Cassidinae, key to species, new species

Introduction

The name Oxychalepus was first used by Uhmann (1936), however since he did not designate a type species, the name was unavailable (ICZN 1999, Article 13.3) until Uhmann (1937b) designated Odontota proxima Guérin-Méneville, 1844 the type species, validating the name. Uhmann (1938b) described the genus and transferred anchora Chapuis, balyanus Weise, confinis Weise, externus Chapuis, normalis Baly, and posticatus Baly from Xenochalepus to Oxychalepus. Uhmann (1940a) described centralis from Brazil and Paraguay. Papp (1953) transferred X. trispinosus (Pic) from French Guyana to Oxychalepus. Ramos (1998) provided a key to the species known from Brazil and described opacicollis and paranormalis, synonymized insignitus Chapuis with proximus, confinis with externus, and elevated elongatus Chapuis to full species status.

For this study, measurements were taken with an ocular micrometer. Pronotal length and width were measured along the midlines. Elytral width was measured at the humeri. Elytral length was measured from the base to the apex along the midline. Total length was measured from the base of the antennae to the apex of the elytra. In recording label data from type specimens, a slash (/) separates data on different labels; brackets ([]) include explanatory or label color information. In specimens examined, a question mark (?) indicates a locality I could not locate in a gazetteer.

Oxychalepus Uhmann 1937b

Oxychalepus Uhmann 1936: 614 (nomen nudum).

Oxychalepus Uhmann 1937b: 467. Type species: Odontota proxima Guérin-Méneville by original designation. Uhmann 1938b: 438 (description), 1940b: 143 (type species); 1957a: 107 (catalog), 1964b: 423 (catalog); Monrós & Viana 1947: 247 (Argentina species); Papp 1953: 84 (catalog); Buck 1958: 148 (museum list); Wilcox 1975: 143 (catalog); Seeno & Wilcox 1982: 160 (catalog); Maes & Staines 1991: 38 (faunal list); Staines 1996(1997): 42 (Nicaragua species), 2002: 767 (redescription), 2009: 24 (Caribbean species); Cox 1994: 446, 453 (parasites); Jolivet 1989: 305 (host plant); Jolivet & Hawkeswood 1995:147 (host plants); Ramos 1998: 305 (Brazil species); Takizawa 2003: 95 (faunal list); Santiago-Blay 2004: 72 (host plants).