

# ZOOTAXA

3056

## Revision of the genus *Xanthopimpla* Saussure (Hymenoptera: Ichneumonidae: Pimplinae) in Vietnam, with descriptions of fourteen new species

NHI THI PHAM<sup>1,4,5</sup>, GAVIN R. BROAD<sup>2</sup>, RIKIO MATSUMOTO<sup>3</sup> & WOLFGANG J. WÄGELE<sup>4</sup>

1. Institute of Ecology and Biological Resources, 18 Hoang Quoc Viet, Hanoi, Vietnam; e-mail: ptnhi2@yahoo.com
2. Department of Entomology, the Natural History Museum, Cromwell Road, London SW7 5BD, UK; e-mail: g.broad@nhm.ac.uk
3. Osaka Museum of Natural History, Nagai Park 1-23, Higashisumiyoshi-ku, Osaka, Japan; e-mail: rikio@mus-nh.city.osaka.jp
4. Zoological Research Museum Alexander Koenig, Adenauerallee 160, D-53113 Bonn, Germany

5. Corresponding author



Magnolia Press  
Auckland, New Zealand

NHI THI PHAM, GAVIN R. BROAD, RIKIO MATSUMOTO & WOLFGANG J. WÄGELE  
**Revision of the genus *Xanthopimpla* Saussure (Hymenoptera: Ichneumonidae: Pimplinae) in Vietnam,  
with descriptions of fourteen new species**  
(Zootaxa 3056)

67 pp.; 30 cm.

12 October 2011

ISBN 978-1-86977-805-7 (paperback)

ISBN 978-1-86977-806-4 (Online edition)

FIRST PUBLISHED IN 2011 BY

Magnolia Press

P.O. Box 41-383

Auckland 1346

New Zealand

e-mail: zootaxa@mapress.com

<http://www.mapress.com/zootaxa/>

© 2011 Magnolia Press

All rights reserved.

No part of this publication may be reproduced, stored, transmitted or disseminated, in any form, or by any means, without prior written permission from the publisher, to whom all requests to reproduce copyright material should be directed in writing.

This authorization does not extend to any other kind of copying, by any means, in any form, and for any purpose other than private research use.

ISSN 1175-5326 (Print edition)

ISSN 1175-5334 (Online edition)

## Table of contents

|   |    |
|---|----|
| Abstract .....  | 4  |
| Introduction .....  | 4  |
| Material and methods .....  | 5  |
| Taxonomy .....  | 6  |
| Key to species of <i>Xanthopimpla</i> in Vietnam (modified from Townes & Chiu 1970) ..... | 6  |
| The <i>brachycentra</i> species group .....   | 10 |
| <i>Xanthopimpla brachycentra</i> Krieger, 1914 .....                                      | 10 |
| <i>Xanthopimpla platyura</i> Townes & Chiu, 1970 .....                                    | 11 |
| <i>Xanthopimpla punctatissima</i> sp. nov. ....   | 11 |
| <i>Xanthopimpla reicherti</i> Krieger, 1914 .....   | 12 |
| <i>Xanthopimpla spicula</i> sp. nov. ....   | 12 |
| <i>Xanthopimpla transmaculata</i> Wang & Huang, 1993 .....                                | 13 |
| The <i>citrina</i> species group .....  | 13 |
| <i>Xanthopimpla enderleini</i> Krieger, 1915 .....  | 13 |
| <i>Xanthopimpla flavolineata</i> Cameron, 1907 .....                                      | 14 |
| The <i>cuneata</i> species group .....  | 14 |
| <i>Xanthopimpla clivulus</i> Townes & Chiu, 1970 .....                                    | 14 |
| The <i>elegans</i> species group .....  | 15 |
| <i>Xanthopimpla curvimaculata</i> (Cameron, 1899) .....                                   | 15 |
| <i>Xanthopimpla elegans</i> (Vollenhoven, 1879) .....                                     | 15 |
| <i>Xanthopimpla nigritarsis</i> Cameron, 1903 .....                                       | 16 |
| <i>Xanthopimpla tricapus</i> Townes & Chiu, 1970 .....                                    | 17 |
| <i>Xanthopimpla varimaculata</i> Cameron, 1907 .....                                      | 17 |
| The <i>incompleta</i> species group .....   | 17 |
| <i>Xanthopimpla connexa</i> Krieger, 1914 .....   | 17 |
| <i>Xanthopimpla naenia</i> Morley, 1913 .....   | 18 |
| <i>Xanthopimpla pulvinaris</i> Townes & Chiu, 1970 .....                                  | 18 |
| The <i>nana</i> species group .....   | 18 |
| <i>Xanthopimpla alternans</i> Krieger, 1914 .....   | 18 |
| <i>Xanthopimpla glaberrima</i> Roman, 1913 .....  | 19 |
| <i>Xanthopimpla jacobsoni</i> Krieger, 1914 .....   | 19 |
| <i>Xanthopimpla nana</i> Schulz, 1906 .....   | 19 |
| The <i>occidentalis</i> species group .....   | 20 |
| <i>Xanthopimpla amplamaculosa</i> sp. nov. ....   | 20 |
| <i>Xanthopimpla despinosa</i> Krieger, 1914 .....   | 21 |
| <i>Xanthopimpla honorata</i> (Cameron, 1899) .....  | 21 |
| The <i>ochracea</i> species group .....   | 22 |
| <i>Xanthopimpla chiuae</i> sp. nov. ....  | 22 |
| <i>Xanthopimpla ochracea</i> (Smith, 1858) .....  | 23 |
| <i>Xanthopimpla pseudosternata</i> sp. nov. ....  | 24 |
| The <i>punctata</i> species group .....   | 25 |
| <i>Xanthopimpla punctata</i> (Fabricius, 1781) .....                                      | 25 |
| The <i>regina</i> species group .....   | 25 |
| <i>Xanthopimpla brevicarina</i> Wang, 1987 .....  | 26 |
| <i>Xanthopimpla flavafemora</i> sp. nov. ....   | 26 |
| <i>Xanthopimpla flavapropodea</i> sp. nov. ....   | 27 |
| <i>Xanthopimpla konowi</i> Krieger, 1899 .....  | 28 |
| <i>Xanthopimpla leviuscula</i> Krieger, 1914 .....  | 28 |
| <i>Xanthopimpla omega</i> sp. nov. ....   | 28 |
| <i>Xanthopimpla pedator</i> (Fabricius, 1775) .....                                       | 29 |
| <i>Xanthopimpla porrecta</i> sp. nov. ....  | 29 |
| <i>Xanthopimpla regina</i> Morley, 1913 .....   | 30 |
| <i>Xanthopimpla stricta</i> Townes & Chiu, 1970 .....                                     | 31 |
| The <i>rhopaloceros</i> species group .....   | 31 |
| <i>Xanthopimpla melanacantha</i> Krieger, 1914 .....                                      | 31 |
| <i>Xanthopimpla morsei</i> sp. nov. ....  | 32 |
| The <i>stemmator</i> species group .....  | 33 |

|   |    |
|---|----|
| <i>Xanthopimpla modesta</i> (Smith, 1859) . . . . .             | 33 |
| <i>Xanthopimpla stemmator</i> (Thunberg, 1824) . . . . .        | 33 |
| The <i>terebatrix</i> species group . . . . .                   | 34 |
| <i>Xanthopimpla annulata</i> Cushman, 1925 . . . . .            | 34 |
| <i>Xanthopimpla atriclunis</i> Townes & Chiu, 1970 . . . . .    | 34 |
| <i>Xanthopimpla conica</i> Cushman, 1925 . . . . .              | 34 |
| <i>Xanthopimpla decurtata</i> Krieger, 1914 . . . . .           | 35 |
| <i>Xanthopimpla hienae</i> sp. nov. . . . .                     | 35 |
| <i>Xanthopimpla oriole</i> sp. nov. . . . .                     | 36 |
| <i>Xanthopimpla panthera</i> sp. nov. . . . .                   | 37 |
| <i>Xanthopimpla pleuralis</i> Cushman, 1925 . . . . .           | 37 |
| <i>Xanthopimpla polyspila</i> Cameron, 1907 . . . . .           | 38 |
| <i>Xanthopimpla quatei</i> Townes & Chiu, 1970 . . . . .        | 38 |
| <i>Xanthopimpla sikkimensis</i> Cameron, 1907 . . . . .         | 38 |
| The <i>trunca</i> species group . . . . .                       | 39 |
| <i>Xanthopimpla calva</i> Townes & Chiu, 1970 . . . . .         | 39 |
| <i>Xanthopimpla fastigiata</i> Krieger, 1914 . . . . .          | 39 |
| <i>Xanthopimpla minuta</i> Cameron, 1905 . . . . .              | 40 |
| <i>Xanthopimpla pleuroschista</i> Townes & Chiu, 1970 . . . . . | 40 |
| <i>Xanthopimpla sexlineata</i> Cameron, 1907 . . . . .          | 40 |
| <i>Xanthopimpla trias</i> Townes & Chiu, 1970 . . . . .         | 41 |
| The <i>xystra</i> species group . . . . .                       | 41 |
| <i>Xanthopimpla boehmei</i> sp. nov. . . . .                    | 41 |
| Discussion . . . . .  | 42 |
| References . . . . .  | 43 |

## Abstract

The Vietnamese species of the large, tropical genus *Xanthopimpla* Saussure, 1892 are revised for the first time. Of a total fauna of 60 species, 14 species are described as new: *X. amplamaculosa* sp. nov., *X. boehmei* sp. nov., *X. chiuiae* sp. nov., *X. flavafemora* sp. nov., *X. flavapropodea* sp. nov., *X. hienae* sp. nov., *X. morsei* sp. nov., *X. omega* sp. nov., *X. oriole* sp. nov., *X. panthera* sp. nov., *X. porrecta* sp. nov., *X. punctatissima* sp. nov., and *X. spicula* sp. nov. Seventeen species are newly recorded from Vietnam: *X. annulata* Cushman, *X. atriclunis* Townes & Chiu, *X. brachycentra* Krieger, *X. brevicarina* Wang, *X. connexa* Krieger, *X. curvimaculata* (Cameron), *X. fastigiata* Krieger, *X. glaberrima* Roman, *X. jacobsoni* Krieger, *X. melanacantha* Krieger, *X. nigritarsis* Cameron, *X. platyura* Townes & Chiu, *X. pleuroschista* Townes & Chiu, *X. pulvinaris* Townes & Chiu, *X. sexlineata* Cameron, *X. stricta* Townes & Chiu, and *X. transmaculata* Wang & Huang. The following synonymies are proposed: *Xanthopimpla clivulus* Townes & Chiu, 1970 = *Xanthopimpla clivulus indica* Townes & Chiu, 1970, syn. nov., = *X. clivulus indicata* Gupta, 1987, syn. nov.; *Xanthopimpla curvimaculata* (Cameron, 1899) = *X. curvimaculata pendleburyi* Townes & Chiu, 1970, syn. nov.; *Xanthopimpla despинosa* *despinosa* Krieger, 1915 = *X. despинosa leipepheles* Townes & Chiu, 1970, syn. nov. = *X. despинosa subquadrata*, syn. nov.; *Xanthopimpla elegans* *elegans* (Vollenhoven, 1879) = *X. elegans apicipennis* (Cameron), syn. nov.; *Xanthopimpla melanacantha* *melanacantha* Krieger, 1914 = *X. melanacantha oblongata* Chao, 1997, syn. nov., = *X. melanacantha subtriangulata* Chao, 1997, syn. nov.; *Xanthopimpla nana* *nana* Schulz, 1906 = *X. nana aequabilis* Townes & Chiu, 1970, syn. nov. = *X. nana bravisulcus* Wang, 1987, syn. nov. A key to the Vietnamese *Xanthopimpla* is provided.

**Key words:** taxonomy, new species, new records, oriental fauna

## Introduction

*Xanthopimpla* Saussure, 1892 is the largest tropicopolitan genus of the subfamily Pimplinae (Ichneumonidae), with a total of 247 recognized species (Yu *et al.* 2005; Izfa & Idris 2006; Khalaim 2008; Gómez *et al.* 2009). Most species of *Xanthopimpla* occur in the Indo-Australian region and 135 species are known from the Oriental region; species richness is much lower in Africa and the Neotropics (Townes & Chiu, 1970; Yu *et al.* 2005; Izfa & Idris 2006; Gómez *et al.* 2009). Species of *Xanthopimpla* are easily recognized by their stout, predominantly lemon-yellow