"Pisces"¹ Class Myxini (1 order) Order Myxiniformes (1 family) Family Myxinidae (5 genera, 76 species) Class Cephalaspidomorphi (1 order) Order **Petromyzontiformes** (1 family) Family Petromyzontidae (9 genera, 43 species) Class Elasmobranchii (11 orders) Order Hexanchiformes (2 families) Family Hexanchidae (3 genera, 4 species) Family Chlamydoselachidae (1 genus, 2 species) Order Heterodontiformes (1 family) Family Heterodontidae (1 genus, 9 species) Order **Orectolobiformes** (7 families) Family Rhincodontidae (1 genus, 1 species) Family Parascylliidae (2 genera, 8 species) Family Brachaeluridae (1 genus, 2 species) Family Orectolobidae (3 genera, 12 species) Family Hemiscylliidae (2 genera, 17 species) Family Stegostomatidae (1 genus, 1 species) Family Ginglymostomatidae (3 genera, 3 species) Order Lamniformes (7 families) Family Odontaspididae (2 genera, 3 species) Family Mitsukurinidae (1 genus, 1 species) Family Pseudocarchariidae (1 genus, 1 species) Family Lamnidae (3 genera, 5 species) Family Megachasmidae (1 genus, 1 species) Family Cetorhinidae (1 genus, 1 species) Family Alopiidae (1 genus, 3 species) Order Carcharhiniformes (8 families) Family Scyliorhinidae (17 genera, 147 species) Family Proscylliidae (3 genera, 7 species) Family Pseudotriakidae (2 genera, 2 species) Family Leptochariidae (1 genus, 1 species) Family Triakidae (9 genera, 47 species) Family Hemigaleidae (4 genera, 9 species) Family Carcharhinidae (12 genera, 58 species) Family Sphyrnidae (2 genera, 9 species) Order Squaliformes (4 families) Family Dalatiidae (18 genera, 77 species) Family Centrophoridae (2 genera, 19 species) Family Squalidae (2 genera, 29 species) Family Echinorhinidae (1 genus, 2 species)

Order **Pristiophoriformes** (1 family)

^{1.} **BY** William N. Eschmeyer & Jon D. Fong (for full contact details, see the **Author names and addresses** after **Cited references**). The title of this contribution should be cited as "Pisces. *In*: Zhang, Z.-Q. (Ed.) Animal biodiversity: An outline of higher-level classification and survey of taxonomic richness".

Recent Pisces currently include 534 families, 5,017 genera and 31,958 species.

This is a summary of higher classification to the level of families based on: Eschmeyer, W.N. & Fricke, R. (eds.) (2011) Catalog of Fishes electronic version. Available online from: http://research.calacademy.org/research/ichthyology/catalog/fishcatmain.asp. The history of knowledge and discovery marine fishes were summarised in Eschmeyer et al. (2010).

Family **Pristiophoridae** (2 genera, 7 species) Order Squatiniformes (1 family) Family Squatinidae (1 genus, 22 species) Order **Pristiformes** (1 family) Family Pristidae (2 genera, 7 species) Order Torpediniformes (4 families) Family Narkidae (6 genera, 12 species) Family Narcinidae (4 genera, 31 species) Family Hypnidae (1 genus, 1 species) Family Torpedinidae (1 genus, 23 species) Order Rajiformes (12 families) Family **Rhinobatidae** (11 genera, 61 species) Family Arhynchobatidae (12 genera, 94 species) Family Rajidae (18 genera, 185 species) Family Anacanthobatidae (2 genera, 13 species) Family Plesiobatidae (1 genus, 1 species) Family Hexatrygonidae (1 genus, 1 species) Family **Dasyatidae** (8 genera, 87 species) Family Gymnuridae (1 genus, 14 species) Family Myliobatidae (7 genera, 44 species) Family Urolophidae (2 genera, 30 species) Family Potamotrygonidae (5 genera, 26 species) Family Urotrygonidae (2 genera, 17 species) Class Holocephali (1 order) Order Chimaeriformes (3 families) Family Callorhinchidae (1 genus, 3 species) Family Chimaeridae (2 genera, 39 species) Family Rhinochimaeridae (3 genera, 8 species) Class Actinopterygii (46 orders) Order **Polypteriformes** (1 family) Family Polypteridae (2 genera, 12 species) Order Acipenseriformes (2 families) Family Acipenseridae (4 genera, 26 species) Family Polyodontidae (2 genera, 2 species) Order Lepisosteiformes (1 family) Family Lepisosteidae (2 genera, 7 species) Order Amiiformes (1 family) Family Amiidae (1 genus, 1 species) Order Osteoglossiformes (7 families) Family Osteoglossidae (2 genera, 8 species) Family Arapaimidae (2 genera, 2 species) Family Pantodontidae (1 genus, 1 species) Family Hiodontidae (1 genus, 2 species) Family Notopteridae (4 genera, 10 species) Family Mormyridae (21 genera, 195 species) Family Gymnarchidae (1 genus, 1 species) Order Elopiformes (2 families) Family Elopidae (1 genus, 7 species) Family Megalopidae (1 genus, 2 species) Order Albuliformes (1 family)

Family Albulidae (2 genera, 12 species) Order Notacanthiformes (2 families) Family Halosauridae (3 genera, 16 species) Family Notacanthidae (4 genera, 11 species) Order Anguilliformes (15 families) Family Anguillidae (1 genus, 20 species) Family Heterenchelyidae (2 genera, 8 species) Family Moringuidae (2 genera, 15 species) Family Chlopsidae (8 genera, 22 species) Family Myrocongridae (1 genus, 5 species) Family Muraenidae (16 genera, 202 species) Family Synaphobranchidae (12 genera, 37 species) Family Ophichthidae (58 genera, 313 species) Family Colocongridae (2 genera, 10 species) Family Congridae (30 genera, 194 species) Family Muraenesocidae (6 genera, 15 species) Family Derichthyidae (2 genera, 3 species) Family Nemichthyidae (3 genera, 9 species) Family Serrivomeridae (2 genera, 10 species) Family Nettastomatidae (6 genera, 43 species) Order Saccopharyngiformes (4 families) Family Cyematidae (2 genera, 2 species) Family Saccopharyngidae (1 genus, 10 species) Family Eurypharyngidae (1 genus, 1 species) Family Monognathidae (1 genus, 15 species) Order Clupeiformes (6 families) Family Denticipitidae (1 genus, 1 species) Family Clupeidae (56 genera, 200 species) Family Engraulidae (17 genera, 146 species) Family Chirocentridae (1 genus, 2 species) Family Pristigasteridae (8 genera, 38 species) Family Sundasalangidae (1 genus, 7 species) Order Gonorynchiformes (4 families) Family Chanidae (1 genus, 1 species) Family Gonorynchidae (1 genus, 5 species) Family Kneriidae (4 genera, 30 species) Family Phractolaemidae (1 genus, 1 species) Order Cypriniformes (7 families) Family Cyprinidae (352 genera, 2838 species) Family **Psilorhynchidae** (1 genus, 18 species) Family Cobitidae (28 genera, 236 species) Family Balitoridae (72 genera, 793 species) Family Vaillantellidae (1 genus, 3 species) Family Gyrinocheilidae (1 genus, 3 species) Family Catostomidae (13 genera, 78 species) Order Characiformes (19 families) Family Citharinidae (3 genera, 8 species) Family Distichodontidae (17 genera, 96 species) Family Alestidae (21 genera, 120 species) Family Hepsetidae (1 genus, 1 species)

Family Hemiodontidae (5 genera, 29 species) Family Parodontidae (3 genera, 29 species) Family Curimatidae (8 genera, 101 species) Family **Prochilodontidae** (3 genera, 21 species) Family Anostomidae (14 genera, 145 species) Family Chilodontidae (2 genera, 8 species) Family Erythrinidae (3 genera, 16 species) Family Lebiasinidae (7 genera, 66 species) Family Gasteropelecidae (4 genera, 10 species) Family Ctenoluciidae (2 genera, 7 species) Family Acestrorhynchidae (1 genus, 14 species) Family Cynodontidae (5 genera, 14 species) Family Serrasalmidae (16 genera, 86 species) Family Characidae (156 genera, 1126 species) Family Crenuchidae (12 genera, 82 species) Order Siluriformes (38 families) Family Diplomystidae (2 genera, 6 species) Family Lacantuniidae (1 genus, 1 species) Family Ictaluridae (7 genera, 51 species) Family Bagridae (20 genera, 213 species) Family Cranoglanididae (1 genus, 5 species) Family Austroglanididae (1 genus, 3 species) Family Siluridae (12 genera, 99 species) Family Schilbeidae (15 genera, 65 species) Family Pangasiidae (4 genera, 28 species) Family Amblycipitidae (4 genera, 34 species) Family Amphiliidae (12 genera, 90 species) Family Akysidae (5 genera, 56 species) Family Sisoridae (18 genera, 196 species) Family Erethistidae (6 genera, 34 species) Family Clariidae (15 genera, 115 species) Family Heteropneustidae (1 genus, 4 species) Family Claroteidae (15 genera, 90 species) Family Chacidae (1 genus, 3 species) Family Olyridae (1 genus, 4 species) Family Malapteruridae (2 genera, 19 species) Family Ariidae (30 genera, 147 species) Family Anchariidae (2 genera, 6 species) Family Plotosidae (10 genera, 40 species) Family Mochokidae (11 genera, 205 species) Family Doradidae (31 genera, 89 species) Family Auchenipteridae (20 genera, 106 species) Family **Pimelodidae** (30 genera, 104 species) Family Pseudopimelodidae (6 genera, 35 species) Family Heptapteridae (24 genera, 202 species) Family Cetopsidae (5 genera, 42 species) Family Hypophthalmidae (1 genus, 4 species) Family Aspredinidae (13 genera, 39 species) Family Nematogenyidae (1 genus, 1 species) Family Trichomycteridae (41 genera, 248 species)

Family Callichthvidae (9 genera, 199 species) Family Loricariidae (101 genera, 834 species) Family Scoloplacidae (1 genus, 5 species) Family Astroblepidae (1 genus, 55 species) Order Gymnotiformes (5 families) Family Sternopygidae (6 genera, 30 species) Family Apteronotidae (15 genera, 84 species) Family Rhamphichthyidae (3 genera, 14 species) Family Hypopomidae (7 genera, 20 species) Family Gymnotidae (2 genera, 37 species) Order Esociformes (2 families) Family Esocidae (1 genus, 5 species) Family Umbridae (3 genera, 7 species) Order Osmeriformes (13 families) Family Argentinidae (2 genera, 27 species) Family Microstomatidae (3 genera, 19 species) Family Bathylagidae (8 genera, 23 species) Family **Opisthoproctidae** (8 genera, 19 species) Family Alepocephalidae (20 genera, 97 species) Family Platytroctidae (13 genera, 40 species) Family Leptochilichthyidae (1 genus, 3 species) Family Lepidogalaxiidae (1 genus, 1 species) Family Osmeridae (6 genera, 14 species) Family Plecoglossidae (1 genus, 1 species) Family Salangidae (6 genera, 20 species) Family Retropinnidae (3 genera, 6 species) Family Galaxiidae (7 genera, 50 species) Order Salmoniformes (1 family) Family Salmonidae (11 genera, 213 species) Order Stomiiformes (4 families) Family Gonostomatidae (8 genera, 33 species) Family Sternoptychidae (10 genera, 75 species) Family Phosichthyidae (7 genera, 24 species) Family Stomiidae (28 genera, 292 species) Order Ateleopodiformes (1 family) Family Ateleopodidae (4 genera, 13 species) Order Aulopiformes (17 families) Family Aulopidae (3 genera, 11 species) Family Chlorophthalmidae (2 genera, 19 species) Family **Paraulopidae** (1 genus, 14 species) Family Ipnopidae (6 genera, 33 species) Family Bathysauroididae (1 genus, 1 species) Family Scopelarchidae (4 genera, 18 species) Family Notosudidae (3 genera, 17 species) Family Giganturidae (1 genus, 2 species) Family Synodontidae (4 genera, 68 species) Family Bathysauridae (1 genus, 2 species) Family Paralepididae (12 genera, 59 species) Family Anotopteridae (1 genus, 3 species) Family Evermannellidae (3 genera, 8 species)

Family **Omosudidae** (1 genus, 1 species) Family Alepisauridae (1 genus, 2 species) Family Pseudotrichonotidae (1 genus, 2 species) Order Myctophiformes (2 families) Family Neoscopelidae (3 genera, 6 species) Family Myctophidae (33 genera, 250 species) Order Lampriformes (7 families) Family Lampridae (1 genus, 2 species) Family Veliferidae (2 genera, 2 species) Family Lophotidae (2 genera, 4 species) Family Radiicephalidae (1 genus, 1 species) Family Trachipteridae (3 genera, 11 species) Family Regalecidae (2 genera, 5 species) Family Stylephoridae (1 genus, 1 species) Order Polymixiiformes (1 family) Family Polymixiidae (1 genus, 10 species) Order Percopsiformes (3 families) Family **Percopsidae** (1 genus, 2 species) Family Aphredoderidae (1 genus, 1 species) Family Amblyopsidae (6 genera, 6 species) Order Gadiformes (10 families) Family Muraenolepididae (2 genera, 8 species) Family Bregmacerotidae (1 genus, 14 species) Family Euclichthyidae (1 genus, 1 species) Family Macrouridae (35 genera, 397 species) Family Moridae (18 genera, 107 species) Family Melanonidae (1 genus, 2 species) Family Gadidae (12 genera, 21 species) Family Lotidae (6 genera, 21 species) Family Phycidae (2 genera, 11 species) Family Merlucciidae (5 genera, 24 species) Order **Ophidiiformes** (5 families) Family **Ophidiidae** (52 genera, 249 species) Family Carapidae (8 genera, 34 species) Family Bythitidae (48 genera, 197 species) Family Aphyonidae (6 genera, 23 species) Family Parabrotulidae (2 genera, 3 species) Order Batrachoidiformes (1 family) Family Batrachoididae (23 genera, 80 species) Order Lophiiformes (18 families) Family Lophiidae (4 genera, 24 species) Family Antennariidae (13 genera, 47 species) Family Tetrabrachiidae (2 genera, 2 species) Family Lophichthyidae (1 genus, 1 species) Family Brachionichthyidae (5 genera, 14 species) Family Chaunacidae (2 genera, 15 species) Family Ogcocephalidae (10 genera, 70 species) Family Caulophrynidae (2 genera, 5 species) Family Neoceratiidae (1 genus, 1 species) Family Melanocetidae (1 genus, 6 species)

Family Himantolophidae (1 genus, 21 species) Family Diceratiidae (2 genera, 6 species) Family Oneirodidae (16 genera, 64 species) Family Thaumatichthyidae (2 genera, 8 species) Family Centrophrynidae (1 genus, 1 species) Family Ceratiidae (2 genera, 4 species) Family Gigantactinidae (2 genera, 22 species) Family Linophrynidae (5 genera, 27 species) Order Gobiesociformes (1 family) Family Gobiesocidae (47 genera, 158 species) Order Atheriniformes (10 families) Family Atherinidae (14 genera, 68 species) Family Bedotiidae (2 genera, 16 species) Family Melanotaeniidae (7 genera, 76 species) Family **Pseudomugilidae** (4 genera, 18 species) Family Atherinopsidae (13 genera, 109 species) Family Notocheiridae (1 genus, 1 species) Family Isonidae (1 genus, 5 species) Family Telmatherinidae (5 genera, 18 species) Family Dentatherinidae (1 genus, 1 species) Family Phallostethidae (4 genera, 21 species) Order **Cyprinodontiformes** (10 families) Family Aplocheilidae (2 genera, 14 species) Family Nothobranchiidae (15 genera, 248 species) Family **Rivulidae** (30 genera, 349 species) Family Profundulidae (1 genus, 7 species) Family Fundulidae (5 genera, 43 species) Family Valenciidae (1 genus, 2 species) Family Goodeidae (18 genera, 49 species) Family Poeciliidae (41 genera, 343 species) Family Cyprinodontidae (9 genera, 121 species) Family Anablepidae (3 genera, 17 species) Order Beloniformes (5 families) Family Scomberesocidae (2 genera, 5 species) Family Belonidae (10 genera, 45 species) Family Hemiramphidae (13 genera, 115 species) Family Exocoetidae (7 genera, 65 species) Family Adrianichthyidae (2 genera, 32 species) Order Stephanoberyciformes (4 families) Family Stephanoberycidae (4 genera, 4 species) Family Hispidoberycidae (1 genus, 1 species) Family Melamphaidae (5 genera, 57 species) Family Gibberichthyidae (1 genus, 2 species) Order Beryciformes (7 families) Family Monocentridae (2 genera, 4 species) Family Trachichthyidae (8 genera, 47 species) Family Anomalopidae (6 genera, 8 species) Family **Diretmidae** (3 genera, 4 species) Family Anoplogastridae (1 genus, 2 species) Family Berycidae (2 genera, 10 species)

Family Holocentridae (8 genera, 84 species) Order Cetomimiformes (5 families) Family Rondeletiidae (1 genus, 2 species) Family **Barbourisiidae** (1 genus, 1 species) Family Cetomimidae (16 genera, 30 species) Order Zeiformes (6 families) Family Cyttidae (1 genus, 3 species) Family Oreosomatidae (4 genera, 10 species) Family Parazenidae (3 genera, 4 species) Family Zenionidae (3 genera, 7 species) Family Grammicolepididae (3 genera, 3 species) Family Zeidae (2 genera, 6 species) Order Incertae sedis (1 family) Family Elassomatidae (1 genus, 7 species) Order Gasterosteiformes (5 families) Family Hypoptychidae (2 genera, 2 species) Family Gasterosteidae (5 genera, 18 species) Family Aulorhynchidae (1 genus, 1 species) Family Indostomidae (1 genus, 3 species) Family Pegasidae (2 genera, 5 species) Order Syngnathiformes (5 families) Family Aulostomidae (1 genus, 3 species) Family Fistulariidae (1 genus, 4 species) Family Centriscidae (5 genera, 12 species) Family Solenostomidae (1 genus, 6 species) Family Syngnathidae (56 genera, 340 species) Order Synbranchiformes (3 families) Family Synbranchidae (4 genera, 23 species) Family Mastacembelidae (3 genera, 86 species) Family Chaudhuriidae (6 genera, 10 species) Order Scorpaeniformes (7 suborders) Suborder Scorpaenoidei (13 families) Family Sebastidae (7 genera, 132 species) Family Setarchidae (3 genera, 6 species) Family Neosebastidae (2 genera, 18 species) Family Scorpaenidae (25 genera, 216 species) Family Apistidae (3 genera, 3 species) Family Tetrarogidae (17 genera, 40 species) Family Synanceiidae (9 genera, 35 species) Family Eschmeyeridae (1 genus, 1 species) Family Aploactinidae (17 genera, 47 species) Family Pataecidae (3 genera, 3 species) Family Gnathanacanthidae (1 genus, 1 species) Family Congiopodidae (4 genera, 8 species) Suborder Dactylopteroidei (1 family) Family Dactylopteridae (2 genera, 7 species) Suborder Platycephaloidei (7 families) Family Plectrogeniidae (1 genus, 2 species) Family Parabembridae (1 genus, 2 species) Family Bembridae (4 genera, 9 species)

Family **Triglidae** (10 genera, 122 species) Family Peristediidae (6 genera, 49 species) Family Hoplichthyidae (1 genus, 11 species) Family Platycephalidae (18 genera, 74 species) Suborder Anoplopomatoidei (1 family) Family Anoplopomatidae (2 genera, 2 species) Suborder Hexagrammoidei (1 family) Family Hexagrammidae (5 genera, 12 species) Suborder Normanichthyoidei (1 family) Family Normanichthyidae (1 genus, 1 species) Suborder Cottoidei (12 families) Family Rhamphocottidae (1 genus, 1 species) Family Ereuniidae (2 genera, 3 species) Family **Bathylutichthyidae** (1 genus, 1 species) Family Cottidae (63 genera, 250 species) Family Cottocomephoridae (4 genera, 9 species) Family Comephoridae (1 genus, 2 species) Family Abyssocottidae (7 genera, 24 species) Family Hemitripteridae (3 genera, 8 species) Family Psychrolutidae (9 genera, 40 species) Family Agonidae (21 genera, 46 species) Family Cyclopteridae (6 genera, 27 species) Family Liparidae (29 genera, 376 species) Order Perciformes (21 suborders) Suborder Percoidei (84 families) Family Centropomidae (1 genus, 12 species) Family Ambassidae (8 genera, 48 species) Family Percichthyidae (11 genera, 36 species) Family Perciliidae (1 genus, 2 species) Family Howellidae (3 genera, 9 species) Family Lateolabracidae (1 genus, 2 species) Family Latidae (3 genera, 11 species) Family Acropomatidae (8 genera, 32 species) Family Moronidae (2 genera, 6 species) Family **Polyprionidae** (2 genera, 4 species) Family **Dinopercidae** (2 genera, 2 species) Family Serranidae (73 genera, 522 species) Family Ostracoberycidae (1 genus, 3 species) Family Symphysanodontidae (1 genus, 12 species) Family Centrogenyidae (1 genus, 1 species) Family Pseudochromidae (24 genera, 143 species) Family Grammatidae (2 genera, 13 species) Family Callanthiidae (2 genera, 14 species) Family Plesiopidae (12 genera, 49 species) Family Opistognathidae (3 genera, 79 species) Family Terapontidae (15 genera, 53 species) Family **Banjosidae** (1 genus, 1 species) Family Kuhliidae (1 genus, 12 species) Family Centrarchidae (8 genera, 33 species) Family Percidae (10 genera, 226 species)

Family Priacanthidae (4 genera, 18 species) Family Apogonidae (29 genera, 334 species) Family Epigonidae (7 genera, 37 species) Family **Dinolestidae** (1 genus, 1 species) Family Sillaginidae (3 genera, 34 species) Family Malacanthidae (5 genera, 44 species) Family Lactariidae (1 genus, 1 species) Family Scombropidae (1 genus, 3 species) Family Pomatomidae (1 genus, 1 species) Family Rachycentridae (1 genus, 1 species) Family Echeneidae (3 genera, 8 species) Family Carangidae (30 genera, 147 species) Family Nematistiidae (1 genus, 1 species) Family Coryphaenidae (1 genus, 3 species) Family Leiognathidae (9 genera, 49 species) Family Bramidae (7 genera, 20 species) Family Caristiidae (3 genera, 6 species) Family Arripidae (1 genus, 4 species) Family Emmelichthyidae (3 genera, 16 species) Family Lutjanidae (17 genera, 108 species) Family Caesionidae (4 genera, 22 species) Family Lobotidae (1 genus, 2 species) Family Datnioididae (1 genus, 5 species) Family Hapalogenyidae (1 genus, 7 species) Family Gerreidae (7 genera, 51 species) Family Haemulidae (19 genera, 132 species) Family Sparidae (36 genera, 130 species) Family Centracanthidae (2 genera, 9 species) Family Lethrinidae (5 genera, 41 species) Family Nemipteridae (5 genera, 66 species) Family Sciaenidae (66 genera, 290 species) Family Polynemidae (8 genera, 42 species) Family Mullidae (6 genera, 79 species) Family Pempheridae (2 genera, 26 species) Family Glaucosomatidae (1 genus, 4 species) Family Leptobramidae (1 genus, 1 species) Family Bathyclupeidae (1 genus, 7 species) Family Toxotidae (1 genus, 7 species) Family Dichistiidae (1 genus, 2 species) Family **Kyphosidae** (14 genera, 51 species) Family Parascorpididae (1 genus, 1 species) Family Drepaneidae (1 genus, 3 species) Family Monodactylidae (2 genera, 6 species) Family Chaetodontidae (12 genera, 130 species) Family Pomacanthidae (8 genera, 87 species) Family Enoplosidae (1 genus, 1 species) Family Pentacerotidae (8 genera, 13 species) Family Polycentridae (4 genera, 4 species) Family Nandidae (2 genera, 9 species) Family Badidae (2 genera, 18 species)

Family Oplegnathidae (1 genus, 7 species) Family Cirrhitidae (12 genera, 34 species) Family Chironemidae (1 genus, 6 species) Family Aplodactylidae (1 genus, 5 species) Family Cheilodactylidae (4 genera, 27 species) Family Latridae (3 genera, 7 species) Family Cepolidae (5 genera, 22 species) Suborder Mugiloidei (1 family) Family Mugilidae (20 genera, 72 species) Suborder Labroidei (6 families) Family Cichlidae (221 genera, 1606 species) Family Embiotocidae (13 genera, 23 species) Family Pomacentridae (28 genera, 385 species) Family Labridae (70 genera, 509 species) Family Odacidae (6 genera, 12 species) Family Scaridae (10 genera, 99 species) Suborder Zoarcoidei (9 families) Family Bathymasteridae (3 genera, 7 species) Family Zoarcidae (59 genera, 297 species) Family Stichaeidae (34 genera, 67 species) Family Cryptacanthodidae (1 genus, 4 species) Family Pholidae (3 genera, 15 species) Family Anarhichadidae (2 genera, 5 species) Family Ptilichthyidae (1 genus, 1 species) Family Zaproridae (1 genus, 1 species) Family Scytalinidae (1 genus, 1 species) Suborder Notothenioidei (8 families) Family Bovichtidae (3 genera, 11 species) Family Pseudaphritidae (1 genus, 1 species) Family Eleginopsidae (1 genus, 1 species) Family Nototheniidae (16 genera, 59 species) Family Harpagiferidae (1 genus, 12 species) Family Artedidraconidae (4 genera, 28 species) Family Bathydraconidae (11 genera, 18 species) Family Channichthyidae (11 genera, 25 species) Suborder Trachinoidei (12 families) Family Chiasmodontidae (4 genera, 32 species) Family Champsodontidae (1 genus, 13 species) Family Trichodontidae (2 genera, 2 species) Family Ammodytidae (7 genera, 26 species) Family Trachinidae (2 genera, 9 species) Family Uranoscopidae (8 genera, 51 species) Family Trichonotidae (1 genus, 9 species) Family Creediidae (8 genera, 17 species) Family Leptoscopidae (3 genera, 5 species) Family Percophidae (11 genera, 48 species) Family Pinguipedidae (7 genera, 79 species) Family Cheimarrichthyidae (1 genus, 1 species) Suborder Pholidichthyoidei (1 family) Family Pholidichthyidae (1 genus, 2 species)

Suborder Blennioidei (6 families) Family Tripterygiidae (29 genera, 166 species) Family Labrisomidae (14 genera, 118 species) Family Clinidae (26 genera, 84 species) Family Chaenopsidae (14 genera, 97 species) Family Dactyloscopidae (9 genera, 48 species) Family Blenniidae (57 genera, 398 species) Suborder Icosteoidei (1 family) Family Icosteidae (1 genus, 1 species) Suborder Callionymoidei (2 families) Family Callionymidae (19 genera, 187 species) Family Draconettidae (2 genera, 14 species) Suborder Gobioidei (8 families) Family Rhyacichthyidae (2 genera, 3 species) Family Odontobutidae (7 genera, 22 species) Family Eleotridae (34 genera, 172 species) Family Gobiidae (248 genera, 1630 species) Family Kraemeriidae (2 genera, 9 species) Family Microdesmidae (12 genera, 86 species) Family Xenisthmidae (5 genera, 13 species) Family Schindleriidae (1 genus, 3 species) Suborder Kurtoidei (1 family) Family Kurtidae (1 genus, 2 species) Suborder Acanthuroidei (6 families) Family Ephippidae (8 genera, 15 species) Family Scatophagidae (2 genera, 4 species) Family Siganidae (1 genus, 32 species) Family Luvaridae (1 genus, 1 species) Family Zanclidae (1 genus, 1 species) Family Acanthuridae (6 genera, 84 species) Suborder Scombrolabracoidei (1 family) Family Scombrolabracidae (1 genus, 1 species) Suborder Sphyraenoidei (1 family) Family Sphyraenidae (1 genus, 29 species) Suborder Scombroidei (3 families) Family Gempylidae (16 genera, 25 species) Family Trichiuridae (10 genera, 46 species) Family Scombridae (15 genera, 53 species) Suborder Xiphioidei (2 families) Family Xiphiidae (1 genus, 1 species) Family Istiophoridae (3 genera, 10 species) Suborder Stromateoidei (6 families) Family Amarsipidae (1 genus, 1 species) Family Centrolophidae (8 genera, 29 species) Family Nomeidae (3 genera, 17 species) Family Ariommatidae (1 genus, 8 species) Family Tetragonuridae (1 genus, 3 species) Family Stromateidae (3 genera, 15 species) Suborder Anabantoidei (3 families) Family Anabantidae (4 genera, 31 species)

Family Osphronemidae (14 genera, 126 species) Family Helostomatidae (1 genus, 1 species) Suborder Channoidei (1 family) Family Channidae (2 genera, 32 species) Suborder Caproidei (1 family) Family Caproidae (2 genera, 18 species) Order **Pleuronectiformes** (11 families) Family Psettodidae (1 genus, 3 species) Family Citharidae (4 genera, 6 species) Family Scophthalmidae (4 genera, 9 species) Family Paralichthyidae (14 genera, 109 species) Family Bothidae (20 genera, 166 species) Family Achiropsettidae (4 genera, 4 species) Family Pleuronectidae (40 genera, 105 species) Family Samaridae (3 genera, 26 species) Family Achiridae (9 genera, 34 species) Family Soleidae (32 genera, 178 species) Family Cynoglossidae (3 genera, 143 species) Order Tetraodontiformes (10 families) Family Triacanthodidae (11 genera, 23 species) Family Triacanthidae (4 genera, 7 species) Family Balistidae (12 genera, 41 species) Family Monacanthidae (28 genera, 107 species) Family Aracanidae (6 genera, 12 species) Family Ostraciidae (8 genera, 28 species) Family Triodontidae (1 genus, 1 species) Family Tetraodontidae (26 genera, 189 species) Family Diodontidae (7 genera, 18 species) Family Molidae (3 genera, 4 species) Class Sarcopterygii (3 orders) Order Coelacanthiformes (1 family) Family Latimeriidae (1 genus, 2 species) Order Ceratodontiformes (1 family) Family Neoceratodontidae (1 genus, 1 species) Order Lepidosireniformes (2 families) Family Lepidosirenidae (1 genus, 1 species) Family Protopteridae (1 genus, 4 species)

Cited references

William N. Eschmeyer, Ronald Fricke, Jon D. Fong & Dennis A. Polack (2010) Marine fish diversity: history of knowledge and discovery (Pisces). Zootaxa, 2525, 19–50.

Author names and addresses

William N. Eschmeyer & Jon D. Fong, California Academy of Sciences, San Francisco, California, U.S.A. 94118; weschmeyer@calacademy.org; JFong@calacademy.org