



Revision of *Aciuroides* Hendel and *Neoacanthoneura* Hendel (Diptera: Ulidiidae: Pterocallini)

ELENA P. KAMENEVA

I.I.Schmalhausen Institute of Zoology, National Academy of Sciences of Ukraine, Bogdan Chmielnicki St. 15, 01601 Kiev, Ukraine.

E-mail: kameneva.elena@gmail.com

Table of contents

Abstract	1
Introduction	2
Material and methods	2
<i>Aciuroides</i> Hendel 1914	3
Key to species of <i>Aciuroides</i>	4
<i>Aciuroides gephyra</i> (Hering 1938), n. comb.	5
<i>Aciuroides insecta</i> Hendel 1914	8
Genus <i>Neoacanthoneura</i> Hendel	11
Key to species of <i>Neoacanthoneura</i>	13
<i>apicalis</i> group of species	14
<i>Neoacanthoneura apicalis</i> Kameneva, new species	14
<i>Neoacanthoneura brachioptera</i> Kameneva, new species	15
<i>Neoacanthoneura chiroptera</i> Kameneva, new species	19
<i>Neoacanthoneura dryas</i> Kameneva, new species	21
<i>Neoacanthoneura goniata</i> Kameneva, new species	23
<i>Neoacanthoneura steyskali</i> Kameneva, new species	24
<i>Neoacanthoneura subapicalis</i> Kameneva, new species	25
<i>euphrantina</i> group of species	26
<i>Neoacanthoneura euphrantina</i> Kameneva, new species	26
<i>Neoacanthoneura geomyzina</i> Kameneva, new species	28
<i>magnipennis</i> group of species	29
<i>Neoacanthoneura magnipennis</i> Hendel 1914	29
<i>Neoacanthoneura trupaneina</i> Kameneva, new species	31
Species unplaced into groups	32
<i>Neoacanthoneura trypetina</i> Kameneva, new species	32
Acknowledgements	33
Literature cited	33

Abstract

The genera *Aciuroides* and *Neoacanthoneura* occur only in Central and South America and are represented by 2 and 12 species, respectively. Eleven new species, *Neoacanthoneura apicalis* sp. n., *N. brachioptera* sp. n., *N. chiroptera* sp. n., *N. dryas* sp. n., *N. geomyzina* sp. n., *N. goniata* sp. n., *N. euphrantina* sp. n., *N. steyskali* sp. n., *N. subapicalis* sp. n., *N. trypetina* sp. n., *N. trupaneina* sp. n. are described, and the previously known species are redescribed and illustrated based on type material. The following synonymies and combinations are established: *Aciuroides* Hendel 1914 = *Idanophana* Hering 1938, **new synonym**; *Aciuroides gephyra* (Hering 1938), **new combination** (= *Idanophana gephyra* Hering 1938) = *Aciuroides fasciata* Hering 1941, **new synonym** = *Idanophana missionarius* Steyskal 1971, **new synonym**; *Aciuroides insecta* Hering 1941 = *Aciuroides plaumanni* Hering 1941, **new synonym**.

Key words: Diptera, Tephritoidea, Ulidiidae, Pterocallini, *Aciuroides*, *Neoacanthoneura*, new species, Neotropical Region