



Zootaxa 3662 (1): 001–073
www.mapress.com/zootaxa/

Copyright © 2013 Magnolia Press

Monograph

ISSN 1175-5326 (print edition)

ZOOTAXA

ISSN 1175-5334 (online edition)

<http://dx.doi.org/10.11646/zootaxa.3662.1.1>

<http://zoobank.org/urn:lsid:zoobank.org:pub:F8E5DC33-8045-4511-B046-90F59E97BD1D>

ZOOTAXA

3662

Revision of Thai *Dissomphalus* Ashmead, 1893 (Hymenoptera, Bethylidae), with description of twenty four new species

DANIELE F. MUGRABI¹ & CELSO O. AZEVEDO²

¹Universidade Federal do Espírito Santo, PPG-Biologia Animal, Av. Marechal Campos 1468, Maruípe, 29.040-090 Vitória ES, Brazil. E-mail: danimugrabi@gmail.com

²Universidade Federal do Espírito Santo, Departamento de Biologia, Av. Marechal Campos 1468, Maruípe, 29.040-090 Vitória ES, Brazil. E-mail: bethylidae@gmail.com



Magnolia Press
Auckland, New Zealand

Accepted by A. Lelej: 10 April 2013; published: 22 May 2013

DANIELE F. MUGRABI & CELSO O. AZEVEDO

Revision of Thai *Dissomphalus* Ashmead, 1893 (Hymenoptera, Bethyridae), with description of twenty four new species

(*Zootaxa* 3662)

73 pp.; 30 cm.

22 May 2013

ISBN 978-1-77557-178-0 (paperback)

ISBN 978-1-77557-179-7 (Online edition)

FIRST PUBLISHED IN 2013 BY

Magnolia Press

P.O. Box 41-383

Auckland 1346

New Zealand

e-mail: zootaxa@mapress.com

<http://www.mapress.com/zootaxa/>

© 2013 Magnolia Press

All rights reserved.

No part of this publication may be reproduced, stored, transmitted or disseminated, in any form, or by any means, without prior written permission from the publisher, to whom all requests to reproduce copyright material should be directed in writing.

This authorization does not extend to any other kind of copying, by any means, in any form, and for any purpose other than private research use.

ISSN 1175-5326 (Print edition)

ISSN 1175-5334 (Online edition)

Table of contents

Abstract	3
Introduction	4
Materials and methods	4
Character list	6
Taxonomic accounts	9
Key for <i>Dissomphalus</i> males from the Oriental region	10
<i>Dissomphalus browni</i> Terayama, 2001	11
<i>Dissomphalus Chiangmaiensis</i> Terayama, 2001	13
<i>Dissomphalus thainus</i> Terayama, 2001	16
<i>Dissomphalus wusheanus</i> Terayama, 2001	19
<i>Dissomphalus khaoyaiensis</i> Terayama, 1995	24
<i>Dissomphalus epitus</i> Muğrabi & Azevedo, sp. nov.	24
<i>Dissomphalus verus</i> Muğrabi & Azevedo, sp. nov.	26
<i>Dissomphalus prilus</i> Muğrabi & Azevedo, sp. nov.	29
<i>Dissomphalus daneus</i> Muğrabi & Azevedo, sp. nov.	30
<i>Dissomphalus gabrus</i> Muğrabi & Azevedo, sp. nov.	32
<i>Dissomphalus gionus</i> Muğrabi & Azevedo, sp. nov.	33
<i>Dissomphalus cherrus</i> Muğrabi & Azevedo, sp. nov.	35
<i>Dissomphalus julius</i> Muğrabi & Azevedo, sp. nov.	36
<i>Dissomphalus davus</i> Muğrabi & Azevedo, sp. nov.	39
<i>Dissomphalus zethus</i> Muğrabi & Azevedo, sp. nov.	40
<i>Dissomphalus hetus</i> Muğrabi & Azevedo, sp. nov.	41
<i>Dissomphalus joelus</i> Muğrabi & Azevedo, sp. nov.	43
<i>Dissomphalus nandus</i> Muğrabi & Azevedo, sp. nov.	44
<i>Dissomphalus jubus</i> Muğrabi & Azevedo, sp. nov.	45
<i>Dissomphalus kelsus</i> Muğrabi & Azevedo, sp. nov.	47
<i>Dissomphalus turinus</i> Muğrabi & Azevedo, sp. nov.	49
<i>Dissomphalus paulus</i> Muğrabi & Azevedo, sp. nov.	50
<i>Dissomphalus barbatus</i> Muğrabi & Azevedo, sp. nov.	51
<i>Dissomphalus robus</i> Muğrabi & Azevedo, sp. nov.	52
<i>Dissomphalus geanus</i> Muğrabi & Azevedo, sp. nov.	53
<i>Dissomphalus magnetus</i> Muğrabi & Azevedo, sp. nov.	54
<i>Dissomphalus lidinus</i> Muğrabi & Azevedo, sp. nov.	56
<i>Dissomphalus mugrus</i> Muğrabi & Azevedo, sp. nov.	57
<i>Dissomphalus ferrurus</i> Muğrabi & Azevedo, sp. nov.	58
Acknowledgments	72
References	73

Abstract

The Thai *Dissomphalus* classification is reviewed, and 29 species are recognized. Previously described species, *D. browni* Terayama, *D. Chiangmaiensis* Terayama, and *D. thainus* Terayama had their known distribution and taxonomic variations broadened. *Dissomphalus wusheanus* Terayama is newly recorded from Thailand. Twenty-four new species, *D. epitus* Muğrabi & Azevedo, **sp. nov.**, *D. verus* Muğrabi & Azevedo, **sp. nov.**, *D. prilus* Muğrabi & Azevedo, **sp. nov.**, *D. daneus* Muğrabi & Azevedo, **sp. nov.**, *D. gabrus* Muğrabi & Azevedo, **sp. nov.**, *D. gionus* Muğrabi & Azevedo, **sp. nov.**, *D. cherrus* Muğrabi & Azevedo, **sp. nov.**, *D. julius* Muğrabi & Azevedo, **sp. nov.**, *D. davus* Muğrabi & Azevedo, **sp. nov.**, *D. zethus* Muğrabi & Azevedo, **sp. nov.**, *D. hetus* Muğrabi & Azevedo, **sp. nov.**, *D. joelus* Muğrabi & Azevedo, **sp. nov.**, *D. nandus* Muğrabi & Azevedo, **sp. nov.**, *D. jubus* Muğrabi & Azevedo, **sp. nov.**, *D. kelsus* Muğrabi & Azevedo, **sp. nov.**, *D. turinus* Muğrabi & Azevedo, **sp. nov.**, *D. paulus* Muğrabi & Azevedo, **sp. nov.**, *D. barbatus* Muğrabi & Azevedo, **sp. nov.**, *D. robus* Muğrabi & Azevedo, **sp. nov.**, *D. geanus* Muğrabi & Azevedo, **sp. nov.**, *D. magnetus* Muğrabi & Azevedo, **sp. nov.**, *D. lidinus* Muğrabi & Azevedo, **sp. nov.**, *D. mugrus* Muğrabi & Azevedo, **sp. nov.** and *D. ferrurus* Muğrabi & Azevedo, **sp. nov.**, are described and illustrated. A key to the males of *Dissomphalus* from the Oriental region is provided.

Key word: Taxonomy, Chrysoidea, Oriental region, parasitic wasp