

ZOOTAXA

3676

New littoral, shelf, and bathyal Paratanaidae (Crustacea: Peracarida: Tanaidacea) from New Zealand, with descriptions of three new genera

GRAHAM J. BIRD¹ & ROGER N. BAMBER²

¹ Shotover Grove, Waikanae, Kāpiti, 5036, New Zealand. E-mail: zeuxo@clear.net.nz

² ARTOO Marine Biology Consultants LLP, Ocean Quay Marina, Belvidere Road, Southampton, SO14 5QY, United Kingdom.
E-mail: roger.bamber@artoo.co.uk



Magnolia Press
Auckland, New Zealand

GRAHAM J. BIRD & ROGER N. BAMBER

**New littoral, shelf, and bathyal Paratanaidae (Crustacea: Peracarida: Tanaidacea) from New Zealand,
with descriptions of three new genera**

(*Zootaxa* 3676)

71 pp.; 30 cm.

17 Jun. 2013

ISBN 978-1-77557-206-0 (paperback)

ISBN 978-1-77557-207-7 (Online edition)

FIRST PUBLISHED IN 2013 BY

Magnolia Press

P.O. Box 41-383

Auckland 1346

New Zealand

e-mail: zootaxa@mapress.com

<http://www.mapress.com/zootaxa/>

© 2013 Magnolia Press

All rights reserved.

No part of this publication may be reproduced, stored, transmitted or disseminated, in any form, or by any means, without prior written permission from the publisher, to whom all requests to reproduce copyright material should be directed in writing.

This authorization does not extend to any other kind of copying, by any means, in any form, and for any purpose other than private research use.

ISSN 1175-5326 (Print edition)

ISSN 1175-5334 (Online edition)

Table of contents

Abstract	3
Introduction	4
Material and methods	5
Systematics	6
Order Tanaidacea Dana	6
Suborder Tanaidomorpha Sieg	6
Superfamily Paratanaoidea Lang, 1949	6
Family Paratanaidae Lang, 1949	6
Subfamily Paratanaidinae Lang, 1949	6
<i>Acallocheirus</i> gen. nov.	7
<i>Acallocheirus echmanomus</i> sp. nov.	7
<i>Aparatanais</i> gen. nov.	12
<i>Aparatanais malignus</i> (Larsen 2001) comb.nov.	12
<i>Aparatanais timutimu</i> sp. nov.	16
<i>Aparatanais</i> sp. indet.	20
<i>Atemtanais</i> Bird, 2011	20
<i>Atemtanais taikaha</i> Bird, 2011	20
<i>Paratanais</i> Dana, 1852	21
<i>Paratanais caterae</i> sp. nov.	22
<i>Paratanais hamulus</i> sp. nov.	32
<i>Paratanais incomptus</i> sp. nov.	38
<i>Paratanais oculatus</i> (Vanhöffen, 1914)	43
<i>Paratanais paraoa</i> Bird, 2011	43
<i>Paratanais puia</i> sp. nov.	46
<i>Paratanais tara</i> Bird, 2011	53
<i>Paratanais</i> sp. indet. [<i>paraoa</i> -group]	53
<i>Paratanais</i> sp. indet. [<i>tara</i> -group]	55
<i>Penteparatanais</i> gen. nov.	55
<i>Penteparatanais laevicarpus</i> sp. nov.	55
Key to Paratanaidinae genera and <i>Metatanais</i>	61
Key to NZ <i>Paratanais</i> species	61
Supplementary notes on Larsen (2001) Australian species	62
<i>Paratanais maleficus</i> Larsen, 2001	62
<i>Paratanais perturbatus</i> Larsen, 2001	66
Discussion	66
Acknowledgements	69
References	69

Abstract

Three new genera, *Acallocheirus*, *Aparatanais*, and *Penteparatanais*, and seven new species of the paratanaid subfamily Paratanaidinae are described from New Zealand. New records of three previously known species *Atemtanais taikaha*, *Paratanais paraoa*, and *P. tara*, are also given. *Paratanais denticulatus*, *P. intermedius*, *P. malignus*, *P. spinanotandus*, and *P. vicentetis* are transferred to *Aparatanais*. A key is given to all paratanaidin genera and the NZ *Paratanais* species. In NZ waters, paratanaids are now known from the littoral zone to 908 m in the bathyal regions of the Chatham Rise and Hikurangi Margin, several of the offshore species being recorded in bryozoan mats. All but one appear to be endemic but may have sibling species elsewhere, particularly in the Southern Hemisphere. Supplementary notes are given on two Australian species *P. maleficus* and *P. perturbatus* that clarify their description and diagnostic characters.

Key words: Tanaidacea, Paratanaidae, Paratanaidinae, *Acallocheirus*, *Aparatanais*, *Atemtanais*, *Paratanais*, *Penteparatanais*, bryozoans, cold-vents, deep-sea, taxonomy, Mana BioBlitz, Australia, Chatham Rise, Challenger Plateau, Tasman Sea, New Zealand