

A new lizard of the *Phymaturus* genus (Squamata: Liolaemidae) from Sierra Grande, northeastern Patagonia, Argentina

LUCIANO JAVIER AVILA¹, CRISTIAN HERNÁN FULVIO PÉREZ¹, IGNACIO MINOLI¹ & MARIANA MORANDO¹

¹Centro Nacional Patagónico – Consejo Nacional de Investigaciones Científicas y Técnicas (CENPAT-CONICET), Boulevard Almirante Brown 2915, U9120ACD, Puerto Madryn, Chubut, Argentina.

E-mail: avila@cenpat.edu.ar; liolaemus@gmail.com; minoli@cenpat.edu.ar; morando@cenpat.edu.ar

Abstract

A new species of lizard of the saxicolous and viviparous genus *Phymaturus* from Patagonia is described. The new species is a member of the *Phymaturus patagonicus* species group distributed on volcanic plateaus, mountains or rocky outcrops of southern Argentina. *Phymaturus yachanana* sp. nov. differs from the other members of the *patagonicus* group by a dorsal pattern of small and medium-sized white spots on a brown background, the number of scales around the midbody, genetic differences in mitochondrial and nuclear markers, and allopatric geographic distribution in an isolated group of hills. As other species of the group, the new species is viviparous and herbivorous.

Key words: Argentina, Iguanidae *sensu lato*, Liolaemini, *patagonicus* group, *Phymaturus yachanana* sp. nov., Río Negro

Resumen

Se describe una nueva especie de lagartija saxícola y vivípara del género *Phymaturus*. La especie nueva es miembro del grupo de especies *Phymaturus patagonicus* distribuido solamente en mesetas y montañas volcánicas del sur de Argentina. *Phymaturus yachanana* sp. nov. difiere de los otros miembros del grupo *patagonicus* por su patrón dorsal único de pequeñas y medianas manchas blancas sobre un fondo marrón, el número de escamas alrededor del cuerpo, diferencias genéticas en marcadores mitocondriales y nucleares, y por su distribución geográfica alopátrica en un conjunto aislado de colinas. Como otras especies del grupo, la nueva especie es vivípara y herbívora.

Palabras claves: Argentina, Iguanidae *sensu lato*, Liolaemini, grupo *patagonicus*; *Phymaturus yachanana* sp. nov., Río Negro

Introduction

A remarkable component of the northern Patagonian herpetofauna is the *Phymaturus* genus, a saxicolous clade of lizards morphologically characterized by having a flat body and a spiny tail. Members of this genus are typical inhabitants of rocky regions of the Andes and Patagonian environments and all known species are viviparous and almost strictly herbivorous (Cei 1986, 1993; Lobo *et al.* 2010; Núñez *et al.* 2010; Lobo *et al.* 2012; Morando *et al.* 2013). Two main species groups of *Phymaturus* can be identified: the *palluma* and the *patagonicus* (Etheridge 1995; Lobo *et al.* 2012; Morando *et al.* 2013). Within the *patagonicus* clade, several species have been described in the last decade, mainly from volcanic plateaus of central Patagonia, along the Chubut and Río Negro provinces of Argentina. Morando *et al.* (2013) defined some molecular-based groups within this clade, and the species tree recovered three of them, *indistinctus*, *payuniae*, and *spurcus*, with strong support, while the *somuncurensis* and *calcogaster* groups only had moderate support. Geographically, all populations of the *payuniae* group are distributed north of the Limay River, and all populations of the *indistinctus* group, are south of the Chubut River. All

they may be conspecific (Morando et al., op. cit). The smallest uncorrected genetic distance between the new species described here and others geographically and phylogenetically closely related of the *patagonicus* group are: *P. yachanana* vs *P. calcogaster* = 2.2%, *P. yachanana* vs *P. patagonicus* = 7.4%, *P. yachanana* vs *P. tenebrosus* = 2.86%, which are above the average threshold for closely related species of this genus.

Acknowledgements

We thank M.L. Kozykariski, M.F. Breitman, K. Dittmar, J.W. Sites, C. Medina, N. Frutos, A. Cosacov, M. Nicola, K. Delhey, M. Olave, P. Petracci, M. Hawkins, R. Otteson, J.R. Goldman, C. Zanotti, M. Leon, D. Udrizar and M. Carrera for help and companion in field trips for *Phymaturus* species collection. We thank A. Scolaro for providing specimens for this study and G. Massaferro for the information provided on the geology of the area. We thank Fauna and Flora and Protected Areas authorities, especially to M. Failla (Permits 1/03/2011-74701-2005, unnumbered permits 2005–2008) of Río Negro Province for collection permits and support of our work. We thank N. Cazzaniga for help with Latin language issues. Financial support for field work was provided by NSF “Partnership for International Research and Education” award (OISE 0530267). Additional support was provided by ANPCYT-FONCYT 06-00506 issued to L. Avila, ANPCYT-FONCYT PICT 33789 issued to M. Morando, and grants from Brigham Young University (Department of Biology, M. L. Bean Museum, and Kennedy Center for International Studies) issued to J. W. Sites, Jr.

References

- Avila, L.J., Pérez, C.H.F., Perez, D.R. & Morando, M. (2011) Two new mountain lizard species of the *Phymaturus* genus (Squamata: Iguania) from northwestern Patagonia, Argentina. *Zootaxa*, 2924, 1–21.
- Barbour, T. (1921) On a small collection of reptiles from Argentina. *Proceedings of the Biological Society of Washington*, 34, 139–141.
- Boretto, J.M., Ibargüengoytía, N.R., Acosta, J.C., Blanco, G.M., Villavicencio, J. & Marinero, J.A. (2007) Reproductive biology and sexual dimorphism of a high-altitude population of the viviparous lizard *Phymaturus punae* from the Andes in Argentina. *Amphibia-Reptilia*, 28, 427–432.
<http://dx.doi.org/10.1163/156853807781374791>
- Boretto, J.M. & Ibargüengoytía, N.R. (2009) *Phymaturus* of Patagonia, Argentina: reproductive biology of *Phymaturus zapalensis* (Liolaemidae) and a comparison of sexual dimorphism within the genus. *Journal of Herpetology*, 43, 96–104.
- Busteros, A., Giacosa, R. & Lema, H. (1998) Hoja Geológica 4166-IV, Sierra Grande. Provincia de Río Negro. *Boletín del Instituto de Geología y Recursos Minerales, Servicio Geológico Minero Argentino*, 241, 1–75.
- Cabezas-Cartes, F., Boretto, J., Acosta, J.C., Jahn, G.A., Blanco, G., Laspur, A. & Ibargüengoytía, N.R. (2010) Reproductive biology of *Phymaturus cf. palluma*: a vulnerable lizard from the highlands of the Andes, San Juan, Argentina. *Herpetological Conservation and Biology*, 5, 430–440.
- Casamiquela, R.M. (1998) *Estudio de la toponimia indígena de la provincia de Río Negro*. Author Ed., Trelew, Chubut, 368 pp.
- Cei, J.M. (1986) Reptiles del centro, centro-oeste y sur de la Argentina. Herpetofauna de las zonas áridas y semiáridas. Monograph IV. *Museo Regionale di Scienze Naturali Torino*, 1–527.
- Cei, J.M. (1993) Reptiles del Noroeste, Nordeste y Este de la Argentina. Herpetofauna de las Selvas subtropicales, Puna y Pampas. Monograph XIV. *Museo Regionale di Scienze Naturali Torino*, 1–949.
- Cei, J.M. & Castro, L.P. (1973) Taxonomic and serological researches on the *Phymaturus patagonicus* complex. *Journal of Herpetology*, 7, 237–247.
<http://dx.doi.org/10.2307/1563009>
- Cei, J.M. & Roig, V.G. (1975) A new lizard from the Sierra del Nevado Mountains, Central Argentina. *Journal of Herpetology*, 9, 256.
<http://dx.doi.org/10.2307/1563055>
- Claude, J. (2008) *Morphometrics with R*. XVIII. Springer, New York, 318 pp.
- Conover, W.J. (1999) *Practical Nonparametric Statistics*, 3rd Edition. John Wiley & Sons, New York, 592 pp.
- Crawley, M.J. (2007) *The R Book*. John Wiley & Sons Ltd, England, 951 pp.
- de Mendiburu, F. (2012) *Agricolae: Statistical Procedures for Agricultural Research*. R package version 1.1-3.
- Etheridge, R. (1995) Redescription of *Ctenoblepharys adspersa* Tschudi, 1845, and the taxonomy of Liolaeminae (Reptilia: Squamata: Tropiduridae). *American Museum of Natural History Novitates*, 3142, 1–34.
- Frost, D. (1992) Phylogenetic analysis and taxonomy of the *Tropidurus* group of lizards (Iguania, Tropiduridae). *American Museum Novitates*, 3033, 1–68.

- Harlow, L. (2005) *The essence of multivariate thinking: Basic Themes and Methods*. Lawrence Erlbaum Associates, Mahwah, New Jersey, 240 pp.
- Husson, F., Josse, J., Lê, J. & Mazet J. (2013) FactoMineR: Multivariate Exploratory Data Analysis and Data Mining with R. R package version 1.21.
- Kalantzopoulou, A., Carretero, M.A. & Llorente, G.A. (2012) Morphology of the *Podarcis* wall lizards (Squamata: Lacertidae) from the Iberian Peninsula and North Africa: patterns of variation in a putative cryptic species complex. *Zoological Journal of the Linnean Society*, 164, 173–193.
<http://dx.doi.org/10.1111/j.1096-3642.2011.00760.x>
- Klingenberg, C.P. (1996) Multivariate allometry. In: Marcus, L.F., Corti, M., Loy, A., Naylor, G.J.P. & Slice, D.E. (Eds.), *Advances in Morphometrics*. Proceedings of the NATO ASI, Il Ciocco, Tuscany, Italy, pp. 23–49.
- Koslowsky, J. (1898) Enumeración sistemática y distribución geográfica de los reptiles argentinos. *Revista del Museo de La Plata*, 8, 161–200.
- Lê, S., Josse, J. & Husson, F. (2008) FactoMineR: An R package for multivariate analysis. *Journal of statistical software*, 25, 1–18.
- Lleonart, J., Salat, J. & Torres, G.J. (2000) Removing Allometric Effects of Body Size in Morphological Analysis. *Journal of Theoretical Biology*, 205, 85–93.
<http://dx.doi.org/10.1006/jtbi.2000.2043>
- Lobo, F., Abdala, C.S. & Valdecantos, S. (2010) Taxonomic studies of the genus *Phymaturus* (Iguania: Liolaemidae): Description of four new species. *South American Journal of Herpetology*, 5, 102–126.
<http://dx.doi.org/10.2994/057.005.0205>
- Lobo, F., Abdala, C.S. & Valdecantos, S. (2012) Morphological diversity and phylogenetic relationships within a South-American clade of iguanian lizards (Liolaemidae: *Phymaturus*). *Zootaxa*, 3315, 1–41.
- Lobo, F. & Quinteros, S. (2005a) A morphology-based phylogeny of *Phymaturus* (Iguania: Liolaemidae) with the description of four new species from Argentina. *Papeis Avulsos de Zoología*, 45, 143–177.
<http://dx.doi.org/10.1590/s0031-10492005001300001>
- Lobo, F. & Quinteros, S. (2005b) Taxonomic studies of the genus *Phymaturus* (Iguania:Liolaemidae): Redescription of *Phymaturus patagonicus* Koslowsky 1898, and revalidation and redescription of *Phymaturus spurcus* Barbour 1921. *Journal of Herpetology*, 39, 535–540.
<http://dx.doi.org/10.1670/170-04a.1>
- Luo, R., Misra, M. & Himmelblau, D.M. (1999) Sensor Fault Detection via Multiscale Analysis and Dynamic PCA. *Industrial & Engineering Chemistry Research*, 38, 1489–1495.
<http://dx.doi.org/10.1021/ie980557b>
- Márquez, M.J., Massaferro, G.I., Fernández, M.I., Menegatti, N. & Navarrete, C.R. (2011) El centro volcánico Sierra Grande: caracterización petrográfica y geoquímica del magmatismo extensional Liásico, noreste de la Patagonia. *Revista de la Asociación Geológica Argentina*, 68 (4), 555–570.
- Morando, M., Avila, L.J., Perez, C.H.F., Hawkins, M. & Sites, J.W. Jr. (2013) Molecular phylogeny of *Phymaturus* (Squamata, Liolaemini): too many lineages and few names. *Molecular Phylogenetics and Evolution*, 66, 694–714.
- Núñez, H., Veloso, A., Espejo, P., Veloso, C., Cortes, A. & Araya, S. (2010) Nuevas especies de *Phymaturus* (grupo *palluma*) para la zona cordillerana central de Chile (Reptilia, Sauria, Liolaemidae). *Boletín del Museo Nacional de Historia Natural Chile*, 59, 41–74.
- O'Rourke, N. & Hatcher, L. (2013) *A Step-By-Step Approach to Using SAS for Factor Analysis and Structural Equation Modeling*, 2nd Edition. SAS Institute, Cary, North Carolina, USA, 428 pp.
- Pincheira-Donoso, D., Hodgson, D.J., Stipala, J. & Tregenza, T. (2009) A phylogenetic analysis of sex-specific evolution of ecological morphology in *Liolaemus* lizards. *Ecological Research*, 24, 1223–1231.
<http://dx.doi.org/10.1007/s11284-009-0607-4>
- Pincheira-Donoso, D., Fox, S.F., Scolaro, J.A., Ibargüengoytí, N.R., Acosta, J.C., Corbalán, V., Medina, M., Boretto, J., Villavicencio, H.J. & Hodgson, D.J. (2011) Body size dimensions in lizard ecological and evolutionary research: exploring the predictive power of mass estimation equations in two Liolaemidae radiations. *The Herpetological Journal*, 21, 35–42.
- Roig, A.F. (1998) La vegetación de la Patagonia. In: Correa, M.N. (Ed.), *Flora Patagónica*. INTA, Buenos Aires, Argentina, pp. 48–174.
- R Development Core Team (2012) R: A language and environment for statistical computing.
- R Core Team (2012) R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna, Austria. Available from: <http://www.R-project.org/> (accessed 26 March 2014)
- Scolaro, J.A. & Cei, J.M. (2003) Una excepcional nueva especie de *Phymaturus* de la precordillera de Chubut, Argentina (Liolaemidae, Iguania, Lacertilia, Reptilia). *FACENA*, 19, 157–162.
- Scolaro, J.A. & Ibargüengoytí, N. (2007) A new species of *Phymaturus* from rocky outcrops in the central steppe of Rio Negro province, Patagonia Argentina (Reptilia: Iguania: Liolaemidae). *Zootaxa*, 1524, 47–55.
- Scolaro, J.A., Ibargüengoytí, N.R. & Pincheira-Donoso, D. (2008) When starvation challenges the tradition of niche conservatism: On a new species of the saxicolous genus *Phymaturus* from Patagonia Argentina with pseudoarboreal foraging behaviour (Iguania, Liolaemidae). *Zootaxa*, 1786, 48–60.
- Scolaro, J.A. & Ibargüengoytí, N.R. (2008) A new fragment for the understanding of the puzzling evolutive process of the

- Phymaturus* genus: a new species of the *patagonicus* group from Patagonia, Argentina (Reptilia: Iguania: Liolaemidae). *Zootaxa*, 1939, 38–50.
- Scolaro, J.A., Jara, M. & Pincheira-Donoso, D. (2013) The sexual signals of speciation? A new sexually dimorphic *Phymaturus* species of the *patagonicus* clade from Patagonia Argentina. *Zootaxa*, 3722 (3), 317–332.
<http://dx.doi.org/10.11646/zootaxa.3722.3.2>
- Scolaro, J.A. & Pincheira-Donoso, D. (2010) Lizards at the end of the world: Two new species of *Phymaturus* of the *patagonicus* clade (Squamata, Liolaemidae) revealed in southern Patagonia of Argentina. *Zootaxa*, 2393, 17–32.
- Scolaro, J.A. & Tappari, O.F. (2009) Una nueva especie del género *Phymaturus* del “grupo Patagonicus” en los afloramientos rocosos del sudoeste de la provincia de Río Negro, Patagonia Argentina (Reptilia: Iguania: Liolaemidae). *Naturalia Patagónica*, 5, 80–93.
- Scolaro, J.A., Mendez de la Cruz, F. & Ibargüengoytia, N.R. (2012) A new species of *Phymaturus* of the *patagonicus* clade (Squamata, Liolaemidae) from isolated plateau of southwestern Rio Negro Province, Argentina. *Zootaxa*, 3451, 17–30.
- Simmons, J.E. (2002) Herpetological Collecting and Collections Managements. *Society for the Study of Amphibians and Reptiles, Herpetological Circular*, 31, 1–153.
- Smith, H.M. (1946) *Handbook of lizards*. Comstock Publishing Company, Ithaca, New York, U.S.A, 557 pp.
- Zanettini, J.C.M. (2008) *Sierra Grande: La mina de hierro subterránea más grande de Latinoamérica*. In: CSIGA (Ed.), *Sitios de Interés Geológico de la República Argentina. Annals 46 (II)*, SEGEMAR, Buenos Aires, pp. 461.

APPENDIX I

- Phymaturus yachanana* sp. nov. (7): ARGENTINA: RÍO NEGRO:** San Antonio Department: hills to 1.74 km South of the Sierra Grande town, east of the National Road 3 (41°37'S, 65°20'W, 270 m): MLP.S 2636 (Holotype). Rocky cliffs of Sierra Grande mountain, behind the Sierra Grande town (41°36'S, 65°22'W, 429 m): LJAMM 8203–8204 (Paratypes). Rocky cliffs on the west slope of Sierra Grande mountain, behind the old village, Sierra Grande town (41°36'S, 65°23'S, 387 m): LJAMM-CNP 8205, 14366–14368 (paratypes).
- Phymaturus agilis* (16): ARGENTINA: RÍO NEGRO:** Ñorquinco Department: Provincial Road 6, 17.4 km NE Ojos de Agua, 28 km SW Ingeniero Jacobacci, (41°26'S, 69°46'W, 1014 m): LJAMM-CNP 3634–3636. Provincial Road 6, Km 24, Yuquiche place, Ingeniero Jacobacci: JAS-DC 1039, 1044, 1045, 1046, 1053, 1065, 1087, 1089, 1090, 1119, 1644. Provincial Road 6, Ingeniero Jacobacci, km 5, road to Ojo de Agua: JAS-DC 1092–1093.
- Phymaturus ceii* (22): ARGENTINA: RÍO NEGRO:** 25 de Mayo Department: Provincial Road 8, 17 km S Antonio del Cuy (40°17'S, 68°27'W): LJAMM-CNP 1628–1630, 1713, and MCN 908, MCN 910–913, MCN 916, MCN 918. Provincial Road 6, 8.4 km S Colan Conue (40°44'S, 69°09'W, 1145 m): LJAMM-CNP 6804–6808. El Cuy Department: Provincial Road 6, 45.4 km SW crossroad Provincial Road 8 (40°17'S, 68°55'W, 1117 m): LJAMM-CNP 6803, 6820–6822, 6845–6846.
- Phymaturus excelsus* (15): ARGENTINA: RÍO NEGRO:** Ñorquinco Department: Provincial Road 6, 1 km NW Ojo de Agua (41°32'S, 69°51'W, 1141 m): LJAMM-CNP 2136–2137, 2266, 2355–6, 2652–2654. Provincial Road 6, 2.2 km NE Ojos de Agua, (41°32'S, 69°51'W, 1105 m): LJAMM-CNP 3534–3535, 3622–3626.
- Phymaturus spectabilis* (22): ARGENTINA: RÍO NEGRO:** Ñorquinco Department: Provincial Road 6, 17.4 km NE Ojos de Agua, 28 km SW Ingeniero Jacobacci, (41°26'S, 69°46'W, 1014 m): LJAMM-CNP 3600–3621.
- Phymaturus spurcus* (15): ARGENTINA: RÍO NEGRO:** 25 de Mayo Department: National Road 23, hill near Ranch Huanuluán, 25.1 km W Ingeniero Jacobacci (41°21'S, 69°48'W, 942 m): LJAMM-CNP 3586, 3629–3630. Huanuluán ranch: JAS-DC 821–823, 825–831. Huanuluán: MCZ 14791 (type), 14914–15 (paratypes).
- Phymaturus somuncurensis* (7): ARGENTINA: RÍO NEGRO:** 9 de Julio Department: 65.6 km police station El Rincon, near Corona Hill, between Corona Grande Hill and Corona Chico Hill (41°23'S, 66°57'W, 1425 m): LJAMM-CNP 6826–6832.
- Phymaturus tenebrosus* (13): ARGENTINA: RÍO NEGRO:** Pilcaniyeu Department: National Road 40, 2.7 km S San Pedro Ranch (40°52'S, 70°34'W, 1096 m): LJAMM-CNP 5426, BYU 47978. National Road 40, Cerro Alto (40°46'S, 70°34'W, 1203 m): LJAMM-CNP 8661. Cerro Alto: JAS-DC 1103, 1247. 20 km Cerro Alto: JAS-DC 811, 824, 832–836, 1250.
- Phymaturus etheridgei* (13): ARGENTINA: RÍO NEGRO:** 25 de Mayo Department: Provincial Road 76, 57 km S Ingeniero Jacobacci (41°45'S, 69°21'W, 1162 m): LJAMM-CNP 3590–3592, 3642–3645, 3681, 3688–3689, 5897, 6548–6549.
- Phymaturus manuelae* (3): ARGENTINA: RÍO NEGRO:** Pilcaniyeu Department: National Road 23, 4.8 km SE Comallo (41°02'S, 70°12'W, 808 m): LJAMM-CNP 5447–5448, 5589.
- Phymaturus patagonicus* (24): ARGENTINA: CHUBUT:** Gaiman Department: Ruta Nacional 25, 40 km WSW Dolavon (43°27'S, 66°07'W, 125 m): LJAMM-CNP 3205–3209, 3219, 15151–15167. Hills next to the road to Boca Toma, 16.2 km S junction Ruta Nacional 25, road gate to 28 de Julio (43°27'S, 65°55'W, 33 m): LJAMM-CNP 14219.
- Phymaturus calcogaster* (30): ARGENTINA: CHUBUT:** Telsen Department: Ruta Provincial 8, Quele Cura-Sierra Colorada (42°11'S, 66°22'W, 525 m): LJAMM-CNP 3278, 6550–6553, 8138–8140, 8142–8144, 8146, BYU 48818. Junction to Laguna De Vaca, 16.2 km Ruta Provincial 4, on lagoon shore (42°30'S, 67°21'W, 660 m): LJAMM-CNP 6855–6857, 8125–8132. Quele Cura (42°11'S, 66°22'W, 525 m): JAS-DC 665–667, 1094–1096.