

## Taxonomic Revision of the genus *Mesomphalia* Hope, 1839 (Insecta, Coleoptera, Chrysomelidae)

MARIANNA V. P. SIMÕES<sup>1,3</sup> & MARCELA L. MONNÉ<sup>2,3</sup>

<sup>1</sup>Division of Entomology, Biodiversity Research Institute & Department of Ecology and Evolutionary Biology, University of Kansas, Lawrence, Kansas 66045, U. S. A. E-mail: mariannavpsimoes@gmail.com

<sup>2</sup>Museu Nacional, Universidade Federal do Rio de Janeiro. Quinta da Boa Vista, São Cristóvão, 20940-040, Rio de Janeiro, Brazil.

<sup>3</sup>Fellow of the Conselho Nacional de Desenvolvimento Científico e Tecnológico (CNPq)

### Table of contents

|  |     |
|--|-----|
| Abstract .....   | 151 |
| Resumo .....   | 152 |
| Introduction .....   | 152 |
| Materials and methods .....                                  | 153 |
| Taxonomy .....   | 153 |
| <i>Mesomphalia</i> Hope, 1839 .....                          | 153 |
| Key to species of <i>Mesomphalia</i> Hope .....              | 155 |
| <i>Mesomphalia gibbosa</i> (Fabricius, 1781) .....           | 156 |
| <i>Mesomphalia sublaevis</i> Boheman, 1850 .....             | 165 |
| <i>Mesomphalia spaethi</i> Simões & Monné, sp. nov. ....     | 167 |
| <i>Mesomphalia turrita</i> (Illiger, 1801) .....             | 168 |
| <i>Mesomphalia subnitens</i> Spaeth, 1917 .....              | 171 |
| <i>Mesomphalia sexmaculosa</i> Boheman, 1856 .....           | 172 |
| <i>Mesomphalia tumidula</i> Boheman, 1850 .....              | 173 |
| <i>Mesomphalia variolaris</i> Boheman, 1850 .....            | 174 |
| <i>Mesomphalia denudata</i> Boheman, 1850 .....              | 176 |
| <i>Mesomphalia retipennis</i> Boheman, 1850 .....            | 177 |
| <i>Mesomphalia latipennis</i> Boheman, 1856 .....            | 178 |
| <i>Mesomphalia nudoplagiata</i> Spaeth, 1901 .....           | 179 |
| <i>Mesomphalia albofasciculata</i> Boheman, 1856 .....       | 181 |
| <i>Mesomphalia ampliata</i> Boheman, 1850 .....              | 183 |
| Species excluded from the genus <i>Mesomphalia</i> .....     | 195 |
| <i>Cyrtotona pyramidata</i> (Boheman, 1850), comb. nov. .... | 195 |
| <i>Stolas scrobiculata</i> (Boheman, 1850), comb. nov. ....  | 195 |
| Acknowledgments .....  | 195 |
| References .....   | 196 |

### Abstract

A revision of the genus *Mesomphalia* Hope, 1839, is presented based on a detailed morphological study of all species, except *M. ampliata* Boheman, 1850 and *M. albofasciculata* Boheman, 1856. The genus and species are redescribed. One species is transferred to *Stolas* Billberg, 1820, as *S. scrobiculata* (Boheman, 1850) comb. nov.; one species is transferred to *Cyrtotona* Chevrolat, 1836, as *C. pyramidata* (Boheman, 1850) comb. nov.; *M. sexmaculata* Boheman, 1850 syn. nov. is a junior subjective synonym of *M. turrita* (Illiger, 1801); one new species *M. spaethi* Simões & Monné, sp. nov. is described. Following this revision, *Mesomphalia* now contains fourteen species. A key to the species, photographs and distribution maps are provided.

**Key words:** Cassidinae, South America, new species, redescriptions, synonym

## References

- Blackwelder, R.E. (1946) Checklist of the coleopterous insects of Mexico, Central America, the West Indies and South America. Part 4. *Bulletin of the United States National Museum*, 185, 551–763.  
<http://dx.doi.org/10.5479/si.03629236.185.4>
- Boheman, C.H. (1850) *Monographia Cassididarum I.* Officina Nordstedtiana, Holmiae, 452 pp.
- Boheman, C.H. (1856) *Catalogue of Coleopterous Insects in the collection of the British Museum. Part IX, Cassididae.* British Museum, London, 225 pp.
- Boheman, C.H. (1862) *Monographia Cassididarum IV.* Officina Nordstedtiana, Holmiae, 504 pp.
- Borowiec, L. (1996) Faunistic records of Neotropical Cassidinae (Coleoptera: Chrysomelidae). *Polskie Pismo Entomologiczne*, 65, 119–251.
- Borowiec, L. (1999) *A world catalogue of the Cassidinae (Coleoptera: Chrysomelidae).* Biologica Silesiae, Wroclaw, 476 pp.
- Borowiec, L. (2007) *Trilaccodea ecuadorica*, a new species from Ecuador (Coleoptera: Chrysomelidae: Cassidinae: Stolaini), *Genus*, 18, 103–106.
- Borowiec, L. (2009) New records of Neotropical tortoise beetles (Coleoptera: Chrysomelidae: Cassidinae). *Genus*, 20, 615–722.
- Borowiec, L. & Opalińska, S. (2007) The structure of spermathecae of selected genera of Stolaini and Eugenysini (Coleoptera: Chrysomelidae: Cassidinae) and its taxonomic significance. *Annales Zoologici*, 57 (3), 463–479.
- Borowiec, L. & Takizawa, H. (2011) Neotropical tortoise beetles in the Amazon Insectarium, Tokyo, Japan with description of nine new species (Coleoptera: Chrysomelidae: Cassidinae). *Genus*, 22, 427–484.
- Borowiec, L. & Ćwiętojańska, J. (2014) *Cassidinae of the World – an interactive manual (Coleoptera: Chrysomelidae).* Available from: <http://culex.biol.uni.wroc.pl/cassidae/katalog%20internetowy/index.htm> (accessed 7 February, 2014)
- Bouchard, P., Bousquet, Y., Davies, A.E., Alonso-Zarazaga, M.A., Lawrence, J.F., Lyal, C.H.C., Newton, A.F., Reid, C.A.M., Schmitt, M., Slipinski, S.A. & Smith, A.B.T. (2011) Family-group names in Coleoptera (Insecta). *Zookeys*, 88, 1–972.  
<http://dx.doi.org/10.3897/zookeys.88.807>
- Chaboo, C.S. (2007) Biology and phylogeny of the Cassidinae Gyllenhal *sensu lato* (tortoise and leaf-mining beetles) (Coleoptera: Chrysomelidae). *Bulletin of the American Museum of Natural History*, 305, 1–250.  
[http://dx.doi.org/10.1206/0003-0090\(2007\)305\[1:bapotc\]2.0.co;2](http://dx.doi.org/10.1206/0003-0090(2007)305[1:bapotc]2.0.co;2)
- Chapuis, F. (1875) *Histoire naturelle des insectes. Genera des coléoptères ou expos méthodique et critique de tous les genres proposés jusqu'ici dans cet order d'insectes. Tome onzième. Famille des phytophages.* Librairie Encyclopédique de Roret, Paris, 420 pp.
- Crowson, R.A. (1938) The metendosternite in Coleoptera: a comparative study. *Transactions of the Royal Entomological Society of London*, 87, 397–416.  
<http://dx.doi.org/10.1111/j.1365-2311.1938.tb00723.x>
- Fabricius, J.C. (1781) *Species Insectorum eorum differentias specificas, synonyma auctorum, loca natalia, metamorphosis adiectis observationibus, descriptionibus.* Tomo I. Bohn, Hamburgi et Kilonii, 552 pp.
- Fabricius, J.C. (1787) *Mantissa Insectorum sistens eorum species nuper detectas adiectis characteribus genericis, differentiis specificis emendationibus, observationibus.* Proft, Hafniae, 348 pp.
- Fabricius, J.C. (1792) *Entomologia Systematica emendata et aucta. Secundum classes, ordines, genera, species adiectis synonymis, locis, observationibus, descriptionibus.* Tomus I. Proft, Hafniae, 538 pp.
- Fabricius, J.C. (1801) *Systema eleutherorum secundum ordines, genera, species, adiectis synonymis, locis, observationibus, descriptionibus.* Tomus I. Bibliopoli Academic Novi, Kiliae, 506 pp.
- Flinte, V., de Macedo, M.V. & Monteiro, R.F. (2008) Tortoise Beetles (Chrysomelidae: Cassidinae) of a tropical rain forest in Rio de Janeiro, Brazil. In: Jolivet, P., Santiago-Blay, J. & Schmidt, M. (Eds.), *Research on Chrysomelidae.* Brill Academic Publishers, Leiden, pp. 195–209.
- Flinte, V., Borowiec, L., de Freitas, S., Viana, J.H., Fernandes, F.R., Nogueira de S, F., de Macedo, M.V. & Monteiro, R.F. (2009) Tortoise Beetles of the State of Rio de Janeiro, Brazil (Coleoptera: Chrysomelidae: Cassidinae). *Genus*, 20, 571–614.
- Gemminger, M. & von Harold, E. (1876) Catalogus Coleopterorum hucusque descriptorum synonymicus et systematicus. Monachii. In: Gummi, E.H. (Eds.), *Chrysomelidae (II). Languridae, Erotylidae, Endomychidae, Coccinellidae, Corylophidae, Platypyllidae, Acredit Index Generum universalis*, 12, Paris and London, pp. 3479–3822.
- Gmelin, J.F. (1790) *Caroli a Linn Systema Naturae per regna tria naturae, secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis.* I (4). Beer, Lipsiae, pp. 1517–2224.
- Haitlinger, R. (1991) Canestriniid mites (Acaria, Astigmata, Canestriniidae) occurring on Chrysomelidae (Insecta, Coleoptera) in Neotropical Region. I. Genera *Grandiellina* Fain, *Arrunsithiana* n. gen. *Wiadomosci parazytologiczne*, 37, 381–399.
- Herbst, J.F.W. (1799) *Natursystem aller bekannten in - und ausländischen Insekten, als eine Fortsetzung der von Biffonschen Naturgeschichte Der Käfer achter Theil.* Joachim Pauli, Berlin, 420 pp.
- Hincks, W.D. (1952) The genera of the Cassidinae (Coleoptera: Chrysomelidae). *Transactions of the Royal Entomological Society of London*, 103 (10), 327–358.  
<http://dx.doi.org/10.1111/j.1365-2311.1952.tb01061.x>

- Hope, F.W. (1839) Observations on the tortoise or shield beetles, commonly denominated *Cassida* by Linnaeus, with the characters of six new genera. *Annals of Natural History*, 3 (15), 92–100.  
<http://dx.doi.org/10.1080/03745483909443203>
- Hope, F.W. (1840) *The Coleopterists Manual. Part 3.* J.C. Bridgewater, London, 191 pp.
- Horn, W. & Kahle, I. (1935) Über Entomologische Sammlungen, Part 1. *Entomologische Beihefte aus Berlin-Dahlem*, 2, 1–160
- Illiger, K. (1801) Neue Insekten. *Magazin für Insektenkunde*, 1, 163–208.
- Jolivet, P.H. & Hawkeswood, T.J. (1995) Host-Plants of Chrysomelidae of the World. (an essay about the relationships between the leaf-beetles and their food plants). Backhuys Publishers, Leiden, 281 pp.
- Kukalov-Peck, J. & Lawrence, J.F. (2004) Relationships among coleopteran suborders and major endoneopteran lineages. Evidence from hind wing characters. *European Journal of Entomology*, 101, 95–144.
- Mann, J.S. (1988) Male genitalia of Chrysomelidae (Coleoptera) I. Subfamilies Cassidinae and Hispinae. *Journal of Animal Morphology and Physiology*, 35, 123–130.
- Olivier, A.G. (1790) *Encyclopédie Méthodique, Histoire Naturelle. Insectes. Tome cinquième.* Paris, 368 pp.
- Olivier, A.G. (1808) *Entomologie, ou histoire naturelle des Insectes, avec leur caractères généraux et spécifiques, leur description, leur synonymie, et leur figure enluminée. Coléoptères.* 6. Desray, Paris, pp. 613–1104.
- Rodriguez, V. (1994) Function of the spermathecal muscle in *Chelymorpha alternans* Boheman (Coleoptera: Chrysomelidae; Cassidinae). *Physiological Entomology*, 19, 198–202.  
<http://dx.doi.org/10.1111/j.1365-3032.1994.tb01043.x>
- Schönher, C.J. (1817) *Synonymia Insectorum, oder: Versuch einer synonymie Aller bisher bekannten Insecten, nach Fabricii Systema Eleutherorum &c. I.* Lewerenzischen Buchdruckerey, Skara, 506 pp.
- Seeno, T.N. & Wilcox, J.A. (1982) Leaf beetle genera (Coleoptera: Chrysomelidae). *Entomography*, 1, 1–221.
- Simões, M.V.P. & Monné, M.L. (2008) New records of South American Cassidinae (Coleoptera: Chrysomelidae). *Genus*, 19, 709–715.
- Spaeth, F. (1901) Beschreibung neuer Cassididen nebst synonymischen Bemerkungen. IV. *Verhandlungen der Zoologisch-Botanischen Gesellschaft*, 51, 333–350.
- Spaeth, F. (1914) Chrysomelidae: 16. Cassidinae. In: Junk, W. & Schenkling S. (Eds.), *Coleopterorum Catalogus. Pars 62.* Berlin, pp. 1–182.
- Spaeth, F. (1917) Beiträge zur Kenntnis der süd- und zentralamerykanischen Cassidinen. *Koleopterologische Rundschau*, 6, 24–31.
- Wagener, B. (1881) Cassididae. *Mitteilungen München Entomologischen Vereins*, 1877, 49–79.