

<http://dx.doi.org/10.11164/zootaxa.3872.2.2>
<http://zoobank.org/urn:lsid:zoobank.org:pub:7725FF22-1085-427C-9EDD-25D89BF9F168>

Notes on the genus *Pseudokuzicus* Gorochov, 1993 (Orthoptera: Tettigoniidae: Meconematinae: Meconematini) from China

JUAN-XIA DI, XUN BIAN, FU-MING SHI* & YAN-LIN CHANG*

College of Life Sciences, Hebei University, Baoding, 071002, P. R. China

*Corresponding author. E-mail: shif_m@126.com, changylin@126.com

Abstract

Two new species of the genus *Pseudokuzicus* are described: *Pseudokuzicus (Pseudokuzicus) trianglus* sp. nov. and *Pseudokuzicus (Pseudokuzicus) platynus* sp. nov. from China. In addition, morphological structures, a distribution map for known species distributed in China and a key to the species are provided. All specimens are deposited in the Museum of Hebei University, Baoding, P. R. China.

Key words: Meconematini, *Pseudokuzicus*, new species, China

Introduction

The genus *Pseudokuzicus* was proposed by Gorochov in 1993 with type species *Xiphidiopsis pieli* Tinkham, 1943. Chang *et al* (1998) described one new species *Pseudokuzicus longidentatus* Chang, Zheng & Wang from China; Gorochov (1998) reported another new species *Pseudokuzicus tamdao* from Vietnam. Shi *et al* (2007) reviewed the genus and described three new species, i.e. *Pseudokuzicus (Similkuzicus) quadridentatus* Shi, Mao & Chang, 2007, *Pseudokuzicus (Pseudokuzicus) spinus* Shi, Mao & Chang, 2007, and *Pseudokuzicus (Pseudokuzicus) acinacus* Shi, Mao & Chang, 2007 from China. Liu *et al* (2010) transferred *Xiphidiopsis furcicauda* Mu, He & Wang, 2000 into the genus *Pseudokuzicus*. The genus includes six species (Eades *et al*, 2014).

In this paper we describe two new species and provide morphological structure, a distribution map for known species distributed in China and a key to the species. All specimens examined are deposited in the Museum of Hebei University, Baoding, P. R. China.

In the descriptions below the following conventions were adopted for specimen measurements:

Body—the distance from apex of fastigium of vertex to posterior margin of tenth abdominal tergite; tegmen—the distance from base of tegmen to the apex; postfemur—the distance from base of postfemur to the apex of genicular lobe; ovipositor—the distance from the base of subgenital plate to apex of ovipositor.

Genus *Pseudokuzicus* Gorochov, 1993

Pseudokuzicus Gorochov, 1993. *Zoosyst. Rossica*, 2(1): 72; Otte, 1997. *Orthoptera Species File* 7: 89; Gorochov, 1998. *Zoosyst. Rossica*, 7(1): 108; Shi, Mao & Chang, 2007. *Zootaxa*, 1546: 23.

Type species: *Xiphidiopsis pieli* Tinkham, 1943

Body small, comparatively short and stout. Fastigium of vertex conical, dorsally furrowed, apex obtuse. Apical segment of maxillary palpi almost as long as subapical one. Pronotum short, with inconspicuous humeral sinus. Thoracic auditory spiracle large, kidney-shaped. Tibial tympana open on both sides. Tegmina abbreviated, not reaching apices of postfemora or slightly surpassing the base of posttibiae, longer or slightly shorter than hind wings. Most part of stridulatory area of male tegmina covered by pronotum. Posterior margin of tenth abdominal

References

- Chang, Y.-L., Zheng, Z.-M. & Wang, H.-Y. (1998) A new species of Meconematidae (Orthoptera: Tettigonioidae) from Sichuan. *Acta Entomologica Sinica*, 41 (4), 414–416.
- Gorochov, A.V. (1993) A contribution to the knowledge of the tribe Meconematini (Orthoptera: Tettigoniidae). *Zoosystematica Rossica*, 2 (1), 63–92.
- Gorochov, A.V. (1998) New and little known Meconematinae of the tribes Meconematini and Phlugidini (Orthoptera, Tettigoniidae). *Zoosystematica Rossica*, 7 (1), 101–131.
- Jin, X.-B. & Xia, K.-L. (1994) An index-catalogue of Chinese Tettigoniodea (Orthopteroidea: Grylloptera). *Journal of Orthoptera Research*, 3, 15–41.
<http://dx.doi.org/10.2307/3503405>
- Liu, X.-W., Bi, W.-X. & Zhang, F. (2010) Orthoptera: Stenopelmatomoidea. In: Xu, H.-C. & Ye, T.-X. (Eds.), *Insects of Fengyangshan National Nature Reserve*. China Forestry Publishing House, Beijing, pp. 81–89.
- Mu, F.-H., He, T.-L. & Wang, Y.-W. (2000) Three new species of the family Meconematidae from China (Orthoptera: Tettigonioidae). *Acta Zootaxonomica Sinica*, 25 (3), 315–319.
- Otte, D. (1997) *Orthoptera Species File 7: Tettigonioidae*. Published by The Orthopterists' Society at The Academy of Natural Sciences of Philadelphia, 373 pp.
- Shi, F.-M., Mao, S.-L. & Chang, Y.-L. (2007) A review of the genus *Pseudokuzicus* Gorochov, 1993 (Orthoptera: Tettigoniidae: Meconematidae). *Zootaxa*, 1546, 23–30.
<http://dx.doi.org/10.5479/si.00963801.94-3176.505>
- Tinkham, E.R. (1943) New species and records of Chinese Tettigoniidae from the Heude Museum, Shanghai. *Notes d'Entomologie Chinoise*, 10 (2), 33–66.
- Tinkham, E.R. (1944) Twelve new species of Chinese leaf-katydid of the genus *Xiphidiopsis*. *Proceedings of the United States National Museum*, 94, 505–526.
<http://dx.doi.org/10.5479/si.00963801.94-3176.505>
- Tinkham, E.R. (1956) Four new Chinese species of *Xiphidiopsis* (Tettigoniidae: Meconematinae). *Transactions of the American Entomological Society*, 82, 1–16.