

<http://dx.doi.org/10.11646/zootaxa.3919.3.7>  
<http://zoobank.org/urn:lsid:zoobank.org:pub:44939CF7-AFE5-48FE-BB17-2B3EAE61033A>

## Contribution to the knowledge of Patagonia, Argentina: redescription of the genus *Xenogenus* Berg 1883 (Hemiptera: Heteroptera: Rhopalidae) and description of immature stages of *Xenogenus gracilis* Reed, 1899

FERNANDO DIEZ<sup>1</sup> & MARÍA DEL CARMEN COSCARÓN<sup>2</sup>

<sup>1</sup>Universidad Nacional de La Pampa. Facultad de Ciencias Exactas y Naturales. Uruguay 151 L6300CLB, Santa Rosa, La Pampa. Argentina. E-mail: fddiez@gmail.com

<sup>2</sup>Universidad Nacional de La Plata. Facultad de Ciencias Naturales y Museo. División Entomología. Paseo del Bosque s/n 1900, La Plata, Buenos Aires. Argentina. E-mail: mcoscaron@fcnym.unlp.edu.ar

### Abstract

This is a review of *Xenogenus* Berg 1883 a Neotropical genus with two species: *X. gracilis* Reed (1899) and *X. picturatum* Berg 1883. Males of *X. picturatum*, males and females of *X. gracilis* are redescribed and illustrated; instars II–V of *X. gracilis* are described and illustrated. The host plant and new record data are also given for the latter.

**Key words:** Nymphs, Host plant, *Xenogenus gracilis*, *Xenogenus picturatum*.

### Introduction

The Rhopalidae has often been considered to be a subfamily of an inclusive Coreidae, but Chopra (1967) treated it as a distinct family. Chopra (1967) also presented a revision of the Rhopalidae (Hemiptera: Heteroptera), including keys to subfamilies, tribes, and genera. Göllner-Scheiding (1983) published a world catalog of the family. The family is a monophyletic group (Xinzheng Li 1996) and consists of two subfamilies: Rhopalinae and Serinethinae (Chopra 1967; Göllner-Scheiding 1983). Schaefer (1993) wrote about the origins and biogeography of the Rhopalinae in the New World. Rhopalinae have six tribe, Corizomorphini Chopra, Chorosomatini Douglas & Scott, Harmostini Stål, Maccevethini Chopra, Niesthrini Chopra and Rhopalini Amyot & Serville. The genus *Xenogenus* is a Chorosomatini (Schaefer 1994) with two species: *X. gracilis* (Reed 1899) and *X. picturatum* Berg 1883. The former occurs only in South America, whereas the latter is widespread throughout the New World (Schaefer 1993). Both species are present in Argentina (Coscarón submitted). Berg (1883) described *X. picturatum*. Reed (1899) described *Harmostes gracilis*. Later, Harris (1942) transferred *Harmostes gracilis* to the genus *Xenogenus*. The two species are very similar to each other (Göllner-Scheiding 1980).

Until now, worldwide contributions on nymphs have included *Arhyssus hirtus* (Torre-Bueno) (Wheeler & Henry 1984), *A. lateralis* (Say) (Paskewitz & McPherson 1983), *Esperanza texana* Barber (Wheeler & Henry 1984), *Harmostes (Harmostes) reflexulus* (Say) (Yonke & Walker 1970), *Liorhyssus hyalinus* (Fabricius) (Cornelis et al. 2012), *Niesthrea louisianica* Sailer (Wheeler 1977), *Rhopalus (Brachycarenus) trigrinus* (Schilling) (Wheeler & Hoebeke 1988) and *R. (Rhopalus) parumpunctatus* Schill (Stroyan 1954).

In the present work, we give a diagnosis of *Xenogenus*, redescribe its species and describe the nymphs from instars II–V of *Xenogenus gracilis*. New distributional records are provided, and *Salsola* is recorded as a new host plant.

### Material and methods

Specimens were collected with a garden vacuum model 56/86 Stihl and sweep-net with a diameter of 35 cm in

The color of antennae, pronotum and the distribution of red dots are not reliable characters to differentiate these two species. We expand the distributions of both species to southern Argentina. The southern limit of distributions of both species is between latitudes 42°S and 43°S in the province of Chubut.

## Acknowledgments

This research was supported by the Consejo Nacional de Investigaciones Científicas y Técnicas (CONICET), Agencia Nacional de Promoción Científica y Tecnológica from Argentina and Universidad Nacional de La Pampa (UNLPam), Facultad de Ciencias Exactas y Naturales.

## References

- Berg, C. (1883) Addenda et emendanda ad Hemiptera Argentina. *Anales de la Sociedad Científica Argentina*, 15, 241–269.
- Chopra, N.P. (1967) The higher classification of the Family Rhopalidae (Hemiptera). *Transactions of the Royal Entomological Society of London*, 119, 363–399.  
<http://dx.doi.org/10.1111/j.1365-2311.1967.tb00503.x>
- Cornelis, M., Quirán, E. & Coscarón, M.C. (2012) The scentless plant bug, *Liorhyssus hyalinus* (Fabricius) (Hemiptera: Heteroptera: Rhopalidae): Description of immature stages and notes on its life history. *Zootaxa*, 3525, 83–88.
- Coscarón, M.C. (submitted) Rhopalidae. Catalogue of the Heteroptera or true bugs of Argentina. *Zootaxa*.
- Coscarón, M.C., Diez, F., Basset, C. & Lopez, N. (2014) Heteroptera. A web resource for Heteroptera types from Museum of La Plata. Available from: <http://heteroptera.myspecies.info> (accessed 31 October 2014)
- Distant, W.L. (1880–1893) Biología Centrali Americana. Insecta. Rhynchota. Hemiptera-Heteroptera, 1. In: Godman, F. & Salvin, O. (Eds.), *Biología Centrali-Americana*. London, pp. i–xx, 1–462 pp., plates 1–39. [1893, 369–462]
- Dellapé, P.M. & Carpintero, D.L. (2012) Relevamiento de los Heterópteros (Insecta: Hemiptera) de las Sierras de Tandil, provincia de Buenos Aires, Argentina. *Revista del Museo Argentino de Ciencias Naturales*, 14, 125–134.
- Göllner-Scheiding, U. (1980) Einige bemerkungen zu den gattungen *Corizus* Fallén, 1814, und *Xenogenus* Berg, 1883 (Heteroptera, Rhopalidae). *Mitteilungen aus dem Zoologischen Museum in Berlin*, 54, 111–121.
- Göllner-Scheiding, U. (1983) General-katalog der Familie Rhopalidae (Heteroptera). *Mitteilungen aus dem Zoologischen Museum in Berlin*, 59, 37–189.
- Harris, H.M. (1942) The Chilean Rhopalidae in the Edwyn C. Reed collection (Hemiptera). *Iowa State College Journal of Science*, 16, 357–362.
- Li, X. (1996) Cladistic analysis and higher classification of Coreoidea (Heteroptera). *Entomologia Sinica*, 3, 283–292.
- Maes, J.M. & Göllner-Scheiding, U. (1993) Catalogo de los Coreoidea (Heteroptera) de Nicaragua. *Revista Nicaragüense de Entomología*, 25, 1–19.
- Pall, J.L. & Coscarón, M.C. (2012) The Rhopalidae (Hemiptera: Heteroptera) of Argentina. *Journal of Natural History*, 46, 1441–1465.  
<http://dx.doi.org/10.1080/00222933.2012.673643>
- Pall, J.L., Quirán, E.M. & Coscarón, M.C. (2013) New records of species of the family Rhopalidae (Heteroptera) in the province of La Pampa (Argentina). *Munis Entomology & Zoology Journal*, 8, 382–386.
- Pennington, M.S. (1922) Notas sobre coreidos Argentinos. *Physis*, 5, 125–170.
- Paskewitz, S.M. & McPherson, J.E. (1983) Life history and laboratory rearing of *Arhyssus lateralis* (Hemiptera: Rhopalidae) with descriptions of immature stages. *Annals of the Entomological Society of America*, 76, 477–482.
- Reed, E.C. (1899) Sinopsis de los Hemípteros de Chile, Primera parte (continuación). *Revista chilena de historia natural*, 3, 37–49. 32–38. Available from:  
[http://rchn.biologiachile.cl/pdfs/1899/3-4/Reed\\_1899.3-4.pdf](http://rchn.biologiachile.cl/pdfs/1899/3-4/Reed_1899.3-4.pdf) (accessed 1 September 2014)
- Schaefer, C.W. (1993) Origins of the New World Rhopalinae (Hemiptera: Rhopalidae). *Annals of the Entomological Society of America*, 86, 127–133.
- Schaefer, C.W. (1994) The tribal placement of *Xenogenus* (Hemiptera, Rhopalidae, Rhopalinae). *Proceedings of the Entomological Society of Washington*, 96, 723–725.
- Schaefer, C.W. & Chopra, N.P. (1982) Cladistic analysis of the Rhopalidae, with a list of food plants. *Annals of the Entomological Society of America*, 75, 224–233.
- Schaefer, C.W. & Mitchell, P.L. (1983) Food plants of the Coreoidea (Hemiptera: Heteroptera). *Annals of the Entomological Society of America*, 76, 591–615.
- Stroyan, H.L.G. (1954) Notes on the early stages of *Rhopalus parumpunctatus* Schill. (Hemiptera: Coreidae). *Proceedings of the Royal Entomological Society of London*. Series A (General Entomology), 29, 32–38.  
<http://dx.doi.org/10.1111/j.1365-3032.1954.tb01182.x>

- Torre-Bueno, J.R de la (1941) Help notes toward a revision of the genus *Harmostes* Burm. 1835. *Bulletin of the Brooklyn Entomological Society*, 36, 82–101.
- Uhler, P.R.(1893) A list of the Hemiptera-Heteroptera collected in the Island of St. Vincent by Mr Herbert H. Smith; with descriptions of new genera and species. *Proceedings of the Zoological Society of London*, 1893, 705–719.
- Wheeler, A.G., Jr. (1977) Life history of *Niesthrea louisianica* (Hemiptera: Rhopalidae) on rose of Sharon in North Carolina. *Annals of the Entomological Society of America*, 70, 631–634.  
<http://dx.doi.org/10.2307/3494461>
- Wheeler, A.G., Jr. & Henry, T.J. (1984) Host plants, distribution, and description of fifth-instar nymphs of two little-known Heteroptera, *Arhyssus hirtus* (Rhopalidae) and *Esperanza texana* (Alydidae). *Florida Entomologist*, 67, 521–529.
- Wheeler, A.G. Jr. & Hoebeke, R.E. (1988) Biology and seasonal history of *Rhopalus (Brachycarenus) tigrinus*, with descriptions of immature stages (Heteroptera: Rhopalidae). *Journal of the New York Entomological Society*, 96, 381–389.
- Yonke, T.R. & Walker, D.L. (1970) Field history, parasites, and biology of *Harmostes reflexulus* (Say) (Hemiptera: Rhopalidae). *Journal of the Kansas Entomological Society*, 43, 444–450.