

<http://dx.doi.org/10.11164/zootaxa.3926.4.4>

<http://zoobank.org/urn:lsid:zoobank.org:pub:6CCC3C5B-0DF1-4677-B9E9-BD49941921D4>

A new genus and species of xenodermatid snake (Squamata: Caenophidia: Xenodermatidae) from northern Lao People's Democratic Republic

ALEXANDRE TEYNIÉ¹, PATRICK DAVID², ANNE LOTTIER¹, MINH DUC LE^{3,4,5},
NICOLAS VIDAL⁶ & TRUONG QUANG NGUYEN^{7,8}

¹Société d'Histoire Naturelle Alcide d'Orbigny, 57 rue de Gergovie, F-63170 Aubière, France. E-mail: ateynie@shnao.net

²Reptiles & Amphibiens, UMR 7205 OSEB, Département Systématique et Évolution, CP 30, Muséum National d'Histoire Naturelle, 57 rue Cuvier, 75005 Paris, France. E-mail: pdavid95@mnhn.fr

³Faculty of Environmental Sciences, Hanoi University of Science, Vietnam National University, 334 Nguyen Trai Road, Hanoi, Vietnam. E-mail: le.duc.minh@hus.edu.vn

⁴Center for Natural Resources and Environmental Studies, Hanoi National University, 19 Le Thanh Tong, Hanoi, Vietnam

⁵Department of Herpetology, American Museum of Natural History, Central Park West at 79th Street, New York, New York 10024, USA

⁶ISYEB, UMR 7205 CNRS MNHN UPMC EPHE, Département Systématique et Evolution, CP 26, Muséum National d'Histoire Naturelle, Sorbonne Universités 57 rue Cuvier, 75005 Paris, France. E-mail: nvidal@mnhn.fr

⁷Institute of Ecology and Biological Resources, Vietnam Academy of Science and Technology, 18 Hoang Quoc Viet Road, Hanoi, Vietnam. E-mail: nq2@yahoo.com

⁸Department of Terrestrial Ecology, Zoological Institute, University of Cologne, Zülpicher Strasse 47b, D-50674 Cologne, Germany

Abstract

A male snake collected in Louangphabang Province and a second specimen observed in Houaphan Province, North Laos, share morphological characters with the Asian genus *Fimbrios* Smith, 1921, including erected edges on the first supra- and infralabial scales, but differ in the following morphological characters: fewer dorsal scale rows (25–27 vs. 30–33), fewer maxillary teeth (27 vs. 30–35), posterior teeth progressively slightly enlarged, and especially the correspondence of two dorsal scale rows per ventral plate throughout the body (i.e. the first dorsal scale row made of a small scale above the fore part of a ventral, followed by a much larger scale above its hind part), a condition known only in *Xenodermus* Reinhardt, 1836. As the Laotian specimens differ in morphological characters from other genera and species in the family Xenodermatidae, and on the basis of molecular analyses showing a large genetic divergence from the genus *Fimbrios* (p-distance $\geq 14.7\%$, mitochondrial COI gene), we place these specimens in a new genus, *Parafimbrios* gen. nov., and describe them as a new species, *Parafimbrios lao* sp. nov. Besides the characters mentioned above, the new species is diagnosed by a combination of the following ones: small, strongly keeled dorsal scales; rostral and first four supra- and infralabials with raised, erected edges; horizontal tissue ridges above the rostral; loreal single, large, elongate; ventral scales 177–189; subcaudals 55–56, undivided; dorsal colour purplish-grey, neck with a broad, very pale grey collar reaching downwards the pale grey colour of the venter. The morphological characters of the new genus are compared with those of the genera *Fimbrios* Smith, 1921, *Xenodermus* Reinhardt, 1836, *Stoliczkaia* Jerdon, 1870, *Achalinus* Peters, 1869, and *Xylophis* Beddome, 1878. A key to the genera *Achalinus*, *Fimbrios* and *Parafimbrios* gen. nov. is provided. *Parafimbrios laos* spec. nov. is the 111th snake species currently recorded from Laos.

Key words: *Fimbrios*, *Parafimbrios* gen. nov., *Parafimbrios lao* spec. nov., morphology, phylogeny, Laos

Introduction

According to Vidal (2002) and the Reptile Database (Uetz & Hošek 2014), the Asian family Xenodermatidae currently includes five genera: *Xenodermus* Reinhardt, 1836 (1 species), *Achalinus* Peters, 1869 (9 species), *Fimbrios* Smith, 1921 (2 species), *Stoliczkaia* Jerdon, 1870 (2 species), and *Xylophis* Beddome, 1878 (3 species), for a total of 17 species. The Philippine genus *Oxyrhabdium* Boulenger, 1893 (2 species) has been removed from the family based on molecular data, nevertheless, its phylogenetic position should be further investigated as it is now classified as Elapoidea incertae sedis (Vidal *et al.* 2008). This family has long been considered to be a

5D) but not clearly the range of *Parafimbrios lao* which is not located in montane refuges. Additional surveys of the herpetofauna of Laos should show whether these geographic distributions are the consequence of zoogeographic barriers or, merely of our very limited knowledge of the reptile diversity in Laos.

Acknowledgements

We are grateful to Assoc. Prof. Sengdeuane Wayakone, Assoc. Prof. Somchanh Bounphanmy, Dr. Bounthob Praxaysombath, Mr. Liphone Nophaseud (National University of Laos, Vientiane, Lao PDR) and Mr. Vilaphong Kanyasone (Provincial Natural Resources and Environment Office of Luang Prabang, Lao PDR) for supporting our field research in Laos. Export of collected specimens was done due to the export permit Nr 143/13 signed by the CITES Management Authority of Lao PDR. Thanks to Khoi Vu Nguyen (Ho Chi Minh City) and Chung Van Hoang (Hanoi) for providing comparative material. Truong Quang Nguyen thanks Assoc. Prof. Canh Xuan Le (Hanoi), Prof. Michael Bonkowski, Assoc. Prof. Thomas Ziegler, and Mr. Theo Pagel (Cologne, Germany) for support of his research.

The three first authors thank the Société d'Histoire Naturelle 'Alcide d'Orbigny' which financed and made possible our several field trips to Laos. They are especially grateful to Khamphieng Manichit, head of Luang Prabang Travel & Tour and Adrien Doré, head of Luang Prabang Travel Exclusive for diplomatic facilities and working plan. They also thank Mr. Steeve Collard, entomologist, for his help in the preparation of our stay in Louangphabang and Houaphan Provinces, and Mr. Bounmi Saymoua, official guide to the "Former Pathet Lao Leaders Caves" pour having facilitated our visit of these caves.

We are grateful to Gernot Vogel (Heidelberg, Germany), Olivier S.G. Pauwels (Brussels, Belgium), Alain Dubois (MNHN) and Ivan Ineich (MNHN) for their critical review of the manuscript. We also thank Thomas Ziegler (Cologne, Germany) for the photograph of the holotype of *Fimbrios smithi*, and Eleanor Sterling (New York) and Kevin Koy (Berkeley) for providing the map, and Sara Ruane (New York) and Ha T. Duong and Hanh T. Ngo (Hanoi) for advice and assistance. Furthermore we want to thank the following people, who gave us access to specimens in their care and helped us while visiting their respective institutions: Colin J. McCarthy and Patrick Campbell (BMNH), and Alain Dubois, Ivan Ineich and Annemarie Ohler (MNHN). Research of T. Q. Nguyen is funded by the Alexander von Humboldt Stiftung / Foundation (VIE 1143441).

Literature cited

- Anonymous (Central Intelligence Agency) (2012) *The CIA World Factbook 2013*. Skyhorse Publishing, New York, xxxi + 922 pp. Available from: <https://www.cia.gov/library/publications/the-world-factbook/index.html> (accessed 27 January 2014)
- Bourret, R. (1937) Notes herpétologiques sur l'Indochine française. XV. Lézards et serpents reçus au Laboratoire des Sciences Naturelles de l'Université au cours de l'année 1937. Descriptions de deux espèces et de deux variétés nouvelles. *Bulletin général de l'Instruction Publique*, 17^e Année, 4 (Décembre), 56–80.
- Brandon-Jones, D. (1996) The Asian Colobinae (Mammalia: Cercopithecidae) as indicators of quaternary climatic change. *Biological Journal of the Linnaean Society*, 59, 327–350.
<http://dx.doi.org/10.1111/j.1095-8312.1996.tb01469.x>
- Campden-Main, S. M. (1970) *A field guide to the snakes of South Vietnam*. Vol. 3. U.S. National Museum, Smithsonian Institution, Washington, 114 pp.
- David, P., Nguyen, T.Q., Nguyen, T.T., Ke, J., Chen, T., Teynié, A. & Ziegler, T. (2012) A new species of the genus *Oligodon* Fitzinger, 1826 (Squamata: Colubridae) from northern Vietnam, southern China and central Laos. *Zootaxa*, 3498, 45–62.
- De Rooij, N. (1917) *The reptiles of the Indo-Australian Archipelago. II. Ophidia*. E. J. Brill, Leyden, xvi + 334 pp.
- Deuve, J. (1970) Serpents du Laos. *Mémoires de l'ORSTOM*, 39, 1–251. [Paris]
- Dowling, H.G. (1951) A proposed standard system of counting ventrals in snakes. *British Journal of Herpetology*, 1 (5), 97–99.
- Dowling, H.G. (1988) Families and higher taxa of the Serpentes: A new classification. In Dowling, H.G. & Jenner, J.V. (Ed.), *Snakes of Burma: checklist of reported species and bibliography*. *Smithsonian Herpetological Information Service*, 76, 18–19.
- Dowling, H.G. & Pinou, T. (2003) Xenodermatid snakes in America. *Herpetological Review*, 34 (1), 20–23.
- Herrmann, H.-W., Ziegler, T., Malhotra, A., Thorpe, R.S. & Parkinson, C. (2004) Redescription and systematics of *Trimeresurus cornutus* (Serpentes: Viperidae) based on morphology and molecular data. *Herpetologica*, 60 (2), 211–221.
<http://dx.doi.org/10.1655/03-37>
- Hillis, D.M. & Bull, J.J. (1993) An empirical test of bootstrapping as a method for assessing confidence in phylogenetic

- analysis. *Systematic Biology*, 42, 182–192.
<http://dx.doi.org/10.1093/sysbio/42.2.182>
- Le, M., Raxworthy, C.J., McCord, W.P. & Mertz, L. (2006) A molecular phylogeny of tortoises (Testudines: Testudinidae) based on mitochondrial and nuclear genes. *Molecular Phylogenetic and Evolution*, 40, 517–531.
<http://dx.doi.org/10.1016/j.ympev.2006.03.003>
- Luu, V., Nguyen, T.Q., Calame, T., Hoang, T., Southichack, S., Bonkowski, M. & Ziegler, T. (2013) New country records of reptiles from Laos. *Biodiversity Data Journal*, 1, e1015.
<http://dx.doi.org/10.3897/BDJ.1.e1015>
- Manthey, U. & Grossmann, W. (1997) *Amphibien & Reptilien Südostasiens*. Natur und Tier-Verlag, Münster, 512 pp.
- McCoy, J.F. (2003) *Geo-Data: The World Geographical Encyclopedia*. Third Edition. Gale Group, Farmington Hills, Michigan, xi + 704 pp.
- Nagy, Z.T., Sonet, G., Glaw, F. & Vences, M. (2012) First large-scale DNA barcoding assessment of reptiles in the biodiversity hotspot of Madagascar, based on newly designed COI primers. *PLOS ONE*, 7 (3), e34506.
<http://dx.doi.org/10.1371/journal.pone.0034506>
- Nemes, L., Babb, R., Van Devender, W., Nguyen, V.K., Le, K.Q., Vu, N.T., Rauhaus, A., Nguyen, T.Q. & Ziegler, T. (2013) First contribution to the reptile fauna of Quang Ngai Province, central Vietnam. *Biodiversity Journal*, 4 (2), 301–326.
- Nguyen, S.V., Ho, C.T. & Nguyen, T.Q. (2009) *Herpetofauna of Vietnam*. Edition Chimaira, Frankfurt am Main, 768 pp.
- Orlov, N.L., Murphy, R.W. & Papenfuss, T.J. (2000) List of snakes of Tam Dao Mountain Ridge (Tonkin, Vietnam). *Russian Journal of Herpetology*, 7 (1), 69–80.
- Orlov, N.L., Ryabov, S.A., Nguyen, S.V. & Nguyen, T.Q. (2003) New records and data on the poorly known snakes of Vietnam. *Russian Journal of Herpetology*, 10 (3), 217–240.
- Orlov, N.L., Ryabov, S.A., Bui, T.N. & Ho, C.T. (2004) A new species of *Trimeresurus* (Ophidia: Viperidae: Crotalinae) from karst region in Central Vietnam. *Russian Journal of Herpetology*, 11 (2), 139–149.
- Orlov, N.L. (2005) A new species of the genus *Vibrissaphora* Liu, 1945 (Anura: Megophryidae) from Mount Ngoc Linh (Kon Tum province), and analysis of the extent of species overlap in the fauna of amphibians and reptiles of the north-west of Vietnam and central highlands. *Russian Journal of Herpetology*, 12 (1), 17–38.
- Pope, C.H. (1928) Seven new reptiles from Fukien Province, China. *American Museum Novitates*, 320, 1–6.
- Pope, C.H. (1935) *The reptiles of China. Turtles, crocodilians, snakes, lizards. Natural History of central Asia*, X, i–xlii + 1–604., pls. 1–27. [American Museum of Natural History, New York]
- Ronquist, F., Teslenko, M., van der Mark, P., Ayres, D.L., Darling, A., Höhna, S., Larget, B., Liu, L., Suchard, M.A. & Huelsenbeck, J.P. (2012) MrBayes 3.2: efficient Bayesian phylogenetic inference and model choice across a large model space. *Systematic Biology*, 61, 539–542.
<http://dx.doi.org/10.1093/sysbio/sys029>
- Schneider, N. (2014) *Systematics, Zoogeography and Evolution of Laotian Cyrtodactylus*. Master of Science Thesis, Faculty of Mathematics and Natural Sciences, Rheinische Friedrich-Wilhelms-Universität, Bonn, 102 pp. [Germany]
- Smith, M.A. (1921) New or little-known Reptiles and Batrachians from Southern Annam (Indochina). *Proceedings of the Zoological Society of London*, 1921 (2), 423–440, pls. 1–2.
- Smith, M.A. (1943) *The fauna of British India, Ceylon and Burma, including the whole of the Indo-chinese subregion. Reptilia and Amphibia. Vol. III. Serpentes*. Taylor & Francis, London, xii + 583 pp.
- Sterling, J.E., Hurley, M.M. & Le, D.M. (2006) *Vietnam. A Natural History*. Yale University Press, New Haven & London, xviii + 423 pp.
- Stuart, B.L. (1999) Amphibians and reptiles. In: Duckworth, J.W., Salter, R.E. & Khounboline, K. (Ed.), *Wildlife in Lao PDR: 1999 status report*. IUCN - The World Conservation Union - Wildlife Conservation Society & Centre for Protected Areas and Watershed Management, Vientiane, pp. 43–67, pls. 8–10.
- Stuart, B.L. & Heatwole, H. (2008) Country records of snakes from Laos. *Hamadryad*, 33, 97–106.
- Teynié, A. & David, P. (2007) Additions to the snake fauna of Southern Laos, with the second Laotian specimen of *Naja siamensis* (Laurenti, 1768) and the first country record of *Oligodon taeniatus* (Günther, 1861) (Squamata, Serpentes). *Russian Journal of Herpetology*, 14 (1), 39–44.
- Teynié, A. & David, P. (2010) *Voyages Naturalistes au Laos: Les Reptiles*. Éditions Revoir, Nohanent, 315 pp. [France]
- Teynié, A. & David, P. (2014) Amphibiens et reptiles des formations karstiques du Laos. *Bulletin de la Société Herpétologique de France*, 148 [2013] (4), 451–489.
- Teynié, A., Lottier, A., David, P., Nguyen, T.Q. & Vogel, G. (2014a) A new species of the genus *Opisthotropis* Günther, 1872 from northern Laos (Squamata: Natricidae). *Zootaxa*, 3774 (2), 165–182.
<http://dx.doi.org/10.11646/zootaxa.3774.2.4>
- Teynié, A., Nguyen, T.Q., Lorvelec, O., Piquet, A., Lottier, A. & David, P. (2014b) Amphibiens et Reptiles du Laos : nouvelles données nationales et provinciales. *Bulletin de la Société Herpétologique de France*, 151 (3), 21–52.
- Teynié, A., David, P., Ohler, A. & Luanglath, K. (2004) Notes on a collection of amphibians and reptiles from southern Laos, with a discussion of the occurrence of Indo-Malayan species. *Hamadryad*, 29 (1), 33–62.
- Thompson, J.D., Gibson, T.J., Plewniak, F., Jeanmougin, F. & Higgins, D.G. (1997) The ClustalX windows interface: Flexible strategies for multiple sequence alignment aided by quality analysis tools. *Nucleic Acids Research*, 25, 4876–4882.
<http://dx.doi.org/10.1093/nar/25.24.4876>

- Uetz, P. & Hošek, J. (Eds.) (2014) *The Reptile Database*. Available from: <http://reptile-database.org> (accessed 8 July 2014)
- Vidal, N. (2002) Colubroid systematics: evidence for an early appearance of the venom apparatus followed by extensive evolutionary tinkering. *Journal of Toxicology - Toxin Reviews*, 21 (1–2), 21–41.
<http://dx.doi.org/10.1081/TXR-120004740>
- Vidal, N., Delmas, A.-S., David, P., Cruaud, C., Couloux, A. & Hedges, S.B. (2007) The phylogeny and classification of caenophidian snakes inferred from seven nuclear protein-coding genes. *Comptes Rendus Biologies*, 330, 182–187.
<http://dx.doi.org/10.1016/j.crvi.2006.10.001>
- Vidal, N., Branch, W.R., Pauwels, O.S.G., Hedges, S.B., Broadley, D., Wink, M., Cruaud, C., Joger, U. & Nagy, Z.T. (2008) Dissecting the major African snake radiation: a molecular phylogeny of the Lamprophiidae Fitzinger (Serpentes, Caenophidia). *Zootaxa*, 1945, 51–66.
- Vidal, N., Rage, J.C., Couloux, A. & Hedges, S.B. (2009) Snakes (Serpentes). In: Hedges, S.B. & Kumar, S. (Eds.), *The Timetree of life*. Oxford University Press, Oxford, pp. 390–397.
- Vidal, N., Dewynter, M. & Gower, D.J. (2010) Dissecting the major American snake radiation: a molecular phylogeny of the Dipsadidae Bonaparte (Serpentes, Caenophidia). *Comptes Rendus Biologies*, 333, 48–55.
<http://dx.doi.org/10.1016/j.crvi.2009.11.003>
- Vogel, G., David, P., Pauwels, O.S.G., Sumontha, M., Norval, G., Hendrix, R., Vu, T.N. & Ziegler, T. (2009) A review of *Lycodon ruhstrati* (Fischer 1886) auctorum (Squamata Colubridae), with the description of a new species from Thailand and a new subspecies from the Asian mainland. *Tropical Zoology*, 22, 131–182.
- Vogel, G., Nguyen, T.Q., Kingsada, P. & Ziegler, T. (2012) A new species of the genus *Lycodon* Boie, 1826 from Laos (Squamata: Colubridae). *North-western Journal of Zoology*, 8 (2), 344–352.
- Yang, D. & Rao, D. (2008) *Amphibia and Reptilia of Yunnan*. Yunnan Publishing Group Corporation and Yunnan Science and Technology Press, Kunming (Yunnan), 2 + 2 + 2 + 10 + 411 pp.
- Zaher, H., Graziotin, F.G., Cadle, J.E., Murphy, R.W., Moura-Leite, J.C. & Bonatto, S.L. (2009) Molecular phylogeny of advanced snakes (Serpentes, Caenophidia) with an emphasis on South America xenodontines: a revised classification and descriptions of new taxa. *Papéis Avulsos de Zoologia*, 49, 115–153.
<http://dx.doi.org/10.1590/S0031-10492009001100001>
- Zhang, Y. (2009) *Herpetology in Guangxi*. Guangxi Biodiversity Studies, Guangxi Normal University Press, Guilin, 1–8 (col. plates), (2), 170 pp. [in Chinese]
- Zhao, E. (2006) *Zhongguo Shelei [Snakes of China]*. Vol. I & II. Anhui Science and Technology Publishing House Publ., Hefei, 372 pp. & 279 pp. [in Chinese]
- Zhao, E. & Adler, K. (1993) *Herpetology of China*. Society for the Study of Amphibians and Reptiles, Oxford (Ohio), Contributions to Herpetology, 10, 1–522, pls. 1–48.
- Ziegler, T., David, P., Mirallès, A., Doan, K.V. & Nguyen, T.Q. (2008) A new species of the snake genus *Fimbrios* from Phong Nha-Ke Bang National Park, Truong Son, central Vietnam (Squamata: Xenodermatidae). *Zootaxa*, 1729, 37–48.
- Ziegler, T. & Herrmann, H.-W. (2002) Wiederentdeckung zweier gehörnter Grubenotterarten in Vietnam. *Mitteilungen Zoologische Gesellschaft für Arten- und Populationsschutz e.V.*, 18 (2), 24–26.

APPENDIX. Examined specimens.

- Fimbrios klossi* ($n = 6$). **Vietnam**. Lam Dong Province. BMNH 1946.1.15.87, “Da Lat”, now Da Lat, Langbian Plateau; BMNH 1946.1.15.88, BMNH 1965.1, Cam Ly. Quang Tri Province. MNHN 1938.0152, “Dong Tam-ve”, now Dong Tam Ve. Quang Ngai Province. IEBR 3275, Ba To. Gia Lai Province. IEBR A.2013.56, Kon Ka Kin. – **Laos**. Champasak Province. MNHN K 3517, near Paksong, Boloven Highlands. – **Cambodia**. Kampot Province. BMNH 1965.2, BMNH 1965.639, “Bockor, Elephant Mts.”, now Bokor.
- Fimbrios smithi* ($n = 1$). **Vietnam**. Quang Binh Province. IEBR 3157, Phong Nha-Ke Bang National Park.
- Achalinus ater* ($n = 5$). **Vietnam**. Vinh Phuc Province. MNHN 1935.0049, MNHN 1938.0128, MNHN 1948.0076, MNHN 1958.471, “Tam Dao”, Tram Tam Dao (Tam Dao Hill Station). Bac Kan Province. MNHN 1948.77, “Ngan Son”, now Ngan Son District.
- Achalinus niger* ($n = 1$). **Taiwan**. MNHN 1993.0858, no locality information.
- Achalinus rufescens* ($n = 6$). **Vietnam**. Vinh Phuc Province. MNHN 1935.0439–0041, MNHN 1935.0051, MNHN 1958.0472, MNHN 1958.0475, “Tam Dao”, now Tam Dao.
- Achalinus spinalis* ($n = 7$). **Vietnam**. Lao Cai Province. MNHN 1948.0078, MNHN 1958.0469–0470, “Chapa”, now Sa Pa. Vinh Phuc Province. MNHN 1935.0050, MNHN 1935.0442, “Tam Dao”, now Tam Dao. – **China**. MNHN 5225–5226, no locality information.
- Xenodermus javanicus* ($n = 1$). **Indonesia**. Sumatra. Province of Sumatera Barat. Specimen photographed and examined but not collected, vicinity of Lubuksao.