

8(7). Apical margin of the wall of antennal scrobes situated slightly posteriad of the epistomal apical angles. Disc of pronotum covered in dense setiferous granules. Endophallus and vagina without large sclerotized plates.....*O. glebius* Davidian & Keskin

Acknowledgements

The authors would like to thank M. V. Nabozhenko (Southern Scientific Centre, Russian Academy of Sciences, Rostov-on-Don) for allowing to study his interesting materials, as well as B. A. Korotyayev (ZIN RAS) and O. Merkl (HNHM) kindly provided the opportunity to work with the collection of museums holdings. We would like to express our best thanks for two anonymous reviewers for their contributions. This study was supported with a joint international project supported by the Russian Foundation for Basic Research (RFBR) (Project No: 14-04-91373) and The Scientific and Technological Research Council of Turkey (TUBITAK) (Project No: 213O014).

References

- Davidian G. E. & Keskin B. 2010.** To the knowledge of the weevil genus *Otiorhynchus* Germar, 18124, subgenus *Choilisanus* Reitter, 1912 (Coleoptera: Curculionidae). *Russian Entomological Journal* 19(1): 61–65. (in Russian)
- Davidian G. E. & Gültekin L. 2006.** Contribution to the knowledge of the weevil genus *Otiorhynchus* (Coleoptera, Curculionidae) from northeastern Turkey and Transcaucasia. *Zoologicheskii Zhurnal* 85(4): 479–492. (in Russian)
- Keskin B. & Çevik I. E. 2007.** İzmir İli *Otiorhynchus* (Germar, 1822) (Coleoptera: Curculionidae: Enriminae) cinsi faunası üzerinde araştırmalar. *Türkiye Entomoloji Dergisi* 31(3): 225–239. (in Turkish)
- Magnano L. & Alonso-Zarazaga M. A. 2013.** Otiorhynchini, p. 302-347. – In: Löbl I. & Smetana A. (eds): *Catalogue of Palaearctic Coleoptera. Curculionoidea II*. Volume 8. Leiden, Brill, 700 pp.
- Mazur M. 1983.** Neue *Otiorhynchus*-Arten aus Bulgarien, Syrien und der Türkei (Coleoptera, Curculionidae). *Reichenbachia* 21: 27–34.
- Reitter E. 1912.** Bestimmungstabellen der Untergattungen: *Arammichnus* Gozis und *Tyloderes* Schönh. des Genus *Otiorrhynchus* Germ. aus der palaearktischen Fauna. *Wiener Entomologische Zeitung* 31: 109–154.
- Reitter E. 1913.** Bestimmungstabellen der *Otiorrhynchus*-Arten mit ungezähnten Schenkeln aus der palaearktischen Fauna. *Wiener Entomologische Zeitung* 32: 25–118.
- Smrczyński S. 1977.** Neue *Otiorhynchus*-Arten aus der Türkei (Coleoptera, Curculionidae). *Acta Zoologica Cracoviensia* 22: 373–385.
- Stierlin W. G. 1861.** Revision der europäischen *Otiorhynchus*-Arten. *Berliner Entomologische Zeitschrift* 5: 1–344.

Correspondence: Genrik E. Davidian, e-mail: gdavidian@yandex.ru

Received: 12.02.2015 Accepted: 07.03.2015 Published: xx.03.2015

Cite paper: Davidian G. E. & Gültekin L. 2015. Contribution to the knowledge of the weevil subgenus *Choilisanus* Reitter, 1912, genus *Otiorhynchus* Germar, 1822 (Coleoptera: Curculionidae: Entiminae). *Journal of Insect Biodiversity* 3(x): 1–13.

<http://dx.doi.org/10.12976/jib/2015.3.x>

<http://www.insectbiodiversity.org>