



## Correspondence

### ***Eugenia neomattogrossensis* Mazine, a replacement name for *Eugenia mattogrossensis* Mazine (Myrtaceae)**

FIGORELLA FERNANDA MAZINE

Universidade Federal de São Carlos, campus Sorocaba, Rod. João Leme dos Santos km110, Sorocaba, SP, 18052-780, Brazil;  
fiorella@ufscar.br

*Eugenia* Linnaeus (1753: 470) is the largest genus in Myrtaceae, with the highest number of species of trees in the rainforests and semi-deciduous of the Brazilian Atlantic Forest region (Oliveira-Filho & Fontes 2000). *Eugenia* is currently estimated to contain ca. 1000 species (WCSP 2012), distributed from South of Mexico, Cuba, the Antilles to Uruguay and Argentina, with a small number of species (ca. 60) in Africa (Van der Merwe *et al.* 2005). Some species, with edible fruits are cultivated in tropical and subtropical regions (e.g., *Eugenia uniflora* L.(1753: 470) and *Eugenia brasiliensis* Lamarck (1789: 203)).

*Eugenia matogrossensis* Mazine, published in 2010 and based in *Árbocz 3167-A*, is an illegitimate name as it is a homonym of *Eugenia matogrossensis* Sobral that is based on a different collection from Mato Grosso do Sul (Sobral, 2008) and has priority as it was published previously. Therefore the replacement name *Eugenia neomattogrossensis* Mazine is proposed which occurs in Mato Grosso state. The flowers are arranged in simple racemes or panicles of racemes and belongs to *Eugenia* sect. *Racemosae*. For a plate of this species, see Mazine & Souza (2010, p. 287).

***Eugenia neomattogrossensis* Mazine, nom. nov.** *Eugenia mattogrossensis* Mazine (2010: 287). Type: BRAZIL. Mato Grosso, Cláudia, perímetro urbano, 09 November 1996, G. *Árbocz 3167-A* (holotype ESA!), not *Eugenia matogrossensis* Sobral (2008: 107).

### Acknowledgments

I am grateful to Marcos Sobral for making helpful suggestions.

### References

- Lamarck, J.B.A.P. de M. (1789) *Encyclopédie méthodique. Botanique* 3 (1). Panckoucke, Paris; Plomteux, Liège.  
Linnaeus, C. (1753) *Species Plantarum* 1. Laurentius Salvius, Stockholm.  
Mazine, F.F. & Souza, V.C. (2010) Three new species of *Eugenia* sect. *Racemosae* (Myrtaceae) from the cerrados of the state of Mato Grosso, Brazil. *Revista Brasileira de Botânica* 33 (2): 285–290.  
Oliveira-Filho, A.T. & Fontes, M.A.L. (2000) Patterns of Floristic Differentiation among Atlantic Forests in Southeastern Brazil and the Influence of Climate. *Biotropica* 32 (4b): 793–810.  
Sobral, M. (2008) Uma nova espécie e duas novas combinações em Myrtaceae do Brasil. *Lundiana* 9 (2): 107–110.  
Van der Merwe, M.M., Van Wyk, A.E. & Botha, A.M. (2005) Molecular phylogenetic analysis of *Eugenia* L. (Myrtaceae), with emphasis on southern African taxa. *Plant Systematic Evolution* 251: 21–34.  
WCSP (World Checklist of Selected Plant Families) (2012) World checklist of selected plant families. <http://www.kew.org/wcsp/myrtaceae>. Accessed August 20, 2012.