

ZOOTAXA

858

**Review of *Glyphidocera* Walsingham of Costa Rica
(Lepidoptera: Gelechioidea: Glyphidoceridae)**

DAVID ADAMSKI

Illustrated by
Kuniko Arakawa



Magnolia Press
Auckland, New Zealand

DAVID ADAMSKI

Review of *Glyphidocera* Walsingham of Costa Rica (Lepidoptera: Gelechioidea: Glyphidoceridae)

(*Zootaxa* 858)

205 pp.; 30 cm.

16 February 2005

ISBN 1-877354-88-0 (Paperback)

ISBN 1-877354-89-9 (Online edition)

FIRST PUBLISHED IN 2005 BY

Magnolia Press

P.O. Box 41383

Auckland 1030

New Zealand

e-mail: zootaxa@mapress.com

<http://www.mapress.com/zootaxa/>

© 2005 Magnolia Press

All rights reserved.

No part of this publication may be reproduced, stored, transmitted or disseminated, in any form, or by any means, without prior written permission from the publisher, to whom all requests to reproduce copyright material should be directed in writing.

This authorization does not extend to any other kind of copying, by any means, in any form, and for any purpose other than private research use.

ISSN 1175-5326 (Print edition)

ISSN 1175-5334 (Online edition)

Review of *Glyphidocera* Walsingham of Costa Rica (Lepidoptera: Gelechioidea: Glyphidoceridae)

DAVID ADAMSKI

Department of Entomology, National Museum of Natural History, P.O. Box 37012, MRC-168, Smithsonian Institution, Washington, D.C. 20013-7012; Email: dadamski@sel.barc.usda.gov

TABLE OF CONTENTS

ABSTRACT	5
INTRODUCTION	6
MATERIALS & METHODS	7
KEY TO THE SPECIES OF COSTA RICAN <i>GLYPHIDOCERA</i>	8
<i>Glyphidocera asymmetricae</i> , new species	16
<i>Glyphidocera ferae</i> , new species	17
<i>Glyphidocera nubis</i> , new species	18
<i>Glyphidocera paenulae</i> , new species	20
<i>Glyphidocera arakawae</i> , new species	21
<i>Glyphidocera operae</i> , new species	23
<i>Glyphidocera advenae</i> , new species	24
<i>Glyphidocera orae</i> , new species	25
<i>Glyphidocera aedis</i> , new species	27
<i>Glyphidocera gemmae</i> , new species	28
<i>Glyphidocera ollae</i> , new species	29
<i>Glyphidocera corniculae</i> , new species	30
<i>Glyphidocera terrae</i> , new species	32
<i>Glyphidocera cellae</i> , new species	33
<i>Glyphidocera adrogantiae</i> , new species	35
<i>Glyphidocera faecis</i> , new species	36
<i>Glyphidocera aediculae</i> , new species	38
<i>Glyphidocera cerula</i> , new species	39
<i>Glyphidocera raedae</i> , new species	41
<i>Glyphidocera rodriguezi</i> , new species	42
<i>Glyphidocera capsae</i> , new species	44
<i>Glyphidocera audaciae</i> , new species	46
<i>Glyphidocera coronae</i> , new species	47
<i>Glyphidocera infulae</i> , new species	50
<i>Glyphidocera dictionis</i> , new species	52
<i>Glyphidocera zothecuale</i> , new species	54
<i>Glyphidocera arae</i> , new species	55
<i>Glyphidocera cauponae</i> , new species	57
<i>Glyphidocera sardae</i> , new species	58
<i>Glyphidocera eminetiae</i> , new species	59

<i>Glyphidocera brumae</i> , new species	61
<i>Glyphidocera plebis</i> , new species	63
<i>Glyphidocera lawrenceae</i> , new species	65
<i>Glyphidocera lanae</i> , new species	66
<i>Glyphidocera notae</i> , new species	67
<i>Glyphidocera cenae</i> , new species	69
<i>Glyphidocera minarum</i> , new species	70
<i>Glyphidocera ciatae</i> , new species	71
<i>Glyphidocera lupae</i> , new species	72
<i>Glyphidocera plumae</i> , new species	74
<i>Glyphidocera burpurae</i> , new species	75
<i>Glyphidocera animae</i> , new species	76
<i>Glyphidocera diciae</i> , new species	78
<i>Glyphidocera comae</i> , new species	79
<i>Glyphidocera gazae</i> , new species	81
<i>Glyphidocera virgulae</i> , new species	82
<i>Glyphidocera personae</i> , new species	84
<i>Glyphidocera contionis</i> , new species	86
<i>Glyphidocera umbrae</i> , new species	87
<i>Glyphidocera illiterata</i> Meyrick, 1929	89
<i>Glyphidocera olivae</i> , new species	90
<i>Glyphidocera fidem</i> , new species	94
<i>Glyphidocera pilae</i> , new species	96
<i>Glyphidocera glaebae</i> , new species	97
<i>Glyphidocera tibiae</i> , new species	98
<i>Glyphidocera novercae</i> , new species	100
<i>Glyphidocera caveae</i> , new species	102
<i>Glyphidocera staerae</i> , new species	104
<i>Glyphidocera amitae</i> , new species	105
<i>Glyphidocera zamiae</i> , new species	106
<i>Glyphidocera cenulae</i> , new species	107
<i>Glyphidocera laricae</i> , new species	109
<i>Glyphidocera barbae</i> , new species	110
<i>Glyphidocera pali</i> , new species	112
<i>Glyphidocera placentae</i> , new species	113
<i>Glyphidocera formae</i> , new species	114
<i>Glyphidocera vappae</i> , new species	116
<i>Glyphidocera positurae</i> , new species	119
<i>Glyphidocera zophocrossa</i> Meyrick, 1929	121
<i>Glyphidocera guaroa</i> Adamski, 2002	122
<i>Glyphidocera rubetae</i> , new species	125
<i>Glyphidocera harenae</i> , new species	127
<i>Glyphidocera crepidae</i> , new species	128
<i>Glyphidocera vestita</i> Walsingham 1911	130
<i>Glyphidocera speculae</i> , new species	131
<i>Glyphidocera ambrosiae</i> , new species	133
<i>Glyphidocera luxuriae</i> , new species	134
<i>Glyphidocera coturnicis</i> , new species	136
<i>Glyphidocera sapphiri</i> , new species	137
<i>Glyphidocera fabulae</i> , new species	139
<i>Glyphidocera arenae</i> , new species	140
<i>Glyphidocera ancillae</i> , new species	142
<i>Glyphidocera ranae</i> , new species	143
<i>Glyphidocera sollertiae</i> , new species	145
<i>Glyphidocera gloriae</i> , new species	146

<i>Glyphidocera coquae</i> , new species	148
<i>Glyphidocera vocis</i> , new species	149
<i>Glyphidocera clavae</i> , new species	151
<i>Glyphidocera reginae</i> , new species	152
<i>Glyphidocera spathae</i> , new species	153
<i>Glyphidocera scuticae</i> , new species	154
<i>Glyphidocera cotis</i> , new species	156
ACKNOWLEDGMENTS	157
LITERATURE CITED	157

ABSTRACT

The genus *Glyphidocera* (Glyphidoceridae) of Costa Rica is reviewed. Eighty-eight new species are described: *Glyphidocera adrogantiae*, *G. advenae*, *G. aediculae*, *G. aedis*, *G. ambrosiae*, *G. amittae*, *G. ancillae*, *G. animae*, *G. arae*, *G. arakawae*, *G. arenae*, *G. asymmetricae*, *G. audaciae*, *G. brumae*, *G. burpurae*, *G. barbae*, *G. capsae*, *G. cauponae*, *G. caveae*, *G. cellae*, *G. cenae*, *G. cenulae*, *G. cerula*, *G. ciatae*, *G. clavae*, *G. comae*, *G. contionis*, *G. coquae*, *G. corniculae*, *G. coronae*, *G. cotis*, *G. coturnicis*, *G. crepidae*, *G. dictionis*, *G. diciae*, *G. eminentiae*, *G. fabulae*, *G. faecis*, *G. ferae*, *G. fidem*, *G. formae*, *G. gazae*, *G. gemmae*, *G. glaebae*, *G. gloriae*, *G. harenae*, *G. infulae*, *G. lanae*, *G. laricae*, *G. lawrenceae*, *G. lupae*, *G. luxuriae*, *G. minarum*, *G. notae*, *G. novercae*, *G. nubis*, *G. olivae*, *G. ollae*, *G. operae*, *G. orae*, *G. paenulae*, *G. pali*, *G. personae*, *G. pilae*, *G. placentae*, *G. plebis*, *G. plumae*, *G. positurae*, *G. raedae*, *G. ranae*, *G. reginae*, *G. rodríguezi*, *G. rubetae*, *G. sapphiri*, *G. sardae*, *G. scuticae*, *G. sollertiae*, *G. spathae*, *G. speculae*, *G. staerae*, *G. terrae*, *G. tibiae*, *G. umbrae*, *G. vappae*, *G. virgulae*, *G. vocis*, *G. zamia*, and *G. zothecuale*. *Glyphidocera illiterata* Meyrick, 1928, from Panama; *G. zophocrossa* Meyrick, 1929, from Trinidad; *G. vestita* Walsingham, 1911, from Panama; and *G. guaroa* Adamski 2002, from Costa Rica are redescribed. Diagnoses, descriptions, and type information are provided for each species. Photographs of holotypes, illustrations of head, wing venation, and male and female genitalia, digitized distribution maps, and a key to all *Glyphidocera* found in Costa Rica are included.

Resumen.— Los *Glyphidocera* (Glyphidoceridae) de Costa Rica son revisados. En este trabajo ochenta y ocho especies nuevas son descritas: *Glyphidocera adrogantiae*, *G. advenae*, *G. aediculae*, *G. aedis*, *G. ambrosiae*, *G. amittae*, *G. ancillae*, *G. animae*, *G. arae*, *G. arakawae*, *G. arenae*, *G. asymmetricae*, *G. audaciae*, *G. brumae*, *G. burpurae*, *G. barbae*, *G. capsae*, *G. cauponae*, *G. caveae*, *G. cellae*, *G. cenae*, *G. cenulae*, *G. cerula*, *G. ciatae*, *G. clavae*, *G. comae*, *G. contionis*, *G. coquae*, *G. corniculae*, *G. coronae*, *G. cotis*, *G. coturnicis*, *G. crepidae*, *G. dictionis*, *G. diciae*, *G. eminentiae*, *G. fabulae*, *G. faecis*, *G. ferae*, *G. fidem*, *G. formae*, *G. gazae*, *G. gemmae*, *G. glaebae*, *G. gloriae*, *G. harenae*, *G. infulae*, *G. lanae*, *G. laricae*, *G. lawrenceae*, *G. lupae*, *G. luxuriae*, *G. minarum*, *G. notae*, *G. novercae*, *G. nubis*, *G. olivae*, *G. ollae*, *G. operae*, *G. orae*, *G. paenulae*, *G. pali*, *G. personae*, *G. pilae*, *G. placentae*, *G. plebis*, *G. plumae*, *G. positurae*, *G. raedae*, *G. ranae*, *G. reginae*, *G. rodríguezi*, *G. rubetae*, *G. sapphiri*, *G. sardae*, *G. scuticae*, *G. sollertiae*, *G. spathae*, *G. speculae*, *G. staerae*, *G. terrae*, *G. tibiae*, *G. umbrae*, *G. vappae*, *G. virgulae*, *G. vocis*, *G. zamia*, and *G. zothecuale*. *Glyphidocera illiterata* Meyrick, 1928, de Panamá; *G. zophocrossa* Meyrick, 1929, de Trinidad; *G. vestita* Walsingham, 1911, de Panamá; y *G. guaroa* Adamski de Costa Rica Adamski son redescribas. Diagnóstico, descripciones e información de los holotipos son provistas para cada especie.