

Pontoniine shrimps from the 2003 NORFANZ Expedition, 10 May–16 June (Crustacea: Decapoda: Palaemonidae)

A.J. BRUCE¹

¹Crustacea Section, Queensland Museum, P. O. Box 3300, South Brisbane, Queensland, 4101 Australia
abruce@broad.net.au

Table of contents

| | |
|---|----|
| Abstract | 1 |
| Introduction | 2 |
| Taxonomy | 2 |
| Family Palaemonidae Rafinesque, 1815 | 2 |
| Sub-family Pontoniinae Kingsley, 1878 | 2 |
| Genus <i>Altopontonia</i> Bruce, 1990 | 2 |
| <i>Altopontonia disparostris</i> Bruce, 1990 | 2 |
| Genus <i>Hamiger</i> (Borradaile, 1916) | 3 |
| <i>Hamiger novaezealandiae</i> (Borradaile, 1916) | 3 |
| Genus <i>Periclimenes</i> Costa, 1884 | 4 |
| <i>Periclimenes vaubani</i> Bruce, 1990 | 4 |
| <i>Periclimenes fenneri</i> sp. nov. | 5 |
| <i>Periclimenes tangeroa</i> sp.nov. | 12 |
| Acknowledgements | 19 |
| References | 19 |

Abstract

A report is presented on a small collection of pontoniine shrimps, from the Tasman Sea, by the 2003 NORFANZ Expedition. The report includes information on 5 taxa, including two species new to science, *Periclimenes fenneri* and *P. tangeroa*. *Hamiger novaezealandiae* Borradaile is now recorded for the first time since 1910.

Key words: Decapoda, Natantia, Pontoniinae, *Periclimenes fenneri*, *P. tangeroa* spp. nov., *Hamiger novaezealandiae* (Borradaile) second record, with hexactinellid sponge host; Tasman Sea, sea mount fauna