

***Chrysotimus* Loew from China (Diptera: Dolichopodidae)**

MENGQING WANG¹, DING YANG^{1,*} & PATRICK GROOTAERT²

¹Department of Entomology, China Agricultural University, Beijing 100094, China

²Department of Entomology, Royal Belgian Institute of Natural Sciences, Vautierstraat 29, B-1000 Brussels, Belgium

(*corresponding author)

Table of contents

Abstract	2
Introduction	2
Materials and Methods	2
Systematics	2
Genus <i>Chrysotimus</i> Loew	2
Key to species (males) of <i>Chrysotimus</i> Loew from China	3
<i>Chrysotimus acutatus</i> Wang, Yang and Grootaert, sp. nov.	5
<i>Chrysotimus apicicurvatus</i> Yang	7
<i>Chrysotimus basiflavus</i> Yang	8
<i>Chrysotimus bifascia</i> Yang and Saigusa	9
<i>Chrysotimus bispinus</i> Yang and Saigusa	9
<i>Chrysotimus chikuni</i> Wang, Yang and Grootaert, sp. nov.	10
<i>Chrysotimus digitatus</i> Yang and Saigusa	12
<i>Chrysotimus dorsalis</i> Yang	12
<i>Chrysotimus guangdongensis</i> Wang, Yang and Grootaert, sp. nov.	13
<i>Chrysotimus guangxiensis</i> Yang and Saigusa	15
<i>Chrysotimus incisus</i> Yang and Saigusa	15
<i>Chrysotimus lijianganus</i> Yang and Saigusa	16
<i>Chrysotimus ningxianus</i> Wang, Yang and Grootaert, sp. nov.	17
<i>Chrysotimus pingbianus</i> Yang and Saigusa	19
<i>Chrysotimus qinlingensis</i> Yang and Saigusa	20
<i>Chrysotimus sanjiangyuanus</i> Wang, Yang and Grootaert, sp. nov.	20
<i>Chrysotimus setosus</i> Yang and Saigusa	22
<i>Chrysotimus shennongjianus</i> Yang and Saigusa	23
<i>Chrysotimus sinensis</i> Parent	24
<i>Chrysotimus songshanus</i> Wang, Yang and Grootaert, sp. nov.	24
<i>Chrysotimus unifascia</i> Yang and Saigusa	26
<i>Chrysotimus xiaohuangshanus</i> Wang, Yang and Grootaert, sp. nov.	27
<i>Chrysotimus xiaolongmensis</i> Zhang, Yang and Grootaert	28
<i>Chrysotimus xuae</i> Wang, Yang and Grootaert, sp. nov.	29
<i>Chrysotimus yunlonganus</i> Yang and Saigusa	31
Acknowledgments	31
References	32

Abstract

The following 8 species are described as new to science: *Chrysotimus acutatus* Wang, Yang and Grootaert, sp. nov., *C. chikuni* Wang, Yang and Grootaert, sp. nov., *C. guangdongensis* Wang, Yang and Grootaert, sp. nov., *C. ningxianus* Wang, Yang and Grootaert, sp. nov., *C. sanjiangyuanus* Wang, Yang and Grootaert, sp. nov., *C. songshanus* Wang, Yang and Grootaert, sp. nov., *C. xiaohuangshanus* Wang, Yang and Grootaert, sp. nov., *C. xuae* Wang, Yang and Grootaert, sp. nov. A key to the Chinese species of the genus is presented.

Key words. Diptera, Dolichopodidae, *Chrysotimus*, China, new species

Introduction

The genus *Chrysotimus* Loew, 1857 belongs to the subfamily Peloropeodinae. It occurs in the Holarctic and Oriental Realms. There are eight species known from the Palaearctic (Negrobov 1978, 1991) and two species from the Oriental (Dyte 1975). So far seventeen species were known from China (Parent 1944; Yang 2001; Yang and Saigusa 2001a-b, 2005; Zhang et al. 2003). Here we describe an additional eight species from China and provide a key to the 25 species actually known from China.

Materials and Methods

The specimens on which this study is based, were collected by Mrs. Shuwen An (CAU, 2003), Xingye Liu (CAU, 2003), Patrick Grootaert (Brussels, 2004), Mengqing Wang (CAU, 2004), Yanling Xu (CAU, 2004), Chikun Yang (CAU, 1980), and Ding Yang (CAU, 2004) with sweep nets and deposited in Entomological Museum of China Agricultural University (CAU), Beijing, China.

Morphological terminology for adult structures mainly follows McAlpine (1981). Terms for the structures of the male genitalia follow Cumming et al (1995). Abbreviations are as follows: acr — acrostichal, ad — anterodorsal, av — anteroventral, dc — dorsocentral, LI — fore leg, LII — mid leg, LIII — hind leg, oc — ocellar, pd — posterodorsal, pv — posteroventral, sa — supraalar, v — ventral; CAU — China Agricultural University, Beijing.

Systematics

Genus *Chrysotimus* Loew

Chrysotimus Loew, 1857: 48. Type-species: *Chrysotimus pusio* Loew, 1861, des. Coquillett (1910: 524).