

ZOOTAXA

1570

**Studies on the Australian stick insects (Phasmida),
including a checklist of species and bibliography**

PAUL D. BROCK & JACK HASENPUTSCH



Magnolia Press
Auckland, New Zealand

PAUL D. BROCK & JACK HASENPUTSCH

Studies on the Australian stick insects (Phasmida), including a checklist of species and bibliography

(*Zootaxa* 1570)

84 pp.; 30 cm.

31 August 2007

ISBN 978-1-86977-151-5 (paperback)

ISBN 978-1-86977-152-2 (Online edition)

FIRST PUBLISHED IN 2007 BY

Magnolia Press

P.O. Box 41-383

Auckland 1346

New Zealand

e-mail: zootaxa@mapress.com

<http://www.mapress.com/zootaxa/>

© 2007 Magnolia Press

All rights reserved.

No part of this publication may be reproduced, stored, transmitted or disseminated, in any form, or by any means, without prior written permission from the publisher, to whom all requests to reproduce copyright material should be directed in writing.

This authorization does not extend to any other kind of copying, by any means, in any form, and for any purpose other than private research use.

ISSN 1175-5326 (Print edition)

ISSN 1175-5334 (Online edition)

Studies on the Australian stick insects (Phasmida), including a checklist of species and bibliography

PAUL D. BROCK¹ & JACK HASENPUSCH²

¹ The Natural History Museum, Cromwell Road, London, SW7 5BD, U.K.

E-mail: pauldbrock@btinternet.com

² Australian Insect Farm, PO Box 26, Garradunga, Nr. Innisfail, Queensland 4860, Australia.

E-mail: info@insectfarm.com.au

Table of contents

Abstract	4
Introduction	5
Studies made	5
Abbreviations for depositories	5
Diapheromeridae: Lonchodinae	6
<i>Denhama</i> Werner, 1912	6
Diapheromeridae: Necrosciinae	7
<i>Austrosipyloidea</i> Brock & Hasenpusch, gen. nov.	7
<i>Candovia</i> Stål, stat. rev.	7
<i>Candovia robinsoni</i> Brock & Hasenpusch, spec. nov. [Robinson's Stick-insect]	8
<i>Cornicandovia</i> Hasenpusch & Brock, gen. nov.	13
<i>Rhamphosipyloidea</i> Redtenbacher	14
<i>Rhamphosipyloidea palumensis</i> Hasenpusch & Brock, spec. nov. [Paluma Winged Beak-abdomen Stick-insect]	14
<i>Scionepra</i> Karny	17
<i>Scionepra milledgei</i> Hasenpusch & Brock, spec. nov. [Milledge's Stick-insect]	18
<i>Sipyloidea</i> Brunner	21
<i>Sipyloidea brevicerci</i> Hasenpusch & Brock, spec. nov. [Short-cerci Winged Stick-insect]	23
<i>Sipyloidea garradungensis</i> Hasenpusch & Brock, spec. nov. [Garradunga Green-winged Stick-insect]	25
<i>Sipyloidea larryi</i> Hasenpusch & Brock, spec. nov. [Hurricane Larry Stick-insect]	28
<i>Sipyloidea lewisensis</i> Hasenpusch & Brock, spec. nov. [Mt. Lewis Winged Stick-insect]	32
<i>Sipyloidea rentzi</i> Brock & Hasenpusch, spec. nov. [Rentz's Sipyloidea Stick-insect]	36
<i>Sipyloidea whitei</i> Brock & Hasenpusch, spec. nov. [White's Winged Stick-insect]	39
<i>Spinosipyloidea</i> Hasenpusch & Brock, gen. nov.	43
<i>Spinosipyloidea doddi</i> Hasenpusch & Brock, spec. nov. [Dodd's Spiny Stick-insect]	43
Diapheromeridae: Pachymorphinae	48
<i>Pachymorpha</i> Gray	48
<i>Pachymorpha spinosa</i> Brock & Hasenpusch, spec. nov. [Spiny Pachymorpha Stick-insect]	48
<i>Davidrentzia</i> Brock & Hasenpusch, gen. n.	51
<i>Davidrentzia valida</i> Brock & Hasenpusch, spec. nov. [Rentz's Strong Stick-insect]	51
<i>Micropodacanthus</i> Brock & Hasenpusch, gen. nov.	54
<i>Micropodacanthus mouldsi</i> Brock & Hasenpusch, spec. nov. [Mould's Stick-insect]	55
<i>Micropodacanthus sztrakai</i> Brock & Hasenpusch, spec. nov. [Jiva's Stick-insect]	58
<i>Paratropidoderus</i> Brock & Hasenpusch, gen. nov.	60
<i>Paratropidoderus spinosus</i> Brock & Hasenpusch, spec. nov. [Orange-spined Stick-insect]	61
<i>Podacanthus</i> Gray	63
<i>Podacanthus keyi</i> Brock & Hasenpusch, spec. nov. [Key's Stick-insect]	64
Checklist of Australian phasmids	69
Conclusion	75
Acknowledgements	76
References	77

Abstract

The Australian phasmid fauna has been revised prior to publication of a field guide by the same authors. Six new genera are described: *Austrosipyloidea* Brock & Hasenpusch, *Cornicandovia* Hasenpusch & Brock, *Davidrentzia* Brock & Hasenpusch, *Micropodacanthus* Brock & Hasenpusch, *Paratropidoderus* Brock & Hasenpusch and *Spinosipyloidea* Hasenpusch & Brock. Sixteen new species from various parts of Australia are described and figured: *Candovia robinsoni* Brock & Hasenpusch, *Rhamphosipyloidea palumensis* Hasenpusch & Brock, *Scioneeca milledgei* Hasenpusch & Brock, *Sipyloidea brevicerci* Hasenpusch & Brock, *Sipyloidea garradungensis* Hasenpusch & Brock, *Sipyloidea larryi* Hasenpusch & Brock, *Sipyloidea lewisensis* Hasenpusch & Brock, *Sipyloidea rentzi* Brock & Hasenpusch, *Sipyloidea whitei* Brock & Hasenpusch, *Spinosipyloidea doddi* Hasenpusch & Brock [all Necrosciinae], *Pachymorpha spinosa* Brock & Hasenpusch [Pachymorphinae], *Davidrentzia valida* Brock & Hasenpusch [Platycraninae], *Micropodacanthus mouldsi* Brock & Hasenpusch, *Micropodacanthus sztrakai* Brock & Hasenpusch, *Paratropidoderus spinosus* Brock & Hasenpusch and *Podacanthus keyi* Brock & Hasenpusch [Tropidoderinae].

A number of new combinations are proposed, new synonyms and incorrect synonymy corrected following detailed examination of type and other material: 1. (Lonchodinae): *Austrocarausius* Brock, 2000: *Carausius macerrimus* Brunner, 1907 is a new synonym of *Austrocarausius nigropunctatus* (Kirby, 1896). *Denhama* Werner, 1912: *D. austrocariata* (Otte & Brock, 2005), *D. longiceps* (Brunner, 1907), *D. striata* (Sjöstedt, 1918) and *D. eutrachelia* (Westwood, 1859) are transferred from *Hyrtacus* Stål, 1875, the latter species also removed from synonymy with *Hyrtacus coenosa* (Gray, 1833). *D. gracilis* (Sjöstedt, 1918), a former *Marcenia* species, is also transferred. *Hyrtacus* Stål, 1875 (= *Marcenia* Sjöstedt, 1918 syn. n.): *H. caurus* (Tepper, 1905) comb. n. transferred from *Lonchodes* Gray, 1835 (three new synonyms also reported for this species: *Bacillus peristhenellus* Tepper, 1905, *Hyrtacus cunctatrix* (Sjöstedt, 1918) and *Hyrtacus nigrogranulosus* Sjöstedt, 1918). *Marcenia frenchi* (Wood-Mason, 1877) is a new synonym of *Hyrtacus tuberculatus* Stål, 1875. 2. (Necrosciinae): *Austrosipyloidea* Brock & Hasenpusch, gen. n.: *A. carterus* (Westwood, 1859) comb. n., transferred from *Sipyloidea* Brunner, 1893 (= *Sipyloidea filiformis* Redtenbacher, 1908 syn. n.). *Candovia* Stål, 1875 is removed from synonymy with *Hyrtacus*, along with the type species, *C. coenosa*. This has resulted in all former Australian species placed in *Parasipyloidea* Redtenbacher, 1908 being transferred to *Candovia* i.e. *C. aberrata* (Brunner, 1907) comb. n., *C. annulata* (Brunner, 1907) comb. n., *C. granulosa* (Brunner, 1907) comb. n., *C. pallida* (Sjöstedt, 1918), comb. n., *C. spurcata* (Brunner, 1907) comb. n. and *C. strumosa* (Redtenbacher, 1908) comb. n. In addition, *C. evoneobertii* (Zompro & Adis, 2001) comb. n. and *C. peridromes* (Westwood, 1859) comb. n. (including its new synonyms *Clitarchus longipes* Brunner, 1907, *Bacunculus tener* Brunner, 1907 and *E. cercatus* (Redtenbacher, 1908)) are transferred from *Echetlus* Stål, 1875. *Cornicandovia* Hasenpusch & Brock gen. n.: *C. australica* (Redtenbacher, 1908) comb. n. *Sipyloidea* Brunner, 1893: *S. bella* (Tepper, 1905) comb. n. (new synonym *S. ovabrita* Rentz & John, 1987) is transferred from *Necroscia* Serville, 1838, *S. caeca* Sjöstedt, 1918 rev. stat., is removed from synonymy with *Sipyloidea carterus* (Westwood, 1859). *Rhamphosipyloidea* Redtenbacher, 1908: *R. queenslandica* (Sjöstedt, 1918) comb. n. is transferred from *Sipyloidea*, also removed from synonymy with *carterus*. 3. (Pachymorphinae): *Pachymorpha* Gray, 1835: *P. pasithoe* (Westwood, 1859) is a new synonym of *P. simplices* Serville, 1838. 4. (Eurycanthinae). *Eurycantha* Boisduval, 1835: *E. sifia* (Westwood, 1859) is a new synonym of *E. calcarata* Lucas, 1870. 5. (Phasmatinae): *Vetilia* Stål, 1875 is a new synonym of *Acrophylla* Gray, 1835, resulting in the transfer of these species to *Acrophylla*: *A. enceladus* (Gray, 1835) comb. n. and *A. thoon* (Stål, 1875) comb. n. *Vetilia ligia* Redtenbacher, 1908 is a new synonym of *Acrophylla wuelfingi* Redtenbacher, 1908. *A. paula* (Tepper, 1905) and *A. aliena* Redtenbacher, 1908 are new synonyms of *A. nubilosa* Tepper, 1905. *A. caprella* (Westwood, 1859) comb. n. is transferred from *Ctenomorpha* Gray, 1833. *Anchiale* Stål, 1875 (= *Ctenomorphodes* Karny, 1923 syn. n.), resulting in the transfer of *A. briareus* (Gray, 1834) comb. n. and *A. tessulata* (Gray, 1835) which is renamed *Anchiale austrotessulata* name nov., as *tessulata* Gray is preoccupied by *Anchiale tessulata* (Goeze, 1778). *Austroclonistria* Redtenbacher, 1908 is a new synonym of *Arphax* Stål, 1875, as *A. serrulata* Redtenbacher, 1908 is a new synonym of *Arphax dolomedes* (Westwood, 1859). *Ctenomorpha* Gray, 1833: *Paractenomorpha macrotegmus* (Tepper, 1887) is confirmed as a synonym of *Ctenomorpha marginipennis* Gray, 1833. *Hermarchus* Stål, 1875: *H. polynesianus* Redtenbacher, 1908 is a new synonym of *H. insignis* (Kaup, 1871). *Paronchestus* Redtenbacher, 1908: *P. cornutus* (Tepper, 1905) comb. n. is transferred from *Acrophylla* Gray, 1835 and *P. pasimachus* (Westwood, 1859) from *Onchestus* Stål, 1875. 6. (Platycraninae): *Megacrania batesii* (Kirby, 1896) is removed from synonymy with *Megacrania alpheus* (Westwood, 1859). 7. (Tropidoderinae): *Didymuria* Kirby 1904: *D. virginea* Stål, 1875 is removed from synonymy with *D. violescens* (Leach, 1814). *Lysicles* Stål, 1877: *L. periphantes* (Westwood, 1859) comb. n. is transferred from *Echetlus* Stål, 1875. *Tropidoderus* Gray 1835: *T. michaelseni* Werner, 1912 is removed from synonymy with *T. childrenii* (Gray, 1833). 8. (Xeroderinae): *Cooktownia* Sjöstedt, 1918 becomes a new synonym of *Xeroderus* Gray, 1835, as *Cooktownia plana* Sjöstedt, 1918 is a new synonym of *Xeroderus kirbii* Gray, 1835.