



Zootaxa 2584: 1–121 (2010)
www.mapress.com/zootaxa/

Copyright © 2010 · Magnolia Press

Monograph

ISSN 1175-5326 (print edition)

ZOOTAXA

ISSN 1175-5334 (online edition)

ZOOTAXA

2584

Revision of the Indo-Australian checkered beetle genus *Xenorthrius* Gorham, 1892 (Coleoptera: Cleridae, Clerinae)

ROLAND GERSTMEIER¹ & JONAS EBERLE²

*Technische Universität München, Department Ökologie und Ökosystemmanagement, Lehrstuhl für Tierökologie,
Hans-Carl-von-Carlowitz-Platz 2, 85350 Freising, F.R.G.*

E-mail: ¹r.gerstmeier@googlemail.com; ²eberle.jonas@googlemail.com



Magnolia Press
Auckland, New Zealand

Accepted by D. Pollock: 23 Jun. 2010; published: 31 Aug. 2010

ROLAND GERSTMEIER & JONAS EBERLE

Revision of the Indo-Australian checkered beetle genus *Xenorthrius* Gorham, 1892

(Coleoptera: Cleridae, Clerinae)

(*Zootaxa* 2584)

121 pp.; 30 cm.

31 Aug. 2010

ISBN 978-1-86977-563-6 (paperback)

ISBN 978-1-86977-564-3 (Online edition)

FIRST PUBLISHED IN 2010 BY

Magnolia Press

P.O. Box 41-383

Auckland 1346

New Zealand

e-mail: zootaxa@mapress.com

<http://www.mapress.com/zootaxa/>

© 2010 Magnolia Press

All rights reserved.

No part of this publication may be reproduced, stored, transmitted or disseminated, in any form, or by any means, without prior written permission from the publisher, to whom all requests to reproduce copyright material should be directed in writing.

This authorization does not extend to any other kind of copying, by any means, in any form, and for any purpose other than private research use.

ISSN 1175-5326 (Print edition)

ISSN 1175-5334 (Online edition)

Table of contents

Abstract	4
Introduction	5
Material and methods	6
<i>Xenorthrius</i> Gorham, 1892	7
Key to the species	12
<i>Xenorthrius abruptepunctatus</i> (Schenkling, 1932), n. comb.	15
<i>Xenorthrius aurorafasciatus</i> Gerstmeier & Eberle, 2010 n. sp.	16
<i>Xenorthrius balteatus</i> Gorham, 1892	17
<i>Xenorthrius beauforti</i> Corporaal, 1949	21
<i>Xenorthrius berndi</i> Gerstmeier & Eberle, 2010 n. sp.	21
<i>Xenorthrius bornensis</i> Gerstmeier & Eberle, 2010 n. sp.	24
<i>Xenorthrius consimilis</i> Gerstmeier & Eberle, 2010 n. sp.	26
<i>Xenorthrius cruralis</i> Gerstmeier & Eberle, 2010 n. sp.	28
<i>Xenorthrius decoratus</i> Gerstmeier & Eberle, 2010 n. sp.	29
<i>Xenorthrius disjunctus</i> (Pic, 1926), n. comb.	32
<i>Xenorthrius dissipatus</i> Gerstmeier & Eberle, 2010 n. sp.	34
<i>Xenorthrius doliaris</i> Gerstmeier & Eberle, 2010 n. sp.	35
<i>Xenorthrius dorsalis</i> (Schenkling, 1902), n. comb.	37
<i>Xenorthrius elongatus</i> (Corporaal, 1926), n. comb.	39
<i>Xenorthrius ephippiatus</i> Gorham, 1893	39
<i>Xenorthrius furcalis</i> Gerstmeier & Eberle, 2010 n. sp.	43
<i>Xenorthrius geniculatus</i> Gorham, 1893	43
<i>Xenorthrius guerlachi</i> Pic, 1951	46
<i>Xenorthrius hoerrmanni</i> Gerstmeier & Eberle, 2010 n. sp.	47
<i>Xenorthrius incarinipes</i> Miyatake, 1965	50
<i>Xenorthrius lanatus</i> Gerstmeier & Eberle, 2010 n. sp.	51
<i>Xenorthrius lineatipes</i> (Pic, 1940), n. comb.	54
<i>Xenorthrius loricus</i> Gerstmeier & Eberle, 2010 n. sp.	56
<i>Xenorthrius lugubris</i> Gerstmeier & Eberle, 2010 n. sp.	56
<i>Xenorthrius mouhoti</i> Gorham, 1892	59
<i>Xenorthrius oblongopunctatus</i> Gerstmeier & Eberle, 2010 n. sp.	62
<i>Xenorthrius pallidefasciatus</i> Corporaal, 1926	64
<i>Xenorthrius penangis</i> Gerstmeier & Eberle, 2010 n. sp.	65
<i>Xenorthrius perroti</i> (Pic, 1939), n. comb.	66
<i>Xenorthrius pieli</i> (Pic, 1936), n. comb.	69
<i>Xenorthrius procerus</i> Gerstmeier & Eberle, 2010 nom. nov.	71
<i>Xenorthrius prolongatus</i> (Schenkling, 1912), n. comb.	72
<i>Xenorthrius robustus</i> Corporaal, 1939	75
<i>Xenorthrius rubicollis</i> Gerstmeier & Eberle, 2010 n. sp.	77
<i>Xenorthrius rubris</i> Gerstmeier & Eberle, 2010 n. sp.	79
<i>Xenorthrius rufotestaceus</i> (Schenkling, 1902), n. comb.	81
<i>Xenorthrius scordalus</i> Gerstmeier & Eberle, 2010 n. sp.	83
<i>Xenorthrius simplex</i> Schenkling, 1903	85
<i>Xenorthrius stefanieae</i> Gerstmeier & Eberle, 2010 n. sp.	87
<i>Xenorthrius stevensi</i> (Corporaal, 1926), n. comb.	87
<i>Xenorthrius striatulus</i> (Motschulsky, 1860), n. comb.	91
<i>Xenorthrius subapicalis</i> Pic, 1927	91
<i>Xenorthrius subfasciatus</i> Gorham, 1892	95
<i>Xenorthrius supraflaveolis</i> Gerstmeier & Eberle, 2010 n. sp.	95
<i>Xenorthrius temeris</i> Gerstmeier & Eberle, 2010 n. sp.	98
<i>Xenorthrius truncatus</i> Gorham, 1893	100
<i>Xenorthrius tuberculicollis</i> (Schenkling, 1902), n. comb.	100

<i>Xenorthrius umbratus</i> Schenkling, 1912	103
<i>Xenorthrius versicolor</i> Gerstmeier & Eberle, 2010 n. sp.	106
<i>Xenorthrius wallacei</i> Gorham, 1893	108
Discussion	111
Acknowledgements	120
References	120

Abstract

The genus *Xenorthrius* Gorham, 1892 is taxonomically revised to include fifty species. The following species are described as new: *Xenorthrius aurorafasciatus*, *Xenorthrius berndi*, *Xenorthrius bornensis*, *Xenorthrius consimilis*, *Xenorthrius cruralis*, *Xenorthrius decoratus*, *Xenorthrius dissipatus*, *Xenorthrius doliaris*, *Xenorthrius furcalis*, *Xenorthrius hoerrmanni*, *Xenorthrius lanatus*, *Xenorthrius loricus*, *Xenorthrius lugubris*, *Xenorthrius oblongopunctatus*, *Xenorthrius penangis*, *Xenorthrius rubicollis*, *Xenorthrius rubris*, *Xenorthrius scordalus*, *Xenorthrius stefanieae*, *Xenorthrius supraflaveolis*, *Xenorthrius temeris*, *Xenorthrius versicolor*. *Xenorthrius reductenotatus* Pic, 1952 **n. syn.** is placed in synonymy with *Xenorthrius beauforti* Corporaal, 1949b; *Xenorthrius bifasciatus* Pic, 1926a **n. syn.** is synonymized with *Xenorthrius ephippiatus* Gorham, 1893; *Xenorthrius impressicollis* Pic, 1954 **n. syn.** is synonymized with *Xenorthrius pieli* (Pic, 1936); *Xenorthrius tricoloratus* Pic, 1951 **n. syn.** is synonymized with *Xenorthrius subapicalis* Pic, 1927; *Orthrius particularis* Pic, 1926b **n. comb., n. syn.** is transferred from *Orthrius* Gorham, 1876 and synonymized with *Xenorthrius striatulus* (Motschulsky, 1860). The following species are transferred from *Orthrius*: *Xenorthrius abruptepunctatus* (Schenkling, 1932) **n. comb.**, *Xenorthrius disjunctus* (Pic, 1926b) **n. comb.**, *Xenorthrius elongatus* (Corporaal, 1926) **n. comb.**, *Xenorthrius lineatipes* (Pic, 1940) **n. comb.**, *Xenorthrius perroti* (Pic, 1939) **n. comb.**, *Xenorthrius pieli* (Pic, 1936) **n. comb.**, *Xenorthrius prolongatus* (Schenkling, 1912) **n. comb.**, *Xenorthrius rufotestaceus* (Schenkling, 1902) **n. comb.**, *Xenorthrius stevensi* (Corporaal, 1926) **n. comb.**, *Xenorthrius striatulus* (Motschulsky, 1860) **n. comb.**, and *Xenorthrius tuberculicollis* (Schenkling, 1902) **n. comb.** *Xenorthrius procerus* Gerstmeier & Eberle, 2010 **nom. nov.** is a new name for *Xenorthrius elongatus* Miyatake, 1985 (secondary junior homonym). A key to the species, color photographs, genital figures, and distribution maps are provided.

Key words: Indo-Australian species, taxonomy, identification key, genital figures, distribution maps