



Zootaxa 3817 (1): 001–242
www.mapress.com/zootaxa/

Copyright © 2014 Magnolia Press

Monograph

ISSN 1175-5326 (print edition)

ZOOTAXA

ISSN 1175-5334 (online edition)

<http://dx.doi.org/10.11646/zootaxa.3817.1.1>

<http://zoobank.org/urn:lsid:zoobank.org:pub:A3C10B34-7698-4C4D-94E5-DCF70B475603>

ZOOTAXA

3817

The Higher Classification of the Ant Subfamily Ponerinae (Hymenoptera: Formicidae), with a Review of Ponerine Ecology and Behavior

C.A. SCHMIDT¹ & S.O. SHATTUCK²

¹*Graduate Interdisciplinary Program in Entomology and Insect Science, Gould-Simpson 1005, University of Arizona, Tucson, AZ 85721-0077. Current address: Native Seeds/SEARCH, 3584 E. River Rd., Tucson, AZ 85718. E-mail: neoponera@gmail.com*

²*CSIRO Ecosystem Sciences, GPO Box 1700, Canberra, ACT 2601, Australia. Current address: Research School of Biology, Australian National University, Canberra, ACT, 0200*



Magnolia Press
Auckland, New Zealand

Accepted by J. Longino: 21 Mar. 2014; published: 18 Jun. 2014

C.A. SCHMIDT & S.O. SHATTUCK

The Higher Classification of the Ant Subfamily Ponerinae (Hymenoptera: Formicidae), with a Review of Ponerine Ecology and Behavior

(*Zootaxa* 3817)

242 pp.; 30 cm.

18 Jun. 2014

ISBN 978-1-77557-419-4 (paperback)

ISBN 978-1-77557-420-0 (Online edition)

FIRST PUBLISHED IN 2014 BY

Magnolia Press

P.O. Box 41-383

Auckland 1346

New Zealand

e-mail: zootaxa@mapress.com

<http://www.mapress.com/zootaxa/>

© 2014 Magnolia Press

All rights reserved.

No part of this publication may be reproduced, stored, transmitted or disseminated, in any form, or by any means, without prior written permission from the publisher, to whom all requests to reproduce copyright material should be directed in writing.

This authorization does not extend to any other kind of copying, by any means, in any form, and for any purpose other than private research use.

ISSN 1175-5326 (Print edition)

ISSN 1175-5334 (Online edition)

Table of contents

Abstract	4
Introduction	4
Material and methods	5
Ponerine ecology and behavior: A brief review	8
Social organization and mating systems	9
Foraging behavior	10
Morphological characters	11
Classification of Ponerinae proposed here	15
Keys to Ponerine genera	17
Key to New World genera of Ponerinae	18
Key to African and Malagasy genera of Ponerinae	24
Key to Eurasian and Australian genera of Ponerinae	36
Subfamily Ponerinae Lepeletier de Saint-Fargeau	46
Tribe Platythyreini Emery	47
<i>Platythyrea</i> Roger	48
Tribe Ponerini Lepeletier de Saint-Fargeau	52
<i>Harpegnathos</i> genus group	53
<i>Harpegnathos</i> Jerdon	53
<i>Hypoponera</i> genus group	57
<i>Hypoponera</i> Santschi	57
<i>Odontomachus</i> genus group	64
<i>Anochetus</i> Mayr	65
<i>Asphinctopone</i> Santschi	70
<i>Bothroponera</i> Mayr	72
<i>Brachyponera</i> Emery	77
<i>Buniapone</i> gen. nov.	81
<i>Euponera</i> Forel	83
<i>Fisheropone</i> gen. nov.	87
<i>Hagensia</i> Forel	89
<i>Leptogenys</i> Roger	92
<i>Megaponera</i> Mayr	104
<i>Mesoponera</i> Emery	107
<i>Myopias</i> Roger	111
<i>Odontomachus</i> Latreille	114
<i>Odontoponera</i> Mayr	119
<i>Ophthalmopone</i> Forel	122
<i>Paltothyreus</i> Mayr	124
<i>Phrynoponera</i> Wheeler	127
<i>Promyopias</i> Santschi	129
<i>Pseudoneoponera</i> Donisthorpe	131
<i>Streblognathus</i> Mayr	135
<i>Pachycondyla</i> genus group	138
<i>Belonopelta</i> Mayr	138
<i>Dinoponera</i> Roger	140
<i>Mayaponera</i> gen. nov.	143
<i>Neoponera</i> Emery	145
<i>Pachycondyla</i> Smith, F.	152
<i>Simopelta</i> Mann	156
<i>Thaumatomyrmex</i> Mayr	159
<i>Plectroctena</i> genus group	161
<i>Boloponera</i> Fisher	162
<i>Centromyrmex</i> Mayr	164
<i>Dolioponera</i> Brown	168
<i>Feroponera</i> Bolton & Fisher	170
<i>Loboponera</i> Bolton & Brown	171
<i>Plectroctena</i> Smith	174
<i>Psalidomyrmex</i> André	177
<i>Ponera</i> genus group	179
<i>Austroponera</i> gen. nov.	180
<i>Cryptopone</i> Emery	182
<i>Diacamma</i> Mayr	186
<i>Ectomomyrmex</i> Mayr	191

<i>Emeryopone</i> Forel	194
<i>Iroponera</i> gen. nov.	196
<i>Parvaponera</i> gen. nov.	198
<i>Ponera</i> Latreille	200
<i>Pseudoponera</i> Emery	205
<i>Rasopone</i> gen. nov.	208
Acknowledgements	210

Abstract

The tribal and generic classification of the diverse ant subfamily Ponerinae (Hymenoptera: Formicidae) is revised to reflect recent molecular phylogenetic information and a reappraisal of ponerine morphological diversity. The monogeneric tribe Thaumatomyrmecini (*Thaumatomyrmex*) is newly synonymized under Ponerini (**syn. nov.**), and the diverse genus *Pachycondyla* is fragmented into 19 genera, largely along the lines of its junior synonyms: *Bothroponera*, *Brachyponera* (**gen. rev.**), *Ectomyrmex* (**gen. rev.**), *Euponera* (**gen. rev.**), *Hagensia* (**gen. rev.**), *Megaponera* (**gen. rev.**), *Mesoponera* (**gen. rev.**), *Neoponera* (**gen. rev.**), *Ophthalmopone* (**gen. rev.**), *Pachycondyla*, *Paltothyreus* (**gen. rev.**), *Pseudoneoponera* (**gen. rev.**), *Pseudoponera* (**gen. rev.**), and 6 new genera: *Austroponera* (**gen. nov.**), *Buniapone* (**gen. nov.**), *Fisheropone* (**gen. nov.**), *Mayaponera* (**gen. nov.**), *Parvaponera* (**gen. nov.**) and *Rasopone* (**gen. nov.**). Some junior synonyms of *Pachycondyla* are transferred to junior synonym status under other genera: *Wadeura* as a junior synonym of *Cryptopone* (**syn. nov.**), and both *Termitopone* and *Syntermitopone* as junior synonyms of *Neoponera* (**syn. nov.**). A new genus, *Iroponera* (**gen. nov.**), based on the new species *Iroponera odax* (**sp. nov.**), is described from Australia. Molecular and morphological justifications for these taxonomic changes are given alongside discussions of phylogenetic relationships. Keys to the world genera of Ponerinae are provided, and morphological diagnoses and species lists are given for each genus. Finally, the available information on ponerine ecology and behavior is reviewed and synthesized.

Key words: World revision, ants, taxonomy, Ponerinae

Introduction

The higher taxonomic classification of ants (Hymenoptera: Formicidae) has recently undergone significant changes. Driven by careful reconsiderations of morphological variation (Bolton, 2003; Keller, 2011) and broad molecular phylogenetic studies (Moreau *et al.*, 2006; Brady *et al.*, 2006; Rabeling *et al.*, 2008), the subfamily-level classification of Formicidae is now largely stable and reflective of evolutionary relationships. At the same time, molecular data have demonstrated that tribal and generic classifications remain phylogenetically inconsistent for many ant groups, especially the diverse subfamilies Formicinae, Myrmicinae (Brady *et al.*, 2006) and Ponerinae. These latter groups, along with Dolichoderinae, constitute the “big four” subfamilies of ants in terms of described species diversity. Formicinae, Myrmicinae and Dolichoderinae include the most familiar ants, and together with several smaller subfamilies constitute the formicoid clade (Moreau *et al.*, 2006; Brady *et al.*, 2006). Ponerinae is unique among the major ant subfamilies in being situated outside this clade, and is the focus of this study.

Ponerines are notable for combining generally simple social organization with a high diversity of derived morphological, ecological and behavioral traits. They provide valuable opportunities to examine the incipient evolution of traits considered critical to the success of other major ant lineages such as Myrmicinae and Formicinae. For example, group foraging is characteristic of these latter subfamilies and is probably ancestral within them, but it has apparently evolved repeatedly within Ponerinae. The newly inferred molecular phylogeny of Ponerinae (Figs 1, 2; Schmidt, 2013) provides an historical framework for studying the evolution of group foraging, among many other traits. Because taxonomic classification is expected to reflect phylogeny, a phylogenetically informed ponerine classification system is critical to the success of such studies. The molecular phylogeny of Ponerinae demonstrates the phylogenetic inconsistency of the current tribal and generic classification of the subfamily.

Ponerinae has not received a comprehensive taxonomic revision in nearly a century, since Emery’s (1911) *Genera Insectorum*, though several individual genera have been revised (*e.g.*, Bolton, 1974, 1975b; Brown, 1976, 1978; Bolton & Fisher, 2008a, 2008b, 2008c, 2011). Since Emery’s revision, many additional ponerine taxa have been discovered and some radical and poorly justified taxonomic changes have been made within the subfamily.

relationships among these ants on a global basis. This framework proved invaluable in developing an understanding of the levels of morphological character convergence across the subfamily and in finally cracking the “*Pachycondyla* problem” left behind by Bill Brown. Upon completing his Ph.D. and recognizing that his own new set of commitments precluded proper completion of this work, Chris invited Steve to reenter the project and work with him to complete the current manuscript. Fortunately he agreed, for which Chris is immensely grateful. Thus, the present work represents a combination of Bill’s extensive experience with the world’s fauna, Chris’ detailed and careful thesis research and Steve’s synthesis and expansion to include as broad a range of taxa as possible from the world’s major ant collections. We hope that this work will fulfill the vision Bill had for his “Reclassification” and provide inspiration and a platform for further research on these fascinating ants.

Finally, we would like to thank the numerous colleagues who have given so generously of their time and expertise. This project would be much poorer without their contributions. Many ant researchers influenced our thinking through countless fascinating discussions, but we would like to especially acknowledge Barry Bolton, Seán Brady, John Lattke, Jack Longino, Christian Peeters, Phil Ward, and Alex Wild. Brian Fisher and Ted Schultz kindly facilitated trips to the California Academy of Sciences and Smithsonian Institution, respectively. Barry Bolton, Stefan Cover and Gary Alpert hosted us during numerous visits to the collections in their care, and we are most grateful for hospitality. Numerous people contributed the ponerine specimens which made the molecular work possible, and we are deeply indebted to them: Nugroho Budianggoro, Lloyd David, David Donoso, Bhaktiar Effendi, Katsuyuki Eguchi, John Fellowes, Brian Fisher, Kim Franklin, Anne Hartmann, Bob Johnson, Mike Kaspari, David King, Paul Krushelnycky, John Lattke, Jürgen Liebig, Jack Longino, David Maddison, John Mangold, Joachim Moog, Wendy Moore, Corrie Moreau, Maruyama Munetoshi, Jeff Oliver, Omid Paknia, Chantal Poteaux, Christian Rabeling, Airlan San Juan, Justin Schmidt, Chris Smith, Marcus Stüben, Andy Suarez, Phil Ward, Alex Wild, Seiki Yamane, and Masashi Yoshimura. Many of the images were provided by Brian Fisher through AntWeb.org and Gary Alpert, and we thank them for their outstanding efforts in bringing modern imaging techniques to the world of ant systematics. Useful comments on the manuscript were received from many of the above as well as Brendon E. Boudinot and Brian Heterick. Distribution information was generously provided by Benoit Guénard and Mike Weiser and we are most thankful. Students from the Ant Course 2012 and 2013 gave extensive and valuable feedback on the African and New World keys and we thank Brian Fisher for allowing us to test them on his students. Funding for this research was provided by the University of Arizona GIDP Insect Science, Center for Insect Science, and Department of Entomology, as well as Sigma Xi, NSF (via the AToL Formicidae group of Phil Ward, Seán Brady, Ted Schultz, and Brian Fisher, who helped fund the development of CAD), Andy Suarez and Neil Tsutsui (who helped fund the *Anochetus/Odontomachus* study) and CSIRO (Australia).

References

- Abe, T. & Uezu, K. (1977) Biology of *Diacamma rugosum* (Le Guillou) in the Ryukyu Islands with special reference to foraging behaviour. *Proceedings of the 8th Congress of the IUSI, Wageningen*, pp. 142–143.
- Acosta-Avalos, D., Esquivel, D.M.S., Wajnberg, E., de Barros, H.G.P.L., Oliveira, P.S. & Leal, I. (2001) Seasonal patterns in the orientation system of the migratory ant *Pachycondyla marginata*. *Naturwissenschaften*, 88, 343–346.
<http://dx.doi.org/10.1007/s001140100245>
- Acosta-Avalos, D., Wajnberg, E., Oliveira, P.S., Leal, I., Farina, M. & Esquivel, D.M.S. (1999) Isolation of magnetic nanoparticles from *Pachycondyla marginata* ants. *Journal of Experimental Biology*, 202, 2687–2692.
- Admane, L., Benatchba, K., Koudil, M., Siad, L. & Maziz, S. (2006) AntPart: an algorithm for the unsupervised classification problem using ants. *Applied Mathematics and Computation* 180, 16–28.
<http://dx.doi.org/10.1016/j.amc.2005.11.130>
- Agarwal, V.M. & Rastogi, N. (2008) Role of floral repellents in the regulation of flower visits of extrafloral nectary-visiting ants in an Indian crop plant. *Ecological Entomology*, 33, 59–65.
<http://dx.doi.org/10.1111/j.1365-2311.2007.00938.x>
- Agbogba, C. (1984) Tandem running behavior in 2 species of ponerine ants - *Mesoponera caffraria* (Smith) and *Hypoponera* sp. (Hymenoptera, Formicidae). *Insectes Sociaux*, 31 (3), 264–276.
- Agbogba, C. (1985) Quelques observations sur le comportement de chasse de la ponerine *Mesoponera caffraria* Smith (Hymenoptera, Formicidae). *Actes des Colloques Insectes Sociaux*, 2, 235–238.
- Agbogba, C. (1990) Comportement des ouvrières chasseresses de la fourmi *Pachycondyla caffraria*. *Actes des Colloques Insectes Sociaux*, 6, 147–150.

- Agbogba, C. (1991) Observations on the signals preparing for larval feeding in the ponerine ant *Pachycondyla caffraria* (Smith). *Insectes Sociaux*, 38 (4), 439–442.
- Agbogba, C. (1992) Settlement in the prey termite nest by the ponerine ant *Pachycondyla caffraria* (Smith), and tandem running signal analysis for the following ant. *Journal of Ethology*, 10 (2), 133–137.
<http://dx.doi.org/10.1007/bf02350117>
- Agbogba, C. (1994) Absence of temporal polyethism in the ponerine ant *Pachycondyla caffraria* (Smith) (Hymenoptera, Formicidae) - early specialization of the foragers. *Behavioural Processes*, 32 (1), 47–52.
[http://dx.doi.org/10.1016/0376-6357\(94\)90026-4](http://dx.doi.org/10.1016/0376-6357(94)90026-4)
- Agbogba, C. & Howse, P.E. (1992) Division of labor between foraging workers of the ponerine ant *Pachycondyla caffraria* (Smith) (Hymenoptera, Formicidae). *Insectes Sociaux*, 39 (4), 455–458.
<http://dx.doi.org/10.1007/bf01240629>
- Allard, H.A. (1951) *Dinoponera gigantea* (Perty), a vicious stinging ant. *Journal of the Washington Academy of Sciences*, 41, 88–90.
- Allard, D., Ito, F., Gobin, B., Tsuji, K. & Billen, J. (2005) Differentiation of the reproductive tract between dominant and subordinate workers in the Japanese queenless ant *Diacamma* sp. *Acta Zoologica*, 86, 159–166.
<http://dx.doi.org/10.1111/j.1463-6395.2005.00197.x>
- Allard, D., Gobin, B. & Billen, J. (2007) Timing of sperm transfer in *Diacamma pallidum*. *Physiological Entomology*, 32, 382–387.
<http://dx.doi.org/10.1111/j.1365-3032.2007.00590.x>
- Allard, D., Gobin, B., Ito, F., Tsuji, K. & Billen, J. (2002) Sperm transfer in the Japanese queenless ant *Diacamma* sp. (Hymenoptera: Formicidae). *Netherlands Journal of Zoology*, 52 (1), 77–86.
<http://dx.doi.org/10.1163/156854202760405203>
- André, E. (1881) Catalogue raisonné des Formicides provenant du voyage en Orient de M. Abeille de Perrin et description des espèces nouvelles. *Annales de la Société Entomologique de France*, Series 6, 1, 53–78.
- André, E. (1890) Matériaux pour servir à la faune myrmécologique de Sierra-Leone (Afrique occidentale). *Revue d'Entomologie (Caen)*, 9, 311–327.
- André, E. (1892) Matériaux myrmécologiques. *Revue d'Entomologie (Caen)*, 11, 45–56.
- André, J.-P., Peeters, C. & Doums, C. (2001) Serial polygyny and colony genetic structure in the monogynous queenless ant *Diacamma cyaneiventre*. *Behavioral Ecology and Sociobiology*, 50, 72–80.
<http://dx.doi.org/10.1007/s002650100330>
- André, J.-B., Peeters, C., Huet, M. & Doums, C. (2006) Estimating the rate of gamergate turnover in the queenless ant *Diacamma cyaneiventre* using a maximum likelihood model. *Insectes Sociaux*, 53, 233–240.
<http://dx.doi.org/10.1007/s00040-006-0863-z>
- Araújo, A. & Rodrigues, Z. (2006) Foraging behavior of the queenless ant *Dinoponera quadriceps* Santschi (Hymenoptera: Formicidae). *Neotropical Entomology*, 35 (2), 159–164.
<http://dx.doi.org/10.1590/s1519-566x2006000200002>
- Arnold, G. (1915) A monograph of the Formicidae of South Africa. Part I. Ponerinae; Dorylinae. *Annals of the South African Museum*, 14, 1–159.
- Arnold, G. (1916) A monograph of the Formicidae of South Africa. Part II. Ponerinae, Dorylinae. *Annals of the South African Museum*, 14, 159–270.
- Arnold, G. (1926) A monograph of the Formicidae of South Africa. Appendix. *Annals of the South African Museum*, 23, 191–295.
- Arnold, G. (1946) New species of African Hymenoptera. No. 6. *Occasional Papers of the National Museum of Southern Rhodesia*, 2, 49–97.
- Arnold, G. (1951) The genus *Hagensia* Forel (Formicidae). *Journal of the Entomological Society of Southern Africa*, 14, 53–56.
- Arnold, G. (1952) New species of African Hymenoptera. No. 10. *Occasional Papers of the National Museum of Southern Rhodesia*, 2, 460–493.
- Ashmead, W.H. (1905) A skeleton of a new arrangement of the families, subfamilies, tribes and genera of the ants, or the superfamily Formicoidea. *Canadian Entomologist*, 37, 381–384.
<http://dx.doi.org/10.4039/ent37381-11>
- Attygalle, A.B., Steghaus-Kovac, S., Ahmad, V.U., Maschwitz, U., Vostrowsky, O. & Bestmann, H.J. (1991) cis-Isogeraniol, a recruitment pheromone of the ant *Leptogenys diminuta*. *Naturwissenschaften*, 78, 90–92.
<http://dx.doi.org/10.1007/bf01206267>
- Attygalle, A.B., Vostrowsky, O. & Bestmann, H.J. (1988) (3R,4S)-4-Methyl-3-heptanol, the trail pheromone of the ant *Leptogenys diminuta*. *Naturwissenschaften*, 75, 315–317.
<http://dx.doi.org/10.1007/bf00367327>
- Baena, M.L. (1993) Hormigas cazadoras del género *Pachycondyla* (Hymenoptera; Ponerinae) de la Isla Gorgona y la planicie Pacífica Colombiana. *Boletín del Museo de Entomología de la Universidad del Valle*, 1 (1), 13–21.
- Baratte, S., Cobb, M., Deutsch, J. & Peeters, C. (2005) Morphological variations in the pre-imaginal development of the ponerine ant *Diacamma ceylonense*. *Acta Zoologica*, 86, 25–31.
<http://dx.doi.org/10.1111/j.0001-7272.2005.00181.x>

- Baratte, S., Cobb, M. & Peeters, C. (2006a) Reproductive conflicts and mutilation in queenless *Diacamma* ants. *Animal Behaviour*, 72, 305–311.
<http://dx.doi.org/10.1016/j.anbehav.2005.10.025>
- Baratte, S., Peeters, C. & Deutsch, J.S. (2006b) Testing homology with morphology, development and gene expression: sex-specific thoracic appendages of the ant *Diacamma*. *Evolution and Development*, 8 (5), 433–445.
<http://dx.doi.org/10.1111/j.1525-142x.2006.00117.x>
- Baroni Urbani, C. (1975) Contributo alla conoscenza dei generi *Belonopelta* Mayr e *Leiopelta* gen. n. (Hymenoptera: Formicidae). *Mitteilungen der Schweizerischen Entomologischen Gesellschaft*, 48, 295–310.
- Baroni Urbani, C., Boyan, G.S., Blarer, A., Billen, J. & Musthak Ali, T.M. (1994) A novel mechanism for jumping in the Indian ant *Harpegnathos saltator* (Jerdon) (Formicidae, Ponerinae). *Experientia*, 50, 63–71.
<http://dx.doi.org/10.1007/bf01992052>
- Baroni Urbani, C. & de Andrade, M.L. (2003) The ant genus *Thaumatomyrmex* in Cuba (Hymenoptera: Formicidae) with description of two new species. *Bulletin de la Société Entomologique Suisse*, 76, 263–277.
- Barros, L.A.C., Mariano, C.S.F., Pompolo, S.G. & Delabie, J.H.C. (2009) Hsc-FA and NOR bandings on chromosomes of the giant ant *Dinoponera lucida* Emery, 1901 (Hymenoptera: Formicidae). *Comparative Cytogenetics*, 3, 97–102.
<http://dx.doi.org/10.3897/compcytogen.v3i2.16>
- Baudry, E., Peeters, C., Brazier, L., Veuille, M. & Doums, C. (2003) Shift in the behaviours regulating monogyny is associated with high genetic differentiation in the queenless ant *Diacamma ceylonense*. *Insectes Sociaux*, 50, 390–397.
<http://dx.doi.org/10.1007/s00040-003-0695-z>
- Beck, J. & Kunz, B.K. (2007) Cooperative self-defence: Matabele ants (*Pachycondyla analis*) against African driver ants (*Dorylus* sp.; Hymenoptera: Formicidae). *Myrmecological News*, 10, 27–28.
- Belshaw, R. & Bolton, B. (1994) A survey of the leaf litter ant fauna in Ghana, West Africa. *Journal of Hymenoptera Research*, 3, 5–16.
- Berghoff, S.M., Maschwitz, U. & Linsenmair, K.E. (2003) Influence of the hypogaeic army ant *Dorylus* (*Dichthadia*) *laevigatus* on tropical arthropod communities. *Oecologia*, 135, 149–157.
- Bernard, F. (1950) Notes sur les fourmis de France. II. Peuplement des montagnes méridionales. *Annales de la Société Entomologique de France*, 115, 1–36.
- Bernard, F. (1953) La réserve naturelle intégrale du Mt Nimba. XI. Hyménoptères Formicidae. *Mémoires de l'Institut Français d'Afrique Noire*, 19, 165–270.
- Bernstein, A. (1861) [Untitled. Introduced by: "Von Herrn Dr. Agath. Berstein in Gadok auf Java ist folgendes Schreiben eingegangen:".]. *Verhandlungen der Kaiserlich-Königlichen Zoologisch-Botanischen Gesellschaft in Wien*, 11, 7–8.
- Billen, J. (2009) Occurrence and structural organization of the exocrine glands in the legs of ants. *Arthropod Structure and Development*, 38, 2–15.
<http://dx.doi.org/10.1016/j.asd.2008.08.002>
- Billen, J. & Peeters, C. (1991) Fine structure of the gemma gland in the ant *Diacamma australe* (Hymenoptera, Formicidae). *Belgian Journal of Zoology*, 121 (2), 203–210.
- Billen, J., Stroobants, Z., Wenseleers, T., Hashim, R. & Ito, F. (2013) Diversity and morphology of abdominal glands in workers of the ant genus *Myopias* (Formicidae, Ponerinae). *Arthropod Structure & Development*, 42, 165–172.
<http://dx.doi.org/10.1016/j.asd.2012.12.001>
- Bingham, C.T. (1903) *The fauna of British India, including Ceylon and Burma. Hymenoptera, Vol. II. Ants and Cuckoo-wasps.* Taylor and Francis, London, 506 pp.
- Bitsch, J. & Peeters, C. (1991) Moignons alaires et morphologie thoracique chez l'ouvrière de la fourmi *Diacamma australe* (Fabricius) (Hym. Formicidae Ponerinae). *Bulletin de la Société Entomologique de France*, 96, 213–221.
- Blum, M.S. (1966) Source and specificity of trail pheromones in *Termitopone*, *Monomorium* and *Huberia*, and their relation to those of some other ants. *Journal of Entomology Series A - General Entomology*, 41, 155–160.
<http://dx.doi.org/10.1111/j.1365-3032.1966.tb00335.x>
- Bocher, A., Doums, C., Millot, L. & Tirard, C. (2008) Reproductive conflicts affect labor and immune defense in the queenless ant *Diacamma* sp. "nilgiri". *Evolution*, 62 (1), 123–134
<http://dx.doi.org/10.1111/j.1558-5646.2007.00273.x>
- Bolton, B. (1974) A revision of the ponerine ant genus *Plectroctena* F. Smith (Hymenoptera: Formicidae). *Bulletin of the British Museum (Natural History) (Entomology)*, 30, 309–338.
- Bolton, B. (1975a) A revision of the ant genus *Leptogenys* Roger (Hymenoptera: Formicidae) in the Ethiopian region with a review of the Malagasy species. *Bulletin of the British Museum (Natural History) (Entomology)*, 31, 235–305.
- Bolton, B. (1975b) A revision of the African ponerine ant genus *Psalidomyrmex* André (Hymenoptera: Formicidae). *Bulletin of the British Museum (Natural History) (Entomology)*, 32, 1–16.
- Bolton, B. (1990) The higher classification of the ant subfamily Leptanillinae (Hymenoptera: Formicidae). *Systematic Entomology*, 15, 267–282.
<http://dx.doi.org/10.1111/j.1365-3113.1990.tb00063.x>
- Bolton, B. (1994) *Identification guide to the ant genera of the world.* Harvard University Press, Cambridge, Mass., 222 pp.
- Bolton, B. (1995) *A new general catalogue of the ants of the world.* Harvard University Press, Cambridge, Mass., 504 pp.
- Bolton, B. (2003) Synopsis and Classification of Formicidae. *Memoirs of the American Entomological Institute*, 71, 370 pp.

- Bolton, B., Alpert, G., Ward, P.S. & Naskrecki, P. (2006) *Bolton's Catalogue of Ants of the World: 1758-2005*. Harvard University Press, Cambridge, Mass., CD-ROM.
- Bolton, B. & Brown, W.L. Jr. (2002) *Loboponera* gen. n. and a review of the Afrotropical *Plectroctena* genus group (Hymenoptera: Formicidae). *Bulletin of the British Museum (Natural History) (Entomology)*, 71, 1–18.
<http://dx.doi.org/10.1017/s0968045402000019>
- Bolton, B. & Fisher, B.L. (2008a) The Afrotropical ponerine ant genus *Asphinctopone* Santschi (Hymenoptera: Formicidae). *Zootaxa*, 1827, 53–61.
- Bolton, B. & Fisher, B.L. (2008b) The Afrotropical ponerine ant genus *Phrynoponera* Wheeler (Hymenoptera: Formicidae). *Zootaxa*, 1892, 35–52.
- Bolton, B. & Fisher, B.L. (2008c) Afrotropical ants of the ponerine genera *Centromyrmex* Mayr, *Promyopias* Santschi gen. rev. and *Feroponera* gen. n., with a revised key to genera of African Ponerinae (Hymenoptera: Formicidae). *Zootaxa*, 19, 1–37.
- Bolton, B. & Fisher, B.L. (2011) Taxonomy of Afrotropical and West Palaearctic ants of the ponerine genus *Hypoconeropsis* Santschi. *Zootaxa*, 2843, 1–118.
- Bolton, B., Gotwald, W.H. & Leroux, J.-M. (1979) A new West African ant of the genus *Plectroctena* with ecological notes. *Annales de l'Université d'Abidjan. Serie E, Ecologie*, 9 (1976), 371–381.
- Bonavita, A. & Lemasne, G. (1970) Food exchange between adults in ants *Mesoponera caffraria* (Smith, F.). *Comptes Rendus Hebdomadaires des Seances de l'Academie Des Sciences Serie D*, 270 (11), 1511–1514.
- Bonavita, A. & Poveda, A. (1970) Mise en evidence d'une division du travail chez une fourmi primitive. *Comptes Rendus de l'Académie des Sciences, Paris*, 270, 515–518.
- Bonavita, A. & Poveda, A. (1972) Preliminary study on organ joining midgut and hindgut of ant larvae (Hymenoptera, Formicidae). *Comptes Rendus Hebdomadaires des Seances de l'Academie Des Sciences Serie D*, 275 (6), 775–778.
- Borgmeier, T. (1920) Zur lebensweise von *Odontomachus affinis* Guérin. *Zeitschrift des Deutschen Vereins für Wissenschaft und Kunst in São Paulo*, 1, 31–38.
- Borgmeier, T. (1950) A fêmea dichthadiiforme e os estádios evolutivos de *Simopelta pergandei* (Forel), e a descrição de *S. bicolor*, n. sp. (Hym. Formicidae). *Revista de Entomologia (Rio de Janeiro)*, 21, 369–380.
- Borgmeier, T. (1959) Myrmecologische Studien. II. *Anais da Academia Brasileira de Ciências*, 31, 309–319.
- Brady, S.G. (2003) Evolution of the army ant syndrome: The origin and long-term evolutionary stasis of a complex of behavioral and reproductive adaptations. *Proceedings of the National Academy of Sciences (USA)*, 100 (11), 6575–6579.
<http://dx.doi.org/10.1073/pnas.1137809100>
- Brandão, C.R.F. (1983) Sequential ethograms along colony development of *Odontomachus affinis* Guérin (Hymenoptera, Formicidae, Ponerinae). *Insectes Sociaux*, 30 (2), 193–203.
<http://dx.doi.org/10.1007/bf02223869>
- Brandão, C.R.F. (1991) *Thaumatomyrmex* strips millipedes for prey: a novel predatory behaviour in ants, and the first case of sympatry in the genus (Hymenoptera: Formicidae). *Insectes Sociaux*, 38, 335–344.
<http://dx.doi.org/10.1007/bf01241869>
- Braun, U., Peeters, C. & Hölldobler, B. (1994) The giant nests of the African stink ant *Paltothyreus tarsatus* (Formicidae, Ponerinae). *Biotropica*, 26 (3), 308–311.
<http://dx.doi.org/10.2307/2388852>
- Brent, C., Peeters, C., Dietmann, V., Crewe, R. & Vargo, E. (2006) Hormonal correlates of reproductive status in the queenless ponerine ant *Streblognathus peetersi*. *Journal of Comparative Physiology*, 192 (3), 315–320.
<http://dx.doi.org/10.1007/s00359-005-0065-6>
- Brown, W.L. Jr. (1950) Morphological, taxonomic, and other notes on ants. *Wasmann Journal of Biology*, 8, 241–250.
- Brown, W.L. Jr. (1952) Contributions toward a reclassification of the Formicidae. I. Tribe Platythyreini (Hymenoptera). *Breviora*, 6, 1–6.
- Brown, W.L. Jr. (1953a) Characters and synonymies among the genera of ants. Part I. *Breviora*, 11, 1–13.
- Brown, W.L. Jr. (1953b) Characters and synonymies among the genera of ants. Part II. *Breviora*, 18, 1–8.
- Brown, W.L. Jr. (1958) A review of the ants of New Zealand. *Acta Hymenopterologica*, 1, 1–50.
- Brown, W.L. Jr. (1960) Contributions toward a reclassification of the Formicidae. III. Tribe Amblyoponini (Hymenoptera). *Bulletin of the Museum of Comparative Zoology*, 122 (4), 145–230.
- Brown, W.L. Jr. (1963) Characters and synonymies among the genera of ants. Part III. Some members of the tribe Ponerini (Ponerinae, Formicidae). *Breviora*, 190, 1–10.
- Brown, W.L. Jr. (1973) A comparison of the Hylean and Congo-West African rain forest ant faunas. In: Meggers, B.J., Ayensu, E.S. & Duckworth, W.D. (Eds.), *Tropical forest ecosystems in Africa and South America: a comparative review*. Smithsonian Institution Press, Washington, D.C., pp. 161–185.
- Brown, W.L. Jr. (1974a) *Dolioponera* genus nov. *Pilot Registry of Zoology*, Card No. 31.
- Brown, W.L. Jr. (1974b) *Dolioponera fustigera* species nov. *Pilot Registry of Zoology*, Card No. 32.
- Brown, W.L. Jr. (1975) Contributions toward a reclassification of the Formicidae. V. Ponerinae, tribes Platythyreini, Cerapachyini, Cyliandromyrmecini, Acanthostichini, and Aenictogitini. *Search Agriculture (Ithaca N. Y.)*, 5 (1), 1–115.
- Brown, W.L. Jr. (1976) Contributions toward a reclassification of the Formicidae. Part VI. Ponerinae, tribe Ponerini, subtribe Odontomachiti. Section A. Introduction, subtribal characters. Genus *Odontomachus*. *Studia Entomologica*, 19, 67–171.
- Brown, W.L. Jr. (1978) Contributions toward a reclassification of the Formicidae. Part VI. Ponerinae, tribe Ponerini, subtribe

- Odontomachiti. Section B. Genus *Anochetus* and bibliography. *Studia Entomologica*, 20, 549–638.
- Brown, W.L. Jr. (2000) Diversity of ants. In: Agosti, D., Majer, J., Alonso, E. & Schultz, T.R. (Eds.), *Ants: standard methods for measuring and monitoring biodiversity*. Smithsonian Institution Press, Washington, D.C., pp. 45–79.
- Buschinger, A. & Maschwitz, U. (1984) Defensive behavior and defensive mechanisms in ants. In: Hermann, H.R. (Ed.), *Defensive Mechanisms in Social Insects*. Praeger, New York, pp. 95–150.
- Caperucci, D. & Mathias, M.I.C. (2006) Lipids in oocytes of ants *Neoponera villosa* (Hymenoptera: Ponerinae). *Sociobiology*, 47 (2), 531–541.
- Carlin, N.F. & Gladstein, D.S. (1989) The “bouncer” defense of *Odontomachus ruginodis* and other odontomachine ants (Hymenoptera: Formicidae). *Psyche (Camb.)*, 96, 1–19.
<http://dx.doi.org/10.1155/1989/96595>
- Carpenter, F.M. (1930) The fossil ants of North America. *Bulletin of the Museum of Comparative Zoology*, 70, 1–66.
- Casnati, G., Ricca, A. & Pavan, M. (1967) Sulla secrezione difensiva delle glandole mandibolari di *Paltothyreus tarsatus* (Fabr.) (Hymenoptera: Formicidae). *Chimica e l'Industria (Milan)*, 49, 57–58.
- Chapman, J.W. & Capco, S.R. (1951) Check list of the ants (Hymenoptera: Formicidae) of Asia. *Monographs of the Institute of Science and Technology. Manila*, 1, 1–327.
- Cho, Y.S., Lee, Y., Lee, C., Yoo, B., Park, H. & Moon, H. (2002) Prevalence of *Pachycondyla chinensis* venom allergy in an ant-infested area in Korea. *Journal of Allergy and Clinical Immunology*, 110 (1), 54–57.
<http://dx.doi.org/10.1067/mai.2002.124890>
- Clark, J. (1930) New Formicidae, with notes on some little-known species. *Proceedings of the Royal Society of Victoria (n.s.)*, 43, 2–25.
- Clark, V.C., Raxworthy, C.J., Rakotomalala, V., Sierwald, P. & Fisher, B.L. (2005) Convergent evolution of chemical defense in poison frogs and arthropod prey between Madagascar and the Neotropics. *Proceedings of the National Academy of Sciences (USA)*, 102 (33), 11617–11622.
<http://dx.doi.org/10.1073/pnas.0503502102>
- Cokendolpher, J.C., Reddell, J.R., Taylor, S.J., Krejca, J.K., Suarez, A.V. & Pekins, C.E. (2009) Further ants (Hymenoptera: Formicidae) from caves of Texas. *Texas Memorial Museum Speleological Monographs*, 7, 151–168.
- Collingwood, C.A., Tigar, B.J. & Agosti, D. (1997) Introduced ants in the United Arab Emirates. *Journal of Arid Environments*, 37, 505–512.
<http://dx.doi.org/10.1006/jare.1997.0309>
- Collingwood, C.A. & van Harten, A. (2005) Further additions to the ant fauna (Hymenoptera: Formicidae) of Yemen. *Zoology in the Middle East*, 35, 73–78.
<http://dx.doi.org/10.1080/09397140.2005.10638105>
- Colombel, P.P. (1968) An ecto-horome eliciting alarm in ants *Odontomachus hematodes* (Hym Form Poneridae). *Comptes Rendus Hebdomadaires des Seances de l'Academie des Sciences Serie D*, 266 (8), 806–807.
- Colombel, P.P. (1970a) Recherches sur la biologie et l'éthologie d'*Odontomachus haematodes* L. Hym. Formicoidea Poneridae. Étude des populations dans leur milieu naturel. *Insectes Sociaux*, 3, 183–198.
<http://dx.doi.org/10.1007/bf02226192>
- Colombel, P.P. (1970b) Recherches sur la biologie et l'éthologie d'*Odontomachus haematodes* L. Hym. Formicoidea Poneridae. Biologie des reines. *Insectes Sociaux*, 3, 199–204.
<http://dx.doi.org/10.1007/bf02226193>
- Colombel, P.P. (1972) Recherches sur la biologie et l'éthologie d'*Odontomachus haematodes* L. (Hym. Formicoidea, Poneridae) biologie des ouvrières. *Insectes Sociaux*, 3, 171–194.
<http://dx.doi.org/10.1007/bf02226625>
- Colombel, P.P. (1974) Artificial breeding of eggs of *Odontomachus haematodes* L (Hymenoptera, Formicidae, Ponerinae) and trophogenic differentiation of workers and queens. *Comptes Rendus Hebdomadaires des Seances de l'Academie des Sciences Serie D*, 279 (6), 489–491.
- Colombel, P.P. (1978) Biologie d'*Odontomachus haematodes* L. (Hym. Form.) déterminisme de la caste femelle. *Insectes Sociaux*, 25 (2), 141–151.
<http://dx.doi.org/10.1007/bf02224253>
- Corbara, B. & Déjean, A. (2000) Adaptive behavioral flexibility of the ant *Pachycondyla analis* (*Megaponera foetens*) (Formicidae: Ponerinae) during prey capture. *Sociobiology*, 36, 465–483.
- Creighton, W.S. (1929) New forms of *Odontoponera transversa*. *Psyche (Camb.)*, 36, 150–154.
<http://dx.doi.org/10.1155/1929/92879>
- Creighton, W.S. & Tulloch, G.S. (1930) Notes on *Euponera gilva* (Roger) (Hymenoptera, Formicidae). *Psyche (Camb.)*, 37 (1), 71–79.
<http://dx.doi.org/10.1155/1930/49524>
- Crewe, R.M. & Fletcher, D.J.C. (1974) Ponerine ant secretions: the mandibular gland secretion of *Paltothyreus tarsatus* Fabr. *Journal of the Entomological Society of Southern Africa*, 37 (2), 291–298.
- Crewe, R.M., Peeters, C. & Villet, M. (1984) Frequency distribution of worker sizes in *Megaponera foetens* (Fabricius). *South African Journal of Zoology*, 19, 247–248.
- Crewe, R.M. & Ross, F.P. (1975a) Biosynthesis of alkyl sulfides by an ant. *Nature*, 254 (5499), 448–449.

- Crewe, R.M. & Ross, F.P. (1975b) Pheromone biosynthesis - formation of sulfides by ant *Paltothyreus tarsatus*. *Insect Biochemistry*, 5 (6), 839–843.
[http://dx.doi.org/10.1016/0020-1790\(75\)90028-1](http://dx.doi.org/10.1016/0020-1790(75)90028-1)
- Crosland, M.W.J. (1994) Millipede myrmecophile, *Glyphiulus granulatus*, found with the primitive ant *Harpegnathos venator*. *Journal of Entomological Science*, 29 (1), 141–142.
- Crosland, M.W.J. (1995) Nest and colony structure in the primitive ant, *Harpegnathos venator* (Smith) (Hymenoptera, Formicidae). *Pan-Pacific Entomologist*, 71 (1), 18–23.
- Cuvillier-Hot, V., Cobb, M., Malosse, C. & Peeters, C. (2001) Sex, age and ovarian activity affect cuticular hydrocarbons in *Diacamma ceylonense*, a queenless ant. *Journal of Insect Physiology*, 47, 485–493.
[http://dx.doi.org/10.1016/s0022-1910\(00\)00137-2](http://dx.doi.org/10.1016/s0022-1910(00)00137-2)
- Cuvillier-Hot, V., Gadagkar, R., Peeters, C. & Cobb, M. (2002) Regulation of reproduction in a queenless ant: aggression, pheromones and reduction in conflict. *Proceedings of the Royal Society B*, 269, 1295–1300.
<http://dx.doi.org/10.1098/rspb.2002.1991>
- Cuvillier-Hot, V. & Lenoir, A. (2006) Biogenic amine levels, reproduction and social dominance in the queenless ant *Streblognathus peetersi*. *Naturwissenschaften*, 93 (3), 149–153.
<http://dx.doi.org/10.1007/s00114-006-0086-1>
- Cuvillier-Hot, V., Lenoir, A. & Peeters, C. (2004a) Reproductive monopoly enforced by sterile police workers in a queenless ant. *Behavioral Ecology*, 15 (6), 970–975.
<http://dx.doi.org/10.1093/beheco/arl072>
- Cuvillier-Hot, V., Lenoir, A., Crewe, R., Malosse, C. & Peeters, C. (2004b) Fertility signalling and reproductive skew in queenless ants. *Animal Behaviour*, 68, 1209–1219.
<http://dx.doi.org/10.1016/j.anbehav.2003.11.026>
- Cuvillier-Hot, V., Renault, V. & Peeters, C. (2005) Rapid modification in the olfactory signal of ants following a change in reproductive status. *Naturwissenschaften*, 92 (2), 73–77.
<http://dx.doi.org/10.1007/s00114-004-0588-7>
- Dahbi, A. & Jaisson, P. (1995) An analysis of polyethism in the queenless ant *Diacamma* sp. (Formicidae, Ponerinae). *Sociobiology*, 26 (1), 69–81.
- Dalla Torre, K.W. von (1893) *Catalogus Hymenopterorum hucusque descriptorum systematicus et synonymicus. Vol. 7. Formicidae (Heterogyna)*. W. Engelmann, Leipzig, 289 pp.
- Dantas de Araujo, C.Z., Lachaud, J.-P. & Fresneau, D. (1990) Le système reproductif chez une ponérine sans reine: *Dinoponera quadriceps* Santschi. *Behavioral Processes*, 22, 101–111.
[http://dx.doi.org/10.1016/0376-6357\(90\)90011-4](http://dx.doi.org/10.1016/0376-6357(90)90011-4)
- Davidson, D.W. & Fisher, B.F. (1991) Symbiosis of ants with *Cecropia* as a function of light regime. In: Huxley, C.R. & Cutler, D.F. (Eds.), *Ant-plant Interactions*. Oxford University Press, Oxford, UK, pp. 289–309.
- Davies, S.J., Villet, M.H., Blomefield, T.M. & Crewe, R.M. (1994) Reproduction and division of labour in *Leptogenys schwabi* Forel (Hymenoptera Formicidae), a polygynous, queenless ponerine ant. *Ethology Ecology and Evolution*, 6, 507–517.
<http://dx.doi.org/10.1080/08927014.1994.9522975>
- Dean, W.R.J. (1989) Foraging and forager-recruitment in *Ophthalmopone hottentota* Emery Hymenoptera Formicidae. *Psyche (Camb.)*, 96 (1–2), 123–130.
<http://dx.doi.org/10.1155/1989/27839>
- De Andrade, M.L. (2004) A new species of *Platythyrea* from Dominican amber and description of a new extant species from Honduras (Hymenoptera: Formicidae). *Revue Suisse de Zoologie*, 111 (3), 643–655.
- Déjean, A. (1988) Memory effect on predatory behaviour of *Odontomachus troglodytes* (Formicidae - Ponerinae). *Behavior*, 107 (3–4), 131–137.
<http://dx.doi.org/10.1163/156853988x00313>
- Déjean, A. (1990) Influence de l'environnement pre-imaginal et precoce dans le choix du site de nidification de *Pachycondyla* (= *Neoponera*) *villosa* (Fabr.) (Formicidae, Ponerinae). *Behavioural Processes*, 21, 107–125.
[http://dx.doi.org/10.1016/0376-6357\(90\)90019-c](http://dx.doi.org/10.1016/0376-6357(90)90019-c)
- Déjean, A. (1991) The predatory behavior of *Pachycondyla soror* (Formicidae, Ponerinae). *Entomologia Experimentalis et Applicata*, 58 (2), 123–135.
<http://dx.doi.org/10.1111/j.1570-7458.1991.tb01460.x>
- Déjean, A. (1997) Distribution of colonies and prey specialization in the ponerine ant genus *Leptogenys* (Hymenoptera: Formicidae). *Sociobiology*, 29 (3), 293–300.
- Déjean, A. & Bashingwa, E.P. (1985) La prédation chez *Odontomachus troglodytes* Santschi (Formicidae-Ponerinae). *Insectes Sociaux*, 32 (1), 23–42.
<http://dx.doi.org/10.1007/bf02233224>
- Déjean, A., Beugnon, G. & Lachaud, J.P. (1993a) Spatial components of foraging behavior in an African ponerine ant *Paltothyreus tarsatus*. *Journal of Insect Behavior*, 6 (3), 271–285.
<http://dx.doi.org/10.1007/bf01048109>
- Déjean, A., Bolton, B. & Durand, J.L. (1997) Cubitermes subarquatus termitaries as shelters for soil fauna in African rainforests. *Journal of Natural History*, 31, 1289–1302.

<http://dx.doi.org/10.1080/00222939700770711>

- Déjean, A. & Corbara, B. (1990a) Predatory behavior of a Neotropical arboricolous ant - *Pachycondyla villosa* (Formicidae, Ponerinae). *Sociobiology*, 17 (2), 271–286.
- Déjean, A. & Corbara, B. (1990b) Glucidic food for the larvae of *Pachycondyla villosa* (Formicidae, Ponerinae). *Biology of Behavior*, 15 (3–4), 117–124.
- Déjean, A. & Corbara, B. (1998) Study of different foraging paths of the predatory neotropical ponerine ant *Pachycondyla* (= *Neoponera*) *villosa* (Hymenoptera, Formicidae). *Sociobiology*, 32 (3), 409–426.
- Déjean, A., Corbara, B. & Oliva-Rivera, J. (1990) Mise en évidence d'une forme d'apprentissage dans le comportement de capture des proies chez *Pachycondyla* (= *Neoponera*) *villosa* (Formicidae, Ponerinae). *Behaviour*, 115 (3–4), 175–187.
<http://dx.doi.org/10.1163/156853990x00563>
- Déjean, A., Corbara, B., Orivel, J., Snelling, R.R., Delabie, J.H.C. & Belin-Depoux, M. (2000) The importance of ant gardens in the pioneer vegetal formations of French Guiana (Hymenoptera: Formicidae). *Sociobiology*, 35 (3), 425–439.
- Déjean, A., Durand, J.L. & Bolton, B. (1996) Ants inhabiting *Cubitermes* termitaries in African rain forest. *Biotropica*, 28, 701–713.
<http://dx.doi.org/10.2307/2389056>
- Déjean, A. & Evraerts, C. (1997) Predatory behavior in the genus *Leptogenys*: a comparative study. *Journal of Insect Behavior*, 10 (2), 17–191.
- Déjean, A. & Fénéron, R. (1996) Polymorphism and oligogyny in the ponerine ant *Centromyrmex bequaerti* (Formicidae: Ponerinae). *Insectes Sociaux*, 43, 87–99.
<http://dx.doi.org/10.1007/bf01253959>
- Déjean, A. & Fénéron, R. (1999) Predatory behaviour in the ponerine ant, *Centromyrmex bequaerti*: a case of termitolesty. *Behavioural Processes*, 47, 125–133.
[http://dx.doi.org/10.1016/s0376-6357\(99\)00060-1](http://dx.doi.org/10.1016/s0376-6357(99)00060-1)
- Déjean, A. & Lachaud, J.P. (1991) Polyethism in the ponerine ant *Odontomachus troglodytes*: interaction of age and interindividual variability. *Sociobiology*, 18 (2), 177–196.
- Déjean, A. & Lachaud, J.P. (1994) Ecology and behavior of the seed-eating ponerine ant *Brachyponera senaarensis* [sic] (Mayr). *Insectes Sociaux*, 41, 191–210.
- Déjean, A., Lachaud, J.P. & Beugnon, G. (1993b) Efficiency in the exploitation of patchy environments by the ponerine ant *Paltothyreus tarsatus* - an ecological consequence of the flexibility of prey capture behavior. *Journal of Ethology*, 11 (1), 43–53.
<http://dx.doi.org/10.1007/bf02350005>
- Déjean, A. & Olmsted, I. (1997) Ecological studies on *Aechmea bracteata* (Swartz) (Bromeliaceae). *Journal of Natural History*, 31, 1313–1334.
<http://dx.doi.org/10.1080/00222939700770741>
- Déjean, A., Olmsted, I. & Camal, J.F. (1992) Interaction between *Atta cephalotes* and arboreal ants in the Biosphere reserve Sian Ka'an (Quintana Roo, Mexico): efficient protection of the trees (Hymenoptera, Formicidae). *Sociobiology*, 20 (1), 57–76.
- Déjean, A., Schatz, B., Orivel, J., Beugnon, G., Lachaud, J.P. & Corbara, B. (1999) Feeding preferences in African ponerine ants: A cafeteria experiment (Hymenoptera: Formicidae). *Sociobiology*, 34 (3), 555–568.
- Déjean, A. & Suzzoni, J.P. (1991) La predation chez *Plectroctena minor* (Formicidae: Ponerinae). *Actes des Colloques Insectes Sociaux*, 7, 137–144.
- Déjean, A. & Suzzoni, J.P. (1997) Surface tension strengths in the service of a Ponerine ant: a new kind of nectar transport. *Naturwissenschaften*, 84, 76–79.
<http://dx.doi.org/10.1007/s001140050352>
- Déjean, A., Suzzoni, J.P. & Schatz, B. (2001) Behavioral adaptations of an African ponerine ant in the capture of millipedes. *Behavior*, 138, 981–996.
<http://dx.doi.org/10.1163/156853901753286524>
- Déjean, A., Suzzoni, J.P., Schatz, B. & Orivel, J. (2002) Territorial aggressiveness and predation: two possible origins of snapping in the ant *Plectroctena minor*. *Comptes Rendus Biologies*, 325, 819–825.
[http://dx.doi.org/10.1016/s1631-0691\(02\)01484-1](http://dx.doi.org/10.1016/s1631-0691(02)01484-1)
- De la Mora, A., Pérez-Lachaud, G. & Lachaud, J.P. (2008) Mandible strike: The lethal weapon of *Odontomachus opaciventris* against small prey. *Behavioral Processes*, 78, 64–75.
<http://dx.doi.org/10.1016/j.beproc.2008.01.011>
- Delabie, J.H.C. (1995) Inquilinismo simultaneo de duas especies de *Centromyrmex* em cupinzeiros de *Syntermes* sp. *Revista Brasileira de Entomologia*, 39, 605–609.
- Delabie, J.H.C., Fresneau, D. & Pezon, A. (2000) Notes on the ecology of *Thaumatomyrmex* spp. (Hymenoptera: Formicidae: Ponerinae) in southeast Bahia, Brazil. *Sociobiology*, 36, 571–584.
- Denis, D., Orivel, J., Hora, R.R., Chameron, S. & Fresneau, D. (2006a) First record of polydomy in a monogynous ponerine ant: a means to allow emigration between *Pachycondyla goeldii* nests. *Journal of Insect Behavior*, 19 (3), 279–291.
<http://dx.doi.org/10.1007/s10905-006-9024-5>
- Denis, D., Blatrix, R. & Fresneau, D. (2006b) How an ant manages to display individual and colonial signals by using the same

- channel. *Journal of Chemical Ecology*, 32, 1647–1661.
<http://dx.doi.org/10.1007/s10886-006-9099-7>
- Denis, D., Chameron, S., Costille, L., Pocheville, A., Châline, N. & Fresneau, D. (2008) Workers agonistic interactions in queenright and queenless nest of a polydomous ant society. *Animal Behavior*, 75, 791–800.
<http://dx.doi.org/10.1016/j.anbehav.2007.06.016>
- Denis, D., Pezon, A. & Fresneau, D. (2007) Reproductive allocation in multinest colonies of the ponerine ant *Pachycondyla goeldii*. *Ecological Entomology*, 32, 289–295.
<http://dx.doi.org/10.1111/j.1365-2311.2007.00873.x>
- D'Ettoire, P. & Heinze, J. (2005) Individual recognition in ant queens. *Current Biology*, 15, 2170–2174.
<http://dx.doi.org/10.1016/j.cub.2005.10.067>
- D'Ettoire, P., Heinze, J. & Ratnieks, F.L.W. (2004b) Worker policing by egg eating in the ponerine ant *Pachycondyla inversa*. *Proceedings of the Royal Society B*, 271, 1427–1434.
<http://dx.doi.org/10.1098/rspb.2004.2742>
- D'Ettoire, P., Heinze, J., Schulz, C., Francke, W. & Ayasse, M. (2004b) Does she smell like a queen? Chemoreception of a cuticular hydrocarbon signal in the ant *Pachycondyla inversa*. *Journal of Experimental Biology*, 207, 1085–1091.
- D'Ettoire, P., Kellner, K., Delabie, J.H.C. & Heinze, J. (2005) Number of queens in founding associations of the ponerine ant *Pachycondyla villosa*. *Insectes Sociaux*, 52, 327–332.
<http://dx.doi.org/10.1007/s00040-005-0815-z>
- D'Ettoire, P., Tofilski, A., Heinze, J. & Ranieks, F.L.W. (2006) Non-transferable signals on ant queen eggs. *Naturwissenschaften*, 93, 136–140.
<http://dx.doi.org/10.1007/s00114-005-0075-9>
- Deyrup, M. & Cover, S. (2004) A new species of *Odontomachus* ant (Hymenoptera: Formicidae) from inland ridges of Florida, with a key to *Odontomachus* of the United States. *Florida Entomologist*, 87 (2), 136–144.
[http://dx.doi.org/10.1653/0015-4040\(2004\)087\[0136:ansooa\]2.0.co;2](http://dx.doi.org/10.1653/0015-4040(2004)087[0136:ansooa]2.0.co;2)
- Dib, G., Ferguson, R.K. & Sljivic, V. (1992) Hypersensitivity to Samsun ant. *The Lancet*, 339, 552–553.
[http://dx.doi.org/10.1016/0140-6736\(92\)90372-a](http://dx.doi.org/10.1016/0140-6736(92)90372-a)
- Dietemann, V. & Peeters, C. (2000) Queen influence on the shift from trophic to reproductive eggs laid by workers of the ponerine ant *Pachycondyla apicalis*. *Insectes Sociaux*, 47, 223–228.
<http://dx.doi.org/10.1007/pl00001707>
- Djiéto-Lordon, C., Orivel, J. & Déjean, A. (2001a) Consuming large prey on the spot: the case of the arboreal foraging ponerine ant *Platythyrea modesta* (Hymenoptera, Formicidae). *Insectes Sociaux*, 48, 324–326.
<http://dx.doi.org/10.1007/pl00001784>
- Djiéto-Lordon, C., Orivel, J. & Déjean, A. (2001b) Predatory behavior of the African ponerine ant *Platythyrea modesta* (Hymenoptera: Formicidae). *Sociobiology*, 38 (3A), 303–315.
- Glusky, G.M. & Fedoseeva, E.B. (1988) Origin and early stages of evolution in ants. In: Ponomarenko, A.G. (Ed.), *Cretaceous biocenotic crisis and insect evolution*. Nauka, Moskva, pp. 70–144.
- Don, W. (2008) *Ants of New Zealand*. Otago University Press, Otago, New Zealand, 239 pp.
- Donisthorpe, H. (1937) A new species of *Harpegnathos* Jerd., with some remarks on the genus, and other known species (Hym. Formicidae). *Entomologist's Monthly Magazine*, 73, 196–201.
- Donisthorpe, H. (1941) Descriptions of new species of ants from New Guinea. *Annals and Magazine of Natural History*, 11 (7), 129–144.
- Donisthorpe, H. (1942) Descriptions of a few ants from the Philippine Islands, and a male of *Polyrhachis bihamata* Drury from India. *Annals and Magazine of Natural History*, 11 (9), 64–72.
<http://dx.doi.org/10.1080/03745481.1942.9755466>
- Donisthorpe, H. (1943a) The ants (Hym., Formicidae) of Waigeu Island, North Dutch New Guinea. *Annals and Magazine of Natural History*, 11 (10), 433–475.
- Donisthorpe, H. (1943b) A list of the type-species of the genera and subgenera of the Formicidae. [part]. *Annals and Magazine of Natural History*, 11 (10), 617–688.
- Donisthorpe, H. (1943c) A list of the type-species of the genera and subgenera of the Formicidae. [concl.]. *Annals and Magazine of Natural History*, 11 (10), 721–737.
- Donisthorpe, H. (1948) *Microbolbos testaceus*, a new genus and species of ponerine ant. *Entomologist*, 81, 170–171.
- Doums, C. (1999) Characterization of microsatellite loci in the queenless ponerine ant *Diacamma cyaneiventre*. *Molecular Ecology*, 8, 1957–1969.
<http://dx.doi.org/10.1046/j.1365-294x.1999.00778.x>
- Doums, C., Cabrera, H. & Peeters, C. (2002) Population genetic structure and male-biased dispersal in the queenless ant *Diacamma cyaneiventre*. *Molecular Ecology*, 11, 2251–2264.
<http://dx.doi.org/10.1046/j.1365-294x.2002.01619.x>
- Dreier, S., van Zweden, J.S. & D'Ettoire, P. (2007) Long-term memory of individual identity in ant queens. *Biology Letters*, 3, 459–462.
<http://dx.doi.org/10.1098/rsbl.2007.0224>
- Duelli, P. & Duelli-Klein, R. (1976) Field studies on homing ability in South American ants. *Studia Entomologica*, 19,

409–420.

- Duffield, R.M. & Blum, M.S. (1973) 4-methyl-3-heptanone - identification and function in *Neoponera villosa* (Hymenoptera: Formicidae). *Annals of the Entomological Society of America*, 66 (6), 1357.
- Duncan, F.D. (1999) The ponerine ant *Pachycondyla* (= *Ophthalmopone*) *berthoudi* Forel carries loads economically. *Physiological and Biochemical Zoology*, 72 (1), 71–77.
<http://dx.doi.org/10.1086/316646>
- Duncan, F.D. & Crewe, R.M. (1993) A comparison of the energetics of foraging of three species of *Leptogenys* (Hymenoptera, Formicidae). *Physiological Entomology*, 18, 372–378.
<http://dx.doi.org/10.1111/j.1365-3032.1993.tb00610.x>
- Duncan, F.D. & Crewe, R.M. (1994a) Field study on the foraging characteristics of a ponerine ant, *Hagensia havilandi* Forel. *Insectes Sociaux*, 41, 85–98.
<http://dx.doi.org/10.1007/bf01240576>
- Duncan, F.D. & Crewe, R.M. (1994b) Group hunting in a ponerine ant, *Leptogenys nitida* Smith. *Oecologia*, 97, 118–123.
<http://dx.doi.org/10.1007/bf00317915>
- Düßmann, O., Peeters, C. & Hölldobler, B. (1996) Morphology and reproductive behaviour of intercastes in the ponerine ant *Pachycondyla obscuricornis*. *Insectes Sociaux*, 43, 421–425.
<http://dx.doi.org/10.1007/bf01258414>
- Eguchi, K., Bui, T.V. & Janssen, R. (2005) Gastropod guests (Prosobranchia: Pupinidae, and Pulmonata: Subulinidae) associated with the ponerine ant *Diacamma sculpturatum* complex (Insecta: Hymenoptera: Formicidae). *Sociobiology*, 45 (2), 307–315.
- Eguchi, K., Bui, T.V. & Yamane, S. (2004) A preliminary study on foraging distance and nesting sites of ants in indo-Chinese lowland vegetation (Insects, Hymenoptera, Formicidae). *Sociobiology*, 43 (3), 445–457.
- Ehmer, B. & Gronenberg, W. (1997) Proprioceptors and fast antennal reflexes in the ant *Odontomachus* (Formicidae, Ponerinae). *Cell Tissue Research*, 290, 153–165.
<http://dx.doi.org/10.1007/s004410050917>
- Ehmer, B. & Hölldobler, B. (1995) Foraging behavior of *Odontomachus bauri* on Barro Colorado Island, Panama. *Pysche*, 102, 215–224.
<http://dx.doi.org/10.1155/1995/27197>
- Emery, C. (1877) Saggio di un ordinamento naturale dei Mirmicidi, e considerazioni sulla filogenesi delle formiche. *Bollettino della Societa Entomologica Italiana*, 9, 67–83.
- Emery, C. (1886) Alcune formiche africane. *Bollettino della Societa Entomologica Italiana*, 18, 355–366.
- Emery, C. (1887) Catalogo delle formiche esistenti nelle collezioni del Museo Civico di Genova. Parte terza. Formiche della regione Indo-Malese e dell'Australia (continuazione e fine). [part]. *Annali del Museo Civico di Storia Naturale di Genova*, 25 [= (2) (5)], 433–448.
- Emery, C. (1889) Formiche di Birmania e del Tenasserim raccolte da Leonardo Fea (1885-87). [part]. *Annali del Museo Civico di Storia Naturale di Genova*, 27 [= (2) (7)], 485–512.
- Emery, C. (1890) Studii sulle formiche della fauna neotropica. *Bollettino della Societa Entomologica Italiana*, 22, 38–80.
- Emery, C. (1892) [1891]. Voyage de M. Ch. Alluaud dans le territoire d'Assinie (Afrique occidentale) en juillet et août 1886. Formicides. *Annales de la Société Entomologique de France*, 60, 553–574.
- Emery, C. (1893a) [1892]. [Untitled. Introduced by: "M. C. Emery, de Bologne, envoie les diagnoses de cinq nouveaux genres de Formicides".]. *Bulletin Bimensuel de la Société Entomologique de France*, 1892, cclxxv–cclxxvii.
- Emery, C. (1893b) Voyage de M. E. Simon aux îles Philippines (mars et avril 1890). Formicides. *Annales de la Société Entomologique de France*, 62, 259–270.
- Emery, C. (1895a) Beiträge zur Kenntniss der nordamerikanischen Ameisenfauna. (Schluss). *Zoologische Jahrbücher. Abteilung für Systematik, Geographie und Biologie der Tiere*, 8, 257–360.
- Emery, C. (1895b) Descriptions de quelques fourmis nouvelles d'Australie. *Annales de la Société Entomologique de Belgique*, 39, 345–358.
- Emery, C. (1895c) Voyage de M. E. Simon dans l'Afrique australe (janvier-avril 1893). 3e mémoire. Formicides. *Annales de la Société Entomologique de France*, 64, 15–56.
- Emery, C. (1895d) Die Gattung *Dorylus* Fab. und die systematische Eintheilung der Formiciden. *Zoologische Jahrbücher. Abteilung für Systematik, Geographie und Biologie der Tiere*, 8, 685–778.
- Emery, C. (1896) Clef analytique des genres de la famille des Formicides, pour la détermination des neutres. *Annales de la Société Entomologique de Belgique*, 40, 172–189.
- Emery, C. (1897a) Viaggio di Lamberto Loria nella Papuasias orientale. XVIII. Formiche raccolte nella Nuova Guinea dal Dott. Lamberto Loria. *Annali del Museo Civico di Storia Naturale di Genova*, 38, 546–576.
- Emery, C. (1897b) Formiche raccolte da Don Eugenio dei Principi Ruspoli, durante l'ultimo suo viaggio nelle regioni dei Somali e dei Galla. *Annali del Museo Civico di Storia Naturale di Genova*, 38, 596–605.
- Emery, C. (1900a) Formicidarum species novae vel minus cognitae in collectione Musaei Nationalis Hungarici quas in Nova-Guinea, colonia germanica, collegit L. Biró. Publicatio secunda. *Természetrázi Füzetek*, 23, 310–338.
- Emery, C. (1900b) Formiche raccolte da Elio Modigliani in Sumatra, Engano e Mentawai. [part]. *Annali del Museo Civico di Storia Naturale di Genova*, 40 [= 2 (20)], 661–688.

- Emery, C. (1901) Notes sur les sous-familles des Dorylines et Ponérines (Famille des Formicidae). *Annales de la Société Entomologique de Belgique*, 45, 32–54.
- Emery, C. (1902) Note mirmecologiche. *Rendiconti delle Sessioni della Reale Accademia delle Scienze dell'Istituto di Bologna* (n.s.), 6, 22–34.
- Emery, C. (1909) Beiträge zur Monographie der Formiciden des paläarktischen Faunengebietes. (Hym.) Teil VIII. *Deutsche Entomologische Zeitschrift*, 1909, 355–376.
<http://dx.doi.org/10.1002/mmnd.48019090302>
- Emery, C. (1911) Hymenoptera. Fam. Formicidae. Subfam. Ponerinae. *Genera Insectorum*, 118, 1–125.
- Emery, C. (1915) Formiche raccolte nell'Eritrea dal Prof. F. Silvestri. *Bollettino del Laboratorio di Zoologia Generale e Agraria della Reale Scuola Superiore d'Agricoltura. Portici*, 10, 3–26
- Emery, C. & A. Forel. (1879) Catalogue des Formicidae d'Europe. *Mitteilungen der Schweizerischen Entomologischen Gesellschaft*, 5, 441–481.
- Escoubas, P., Whitman, D.W., Clement, J.L. & Blum, M.S. (1987) Larval appendages of two termitophagous ants, *Hypoponera eduardi* and *Ponera pennsylvanica* (Hymenoptera: Formicidae). *Sociobiology*, 13 (3), 241–247.
- Esquivel, D.M.S., Wajnberg, E., Cernicchiaro, G.R. & Alves, O.C. (2004) Comparative magnetic measurements of migratory ant and its only termite prey. *Journal of Magnetism and Magnetic Materials*, 278, 117–121.
<http://dx.doi.org/10.1016/j.jmmm.2003.12.327>
- Evans, H.C. & Leston, D. (1971) A ponerine ant (Hym. Formicidae) associated with Homoptera on cocoa in Ghana. *Bulletin of Entomological Research*, 61, 357–362.
<http://dx.doi.org/10.1017/s0007485300057898>
- Fabricius, J.C. (1793) *Entomologia systematica emendata et aucta. Secundum classes, ordines, genera, species, adjectis synonymis, locis observationibus, descriptionibus. Tome 2.* C. G. Proft, Hafniae [= Copenhagen], 519 pp.
- Fabricius, J.C. (1798) *Supplementum entomologiae systematicae.* Proft and Storch, Hafniae [= Copenhagen], 572 pp.
- Fabricius, J.C. (1804) *Systema Piezatorum secundum ordines, genera, species, adjectis synonymis, locis, observationibus, descriptionibus.* C. Reichard, Brunswick, xiv + 15–439 + 30 pp.
- Fales, H.M., Jones, T.H., Jaouni, T., Blum, M.S. & Schmidt, J.O. (1992) Phenylaklenals in ponerine (*Leptogenys* sp.) and myrmicine (*Pogonomyrmex* sp.) ants. *Journal of Chemical Ecology*, 18 (6), 847–854.
<http://dx.doi.org/10.1007/bf00988325>
- Fernandes, I.O., De Oliveira, M.L. & Delabie, J.H.C. (2014) Description of two new species in the Neotropical *Pachycondyla foetida* complex (Hymenoptera: Formicidae: Ponerinae) and taxonomic notes on the genus. *Myrmecological News*, 19, 133–163.
- Ferrara, F., Maschwitz, U., Steghaus-Kovac, S. & Taiti, S. (1987) The genus *Exalloniscus* Stebbing, 1911 (Crustacea, Oniscidea) and its relationship with social insects. *Publicazioni dell'Istituto entomol. Università di Pavia*, 36, 43–46.
- Ferreira, R.S., Poteaux, C., Delabie, J.H.C., Fresneau, D. & Rybak, F. (2010) Stridulations reveal cryptic speciation in Neotropical sympatric Ants. *PLoS ONE*, 5 (12), e15363.
<http://dx.doi.org/10.1371/journal.pone.0015363>
- Figueira, C.R.F. & Mathias, M.I.C. (2002) Histological, histochemical and morphometric study of female corpora allata of *Pachycondyla striata* ants (Hymenoptera: Ponerinae). *Sociobiology*, 39 (1), 77–87.
- Fisher, B.L. (1997) Biogeography and ecology of the ant fauna of Madagascar (Hymenoptera: Formicidae). *Journal of Natural History*, 31, 269–302.
<http://dx.doi.org/10.1080/00222939700770141>
- Fisher, B.L. (1999) Improving inventory efficiency: a case study of leaf-litter ant diversity in Madagascar. *Ecological Applications*, 9 (2), 714–731.
[http://dx.doi.org/10.1890/1051-0761\(1999\)009\[0714:ieacs\]2.0.co;2](http://dx.doi.org/10.1890/1051-0761(1999)009[0714:ieacs]2.0.co;2)
- Fisher, B.L. (2006) *Boloponera vicans* gen.n. and sp.n. and two new species of the *Plectroctena* genus group (Hymenoptera: Formicidae). *Myrmecologische Nachrichten*, 8, 111–118.
- Fisher, B.L. & Smith, M.A. (2008) A revision of Malagasy species of *Anochetus* Mayr and *Odontomachus* Latreille (Hymenoptera: Formicidae). *PLoS ONE*, 3 (5), e1787, 1–23.
<http://dx.doi.org/10.1371/journal.pone.0001787>
- Fletcher, D.J.C. (1973) 'Army ant' behaviour in the Ponerinae: a re-assessment. *Proceedings of the VIIth international congress of the IUSSI, London*, pp. 116–121.
- Foutzik, S., Heinze, J., Oberstadt, B. & Herbers, J.M. (2002) Mate guarding and alternative reproductive tactics in the ant *Hypoponera opacior*. *Animal Behaviour*, 63, 597–604.
<http://dx.doi.org/10.1006/anbe.2001.1945>
- Forel, A. (1887) Fourmis récoltées à Madagascar par le Dr. Conrad Keller. *Mitteilungen der Schweizerischen Entomologischen Gesellschaft*, 7, 381–389.
- Forel, A. (1890) *Aenictus-Typhlatta* découverte de M. Wroughton. Nouveaux genres de Formicidae. *Annales de la Société Entomologique de Belgique*, 34, cii–cxiv.
- Forel, A. (1891) Les Formicidae. [part]. In: Grandidier, A. (Ed.), *Histoire physique, naturelle, et politique de Madagascar. Volume XX. Histoire naturelle des Hyménoptères. Deuxième partie (28e fascicule)*. Hachette et Cie, Paris, v + 237 pp.
- Forel, A. (1892) Nouvelles espèces de Formicidae de Madagascar (récoltées par M. Sikora). Première série. *Annales de la*

- Société Entomologique de Belgique*, 36, 516–535.
- Forel, A. (1893a) Sur la classification de la famille des Formicides, avec remarques synonymiques. *Annales de la Société Entomologique de Belgique*, 37, 161–167.
- Forel, A. (1893b) Formicides de l'Antille St. Vincent, récoltées par Mons. H. H. Smith. *Transactions of the Entomological Society of London*, 1893, 333–418.
<http://dx.doi.org/10.1111/j.1365-2311.1893.tb02073.x>
- Forel, A. (1895) A fauna das formigas do Brazil. *Boletim do Museu Paraense de Historia Natural e Ethnographia*, 1, 89–139.
- Forel, A. (1897) Ameisen aus Nossi-Bé, Majunga, Juan de Nova (Madagaskar), den Aldabra-Inseln und Sansibar, gesammelt von Herrn Dr. A. Voeltzkow aus Berlin. Mit einem Anhang über die von Herrn Privatdocenten Dr. A. Brauer in Marburg auf den Seychellen und von Herrn. *Abhandlungen der Senckenbergischen Naturforschenden Gesellschaft*, 21, 185–208.
- Forel, A. (1899) Formicidae. [part]. *Biologia Centrali-Americana Hym*, 3, 1–24.
- Forel, A. (1900a) Ponerinae et Dorylinae d'Australie récoltés par MM. Turner, Froggatt, Nugent, Chase, Rothney, J.-J. Walker, etc. *Annales de la Société Entomologique de Belgique*, 44, 54–77.
- Forel, A. (1900b) Les Formicides de l'Empire des Indes et de Ceylan. Part VI. *Journal of the Bombay Natural History Society*, 13, 52–65.
- Forel, A. (1901a) I. Fourmis mexicaines récoltées par M. le professeur W.-M. Wheeler. II. A propos de la classification des fourmis. *Annales de la Société Entomologique de Belgique*, 45, 123–141.
- Forel, A. (1901b) Variétés myrmécologiques. *Annales de la Société Entomologique de Belgique*, 45, 334–382.
- Forel, A. (1901c) Nouvelles espèces de Ponerinae. (Avec un nouveau sous-genre et une espèce nouvelle d'Eciton). *Revue Suisse de Zoologie*, 9, 325–353.
- Forel, A. (1905) Ameisen aus Java. Gesammelt von Prof. Karl Kraepelin 1904. *Mitteilungen aus dem Naturhistorischen Museum in Hamburg*, 22, 1–26.
- Forel, A. (1908) Fourmis de Costa-Rica récoltées par M. Paul Biolley. *Bulletin de la Société Vaudoise des Sciences Naturelles*, 44, 35–72.
- Forel, A. (1912) Descriptions provisoires de genres, sous-genres, et espèces de Formicides des Indes orientales. *Revue Suisse de Zoologie*, 20, 761–774.
- Forel, A. (1913a) Fourmis de Rhodesia, etc. récoltées par M. G. Arnold, le Dr. H. Brauns et K. Fikendey. *Annales de la Société Entomologique de Belgique*, 57, 108–147.
- Forel, A. (1913b) Formicides du Congo Belge récoltés par MM. Bequaert, Luja, etc. *Revue Zoologique Africaine (Brussels)*, 2, 306–351.
- Forel, A. (1915a) Fauna Simalurensis. Hymenoptera Aculeata, Fam. Formicidae. *Tijdschrift voor Entomologie*, 58, 22–43.
- Forel, A. (1915b) Results of Dr. E. Mjöberg's Swedish Scientific Expeditions to Australia 1910–13. 2. Ameisen. *Arkiv för Zoologi*, 9 (1) 16, 1–119.
- Forel, A. (1917) Cadre synoptique actuel de la faune universelle des fourmis. *Bulletin de la Société Vaudoise des Sciences Naturelles*, 51, 229–253.
- Forel, A. (1928) *The social world of the ants compared with that of man. Vol. II. (tr. C. K. Ogden)*. G. P. Putnam's Sons, Ltd., London, xx + 444 pp.
- Fourcassié, V., Henriques, A. & Fontella, C. (1999) Route fidelity and spatial orientation in the ant *Dinoponera gigantea* (Hymenoptera, Formicidae) in a primary forest: a preliminary study. *Sociobiology*, 34 (3), 505–524.
- Fourcassié, V. & Oliveira, P.S. (2002) Foraging ecology of the giant Amazonian ant *Dinoponera gigantea* (Hymenoptera, Formicidae, Ponerinae): activity schedule, diet and spatial foraging patterns. *Journal of Natural History*, 36, 2211–2227.
<http://dx.doi.org/10.1080/00222930110097149>
- Fowler, H.G. (1980) Populations, prey capture and sharing, and foraging of the Paraguayan ponerine *Odontomachus chelifer* Latreille. *Journal of Natural History*, 14 (1), 79–84.
<http://dx.doi.org/10.1080/00222938000770081>
- Fowler, H.G. (1985) Populations, foraging and territoriality in *Dinoponera australis* (Hymenoptera, Formicidae). *Revista Brasileira de Entomologia*, 29, 443–447.
- Freitas, A.V.L. (1995) Nest relocation and prey specialization in the ant *Leptogenys propofalcigera* Roger (Formicidae: Ponerinae) in an urban area in southeastern Brazil. *Insectes Sociaux*, 42, 453–456.
<http://dx.doi.org/10.1007/bf01242173>
- Fresneau, D. (1984) Développement ovarien et status social chez une fourmi primitive *Neoponera obscuricornis* Emery (Hym. Formicidae, Ponerinae). *Insectes Sociaux*, 31 (4), 387–402.
<http://dx.doi.org/10.1007/bf02223655>
- Fresneau, D. (1985) Individual foraging and path fidelity in a ponerine ant. *Insectes Sociaux*, 32 (2), 109–116.
<http://dx.doi.org/10.1007/bf02224226>
- Fresneau, D. & Dupuy, P. (1988) A study of polyethism in a ponerine ant: *Neoponera apicalis* (Hymenoptera, Formicidae). *Animal Behaviour*, 36, 1389–1399.
[http://dx.doi.org/10.1016/s0003-3472\(88\)80209-4](http://dx.doi.org/10.1016/s0003-3472(88)80209-4)
- Fukumoto, Y. & Abe, T. (1983) Social organization of colony movement in the tropical ponerine ant, *Diacamma rugosum* (Le Guillou). *Journal of Ethology*, 1, 101–108.
<http://dx.doi.org/10.1007/bf02347836>

- Fukumoto, Y., Abe, T. & Taki, A. (1989) A novel form of colony organization in the “queenless” ant *Diacamma rugosum*. *Physiology and Ecology Japan*, 26, 55–61.
- Fukuzawa, M., Arakura, F., Yamazaki, Y., Uhara, H. & Saida, T. (2002) Urticaria and anaphylaxis due to sting by an ant (*Brachyponera chinensis*). *Acta Dermato Venereologica*, 82 (1), 59.
<http://dx.doi.org/10.1080/000155502753600939>
- Ganeshaiah, K.N. & Veena, T. (1991) Topology of the foraging trails of *Leptogenys processionalis* – why are they branched? *Behavioral Ecology and Sociobiology*, 29, 263–270.
<http://dx.doi.org/10.1007/bf00163983>
- García-Pérez, J.A., Blanco-Piñón, A., Mercado-Hernández, R. & Badii, M. (1997) El comportamiento depredador de *Pachycondyla harpax* Fabr. sobre *Gnathamitermes tubiformans* Buckley en condiciones de cautiverio. *Southwestern Entomology*, 22 (3), 345–353.
- Giovannotti, M. (1996) The stridulatory organ of five Ponerinae species: a SEM study (Hymenoptera, Formicidae). *Fragmenta Entomologica*, 28, 157–165.
- Gobin, B., Heinze, J., Strätz, M. & Roces, F. (2003a) The energetic cost of reproductive conflicts in the ant *Pachycondyla obscuricornis*. *Journal of Insect Physiology*, 49, 747–752.
[http://dx.doi.org/10.1016/s0022-1910\(03\)00111-2](http://dx.doi.org/10.1016/s0022-1910(03)00111-2)
- Gobin, B., Ito, F. & Billen, J. (2003b) The subepithelial gland in ants: a novel exocrine gland closely associated with the cuticle surface. *Acta Zoologica*, 84, 285–291.
<http://dx.doi.org/10.1046/j.1463-6395.2003.00149.x>
- Gobin, B., Ito, F., Billen, J. & Peeters, C. (2008) Degeneration of sperm reservoir and the loss of mating ability in worker ants. *Naturwissenschaften*, 95 (11), 1041–1048.
<http://dx.doi.org/10.1007/s00114-008-0420-x>
- Gobin, B., Ito, F., Peeters, C. & Billen, J. (2006) Queen-worker differences in spermatheca reservoir of phylogenetically basal ants. *Cell Tissue Research*, 326, 169–178.
<http://dx.doi.org/10.1007/s00441-006-0232-2>
- Gopinath, A., Gadagkar, R. & Rao, M.R.S. (2001) Identification of polymorphic microsatellite loci in the queenless, ponerine ant *Diacamma ceylonense*. *Molecular Ecology Notes*, 1, 126–127.
<http://dx.doi.org/10.1046/j.1471-8278.2001.00046.x>
- Goss, S., Fresneau, D., Deneubourg, J.L., Lachaud, J.-P. & Valenzuela-Gonzalez, J. (1989) Individual foraging in the ant *Pachycondyla apicalis*. *Oecologia*, 80, 65–69.
<http://dx.doi.org/10.1007/bf00789933>
- Gotoh, A. & Ito, F. (2008) Seasonal cycle of colony structure in the ponerine ant *Pachycondyla chinensis* in western Japan (Hymenoptera, Formicidae). *Insectes Sociaux*, 55, 98–104.
<http://dx.doi.org/10.1007/s00040-007-0977-y>
- Gotoh, A., Sameshima, S., Tsuji, K., Matsumoto, T. & Miura, T. (2005) Apoptotic wing degeneration and formation of an altruism-regulating glandular appendage (gemma) in the ponerine ant *Diacamma* sp. from Japan (Hymenoptera, Formicidae, Ponerinae). *Development Genes and Evolution*, 2215, 69–77.
<http://dx.doi.org/10.1007/s00427-004-0456-7>
- Gotwald, W.H. Jr. & Brown, W.L. Jr. (1967) [1966] The ant genus *Simopelta* (Hymenoptera: Formicidae). *Psyche (Camb.)*, 73, 261–277.
<http://dx.doi.org/10.1155/1966/69869>
- Gronenberg, W. (1995a) The fast mandible strike in the trap-jaw ant *Odontomachus*. I. Temporal properties and morphological characteristics. *Journal of Comparative Physiology A*, 176, 391–398.
<http://dx.doi.org/10.1007/bf00219064>
- Gronenberg, W. (1995b) The fast mandible strike in the trap-jaw ant *Odontomachus*. I. Motor control. *Journal of Comparative Physiology A*, 176, 399–408.
<http://dx.doi.org/10.1007/bf00219065>
- Gronenberg, W. (1996) Neuroethology of ants. *Naturwissenschaften*, 83, 15–27.
<http://dx.doi.org/10.1007/bf01139305>
- Gronenberg, W. & Ehmer, B. (1996) The mandible mechanism of the ant genus *Anochetus* (Hymenoptera, Formicidae) and the possible evolution of trap-jaws. *Zoology*, 99 (3), 153–162.
- Gronenberg, W., Hölldobler, B. & Alpert, G.D. (1998) Jaws that snap: control of mandible movements in the ant *Myrmium*. *Journal of Insect Physiology*, 44, 241–253.
[http://dx.doi.org/10.1016/s0022-1910\(97\)00145-5](http://dx.doi.org/10.1016/s0022-1910(97)00145-5)
- Gronenberg, W. & Liebig, J. (1999) Smaller brains and optic lobes in reproductive workers of the ant *Harpegnathos*. *Naturwissenschaften*, 86, 343–345.
<http://dx.doi.org/10.1007/s001140050631>
- Gronenberg, W. & Peeters, C. (1993) Central projections of the sensory hairs on the gemma of the ant *Diacamma*: substrate for behavioural modulation? *Cell Tissue Research*, 273, 401–415.
<http://dx.doi.org/10.1007/bf00333695>
- Gronenberg, W. & Tautz, J. (1994) The sensory basis for the trap-jaw mechanism in the ant *Odontomachus bauri*. *Journal of*

- Comparative Physiology A*, 174, 49–60.
<http://dx.doi.org/10.1007/bf00192005>
- Gronenberg, W., Tautz, J. & Hölldobler, B. (1993) Fast trap jaws and giant neurons in the ant *Odontomachus*. *Science*, 262 (5133), 561–563.
<http://dx.doi.org/10.1126/science.262.5133.561>
- Guenard, B., Weiser, M.D. & Dunn, R.R. (2010) Global generic richness and distribution: new maps of the world of ants with examples of their use in the context of Asia. *Asian Myrmecology*, 3, 21–28.
- Guérin-Méneville, F.E. (1838) Première division. Crustacés, arachnides et insectes. In: Duperrey, L.I. (Ed.), *Voyage autour du monde, exécuté par ordre du Roi, sur la corvette de sa Majesté, La Coquille, pendant les années 1822, 1823, 1824 et 1825. Zoologie. Tome deuxième. Part 2*. H. Bertrand, Paris, xii + 9–320 pp.
- Hamilton, W.D. (1979) Wingless and fighting males in fig wasps and other insects. In: Blum, M.S. & Blum, N.A. (Eds.), *Sexual Selection and Reproductive Competition in Insects*. Academic Press, New York, pp. 167–220.
- Hart, A.G. & Monnin, T. (2006) Conflict over the timing of breeder replacement in vertebrate and invertebrate societies. *Insectes Sociaux*, 53, 375–389.
<http://dx.doi.org/10.1007/s00040-005-0895-4>
- Hart, A.G. & Ratnieks, F.L.W. (2005) Crossing the taxonomic divide: conflict and its resolution in societies of reproductively totipotent individuals. *Journal of Evolutionary Biology*, 18, 383–395.
<http://dx.doi.org/10.1111/j.1420-9101.2004.00832.x>
- Hartmann, A., D’Etorre, P., Jones, G.R. & Heinze, J. (2005a) Fertility signaling—the proximate mechanism of worker policing in a clonal ant. *Naturwissenschaften*, 92, 282–286.
<http://dx.doi.org/10.1007/s00114-005-0625-1>
- Hartmann, A. & Heinze, J. (2003) Lay eggs, live longer: division of labor and life span in a clonal ant species. *Evolution*, 57 (10), 2424–2429.
<http://dx.doi.org/10.1554/03-138>
- Hartmann, A., Wantia, J. & Heinze, J. (2005b) Facultative sexual reproduction in the parthenogenetic ant *Platythyrea punctata*. *Insectes Sociaux*, 52, 155–162.
<http://dx.doi.org/10.1007/s00040-004-0786-5>
- Hartmann, A., Wantia, J., Torres, J.A. & Heinze, J. (2003) Worker policing without genetic conflicts in a clonal ant. *Proceedings of the National Academy of Sciences (USA)*, 100 (22), 12836–12840.
<http://dx.doi.org/10.1073/pnas.2132993100>
- Hashimoto, Y. (1996) Skeletomuscular modifications associated with the formation of an additional petiole on the anterior abdominal segments in aculeate Hymenoptera. *Japanese Journal of Entomology*, 64 (2), 340–356.
- Hashimoto, Y., Yamane, S. & Itioka, T. (1997) A preliminary study on dietary habits of ants in a Bornean rain forest. *Japanese Journal of Entomology*, 65 (4), 688–695.
- Hashimoto, Y., Yamauchi, K. & Hasegawa E. (1995) Unique habits of stomodeal trophallaxis in the ponerine ant *Hypoponera* sp. *Insectes Sociaux*, 42, 137–144.
<http://dx.doi.org/10.1007/bf01242450>
- Haskins, C.P. (1931) Notes on the biology and social life of *Euponera gilva* Roger var. *harnedi* M. R. Smith. *Journal of the New York Entomological Society*, 39, 507–521.
- Haskins, C.P. (1941) Note on the method of colony foundation of the ponerine ant *Bothroponera soror* Emery. *Journal of the New York Entomological Society*, 49 (2), 211–216.
- Haskins, C.P. (1970) Researches in the biology and social behavior of primitive ants. In: Aronson, L.R., Tobach, E., Lehrman, D.S. & Rosenblatt, J.S. (Eds.), *Development and Evolution of Behavior*. W. H. Freeman, San Francisco, pp. 355–388.
- Haskins, C.P. & Haskins, E.F. (1950) Note on the method of colony foundation of the ponerine ant *Brachyponera (Euponera) lutea* Mayr. *Psyche (Camb.)*, 57 (1), 1–9.
- Haskins, C.P. & Zahl, P.A. (1971) The reproductive pattern of *Dinoponera grandis* Roger (Hymenoptera, Ponerinae) with notes on the ethology of the species. *Psyche (Camb.)*, 78 (1–2), 1–11.
- Hawkes, P.G. (2010) A new species of *Asphinctopone* (Hymenoptera: Formicidae: Ponerinae) from Tanzania. *Zootaxa*, 2480, 27–36.
- Hefetz, A., Soroker, V., Dahbi, A., Malherbe, M.C. & Fresneau, D. (2001) The front basitarsal brush in *Pachycondyla apicalis* and its role in hydrocarbon circulation. *Chemoecology*, 11, 17–24.
<http://dx.doi.org/10.1007/pl00001827>
- Heinze, J. & Hölldobler, B. (1995) Thelytokous parthenogenesis and dominance hierarchies in the ponerine ant, *Platythyrea punctata*. *Naturwissenschaften*, 82, 40–41.
<http://dx.doi.org/10.1007/bf01167871>
- Heinze, J., Stengl, B. & Sledge, M.F. (2002) Worker rank, reproductive status and cuticular hydrocarbon signature in the ant, *Pachycondyla* cf. *inversa*. *Behavioral Ecology and Sociobiology*, 52, 59–65.
<http://dx.doi.org/10.1007/s00265-002-0491-1>
- Heinze, J., Trunzer, B., Oliveira, P.S. & Hölldobler, B. (1996) Regulation of reproduction in the neotropical ponerine ant, *Pachycondyla villosa*. *Journal of Insect Behavior*, 9 (3), 441–450.
<http://dx.doi.org/10.1007/bf02214021>

- Hermann, H.R., Blum, M.S., Wheeler, J.W., Overal, W.L., Schmidt, J.O. & Chao, J.-T. (1994) Comparative anatomy and chemistry of the venom apparatus and mandibular glands in *Dinoponera grandis* (Guérin) and *Paraponera clavata* (F.) (Hymenoptera: Formicidae: Ponerinae). *Annals of the Entomological Society of America*, 77 (3), 272–279.
- Heterick, B.E. (2009) A guide to the ants of south-western Australia. *Records of the Western Australian Museum*, Supplement No. 76, 1–205.
- Higashi, S., Ito, F., Sugiura, N. & Ohkawara, K. (1994) Workers age regulates the linear dominance hierarchy in the queenless ponerine ant, *Pachycondyla sublaevis* (Hymenoptera, Formicidae). *Animal Behaviour*, 47 (1), 179–184.
<http://dx.doi.org/10.1006/anbe.1994.1020>
- Hölldobler, B. (1980) Canopy orientation: a new kind of orientation in ants. *Science*, 210, 87–88.
<http://dx.doi.org/10.1126/science.210.4465.86>
- Hölldobler, B. (1984) Communication during foraging and nest-relocation in the African stink ant, *Paltothyreus tarsatus* Fabr. (Hymenoptera, Formicidae, Ponerinae). *Zeitschrift für Tierpsychologie*, 65 (1), 40–52.
<http://dx.doi.org/10.1111/j.1439-0310.1984.tb00371.x>
- Hölldobler, B. (1985) Liquid food transmission and antennation signals in ponerine ants. *Israel Journal of Entomology*, 19, 89–99.
- Hölldobler, B. (1999) Multimodeal signals in ant communication. *Journal of Comparative Physiology A*, 184, 129–141.
- Hölldobler, B. & Engel-Siegel, H. (1982) Tergal and sternal glands in male ants. *Psyche (Camb.)*, 89 (1–2), 113–132.
<http://dx.doi.org/10.1155/1982/40397>
- Hölldobler, B. & Engel-Siegel, H. (1994) On the metapleural gland of ants. *Psyche (Camb.)*, 91 (3/4), 201–224.
- Hölldobler, B., Janssen, E., Bestmann, H.J., Leal, I.R., Oliveira, P.S., Kern, F. & König, W. A. (1996a) Communication in the migratory termite-hunting ant *Pachycondyla* (= *Termitopone*) *marginata* (Formicidae, Ponerinae). *Journal of Comparative Physiology A*, 178, 47–53.
- Hölldobler, B., Obermayer, M. & Peeters, C. (1996b) Comparative study of the metatibial gland in ants (Hymenoptera, Formicidae). *Zoomorphology*, 116, 157–167.
<http://dx.doi.org/10.1007/bf02527156>
- Hölldobler, B., Peeters, C. & Obermayer, M. (1994) Exocrine glands and the attractiveness of the ergatoid queen in the ponerine ant *Megaponera foetens*. *Insectes Sociaux*, 41 (1), 63–72.
- Hölldobler, B. & Traniello, J.F.A. (1980) The pygidial gland and chemical recruitment communication in *Pachycondyla* (= *Termitopone*) *laevigata*. *Journal of Chemical Ecology*, 6 (5), 883–893.
- Hölldobler, B. & Wilson, E.O. (1990) *The ants*. Harvard University Press, Cambridge, Mass., xii + 732 pp.
- Hölldobler, B. & Wilson, E.O. (1995) *Journey to the Ants*. Belknap Press, Cambridge, Mass., 228 pp.
- Horvitz, C.C. (1981) Analysis of how ant behaviors affect germination in a tropical myrmecochore *Calathea microcephala* (P. & E.) Koernicke (Marantaceae): microsite selection and aril removal by neotropical ants, *Odontomachus*, *Pachycondyla*, and *Solenopsis* (Formicidae). *Oecologia*, 51, 47–52.
<http://dx.doi.org/10.1007/bf00344651>
- Horvitz, C.C. & Beattie, A.J. (1980) Ant dispersal of *Calathea* (Marantaceae) seeds by carnivorous ponerines (Formicidae) in a tropical rain forest. *American Journal of Botany*, 67 (3), 321–326.
<http://dx.doi.org/10.2307/2442342>
- Hoyer, S.C., Liebig, J. & Rössler, W. (2005) Biogenic amines in the ponerine ant *Harpegnathos saltator*: serotonin and dopamine immunoreactivity in the brain. *Arthropod Structure and Development*, 34, 429–440.
<http://dx.doi.org/10.1016/j.asd.2005.03.003>
- Imai, H.T., Kihara, A., Kondoh, M., Kubota, M., Kuribayashi, S., Ogata, K., Onoyama, K., Taylor, R.W., Terayama, M., Tsukii, Y., Yoshimura, M. & Ugava, Y. (2003). *Ants of Japan*. Gakken, Tokyo, 224 pp.
- Ingram, K.K., Bernardello, G., Cover, S. & Wilson, E.O. (2006) The ants of the Juan Fernández Islands: genesis of an invasive fauna. *Biological Invasions*, 8, 383–387.
<http://dx.doi.org/10.1007/s10530-004-3973-4>
- Ito, F. (1993) Functional monogyny and dominance hierarchy in the queenless ponerine ant *Pachycondyla* (= *Bothroponera*) sp. in West-Java, Indonesia (Hymenoptera, Formicidae, Ponerinae). *Ethology*, 95 (2), 126–140.
<http://dx.doi.org/10.1111/j.1439-0310.1993.tb00463.x>
- Ito, F. (1995) Colony composition of two Malaysian ponerine ants, *Platythyrea tricuspidata* and *P. quadridenta*: sexual reproduction by workers and production of queens (Hymenoptera, Formicidae). *Psyche (Camb.)*, 101, 209–218.
<http://dx.doi.org/10.1155/1994/19319>
- Ito, F. (1997) Colony composition and morphological caste differentiation between ergatoid queens and workers in the ponerine ant genus *Leptogenys* in the Oriental tropics. *Ethology Ecology and Evolution*, 9 (4), 335–343.
<http://dx.doi.org/10.1080/08927014.1997.9522876>
- Ito, F. (1999) Male behavior and regulation of worker mating in a ponerine ant, *Pachycondyla* (*Bothroponera*) sp. (Hymenoptera: Formicidae). *Journal of Insect Behavior*, 12 (2), 193–198.
- Ito, F. & Higashi S. (1991) A linear dominance hierarchy regulating reproduction and polyethism of the queenless ant *Pachycondyla sublaevis*. *Naturwissenschaften*, 78 (2), 80–82.
<http://dx.doi.org/10.1007/bf01206263>
- Ito, F. & Ohkawara, K. (1994) Spermatheca size differentiation between queens and workers in primitive ants.

Naturwissenschaften, 81, 138–140.

<http://dx.doi.org/10.1007/bf01131772>

- Ito, F. & Ohkawara, K. (2000) Production and behavior of ergatoid queens in two species of the Indonesian ponerine ant genus *Leptogenys* (*diminuta*-group) (Hymenoptera: Formicidae). *Annals of the Entomological Society of America*, 93 (4), 869–873.
[http://dx.doi.org/10.1603/0013-8746\(2000\)093\[0869:paboeq\]2.0.co;2](http://dx.doi.org/10.1603/0013-8746(2000)093[0869:paboeq]2.0.co;2)
- Ito, F., Yusoff, N.R. & Idris, A.H. (1996) Colony composition and queen behavior in polygynous colonies of the Oriental ponerine ant *Odontomachus rixosus* (Hymenoptera Formicidae). *Insectes Sociaux*, 43, 77–86.
<http://dx.doi.org/10.1007/bf01253958>
- Jaffe, K. & Marcuse, M. (1983) Nestmate recognition and territorial behaviour in the ant *Odontomachus bauri* Emery (Formicidae: Ponerinae). *Insectes Sociaux*, 30 (4), 466–481.
<http://dx.doi.org/10.1007/bf02223978>
- Jahyny, B., Delabie J. & Fresneau, D. (2002) Mini-sociétés sans reine chez le genre néotropical *Thaumatomyrmex* Mayr, 1887 (Formicidae: Ponerinae). *Actes des Colloques Insectes Sociaux*, 15, 33–37.
- Jahyny B., Lacau, S., Delabie, J.H.C. & Fresneau, D. (2008) Le genre *Thaumatomyrmex* Mayr 1887, cryptique et prédateur spécialiste de Diplopoda Penicillata. In: Jiménez, E., Fernández, F., Arias, T.M. & Lozano-Zambrano, F.H. (Eds.), *Sistémica, biogeografía y conservación de las hormigas cazadoras de Colombia*. Instituto de Investigación de Recursos Biológicos Alexander von Humboldt, Bogotá, pp. 329–346.
- Janssen, E., Übler, E., Bauriegel, L., Kern, F. & Bestmann, H.J. (1997) Trail pheromone of the ponerine ant *Leptogenys peuqueti* (Hymenoptera: Formicidae): a multicomponent mixture of related compounds. *Naturwissenschaften*, 84, 122–125.
<http://dx.doi.org/10.1007/s001140050360>
- Jerdon, T.C. (1851) A catalogue of the species of ants found in Southern India. *Madras Journal of Literature and Science*, 17, 103–127.
- Jessen, K. (1977) *Histologisch-morphologische Untersuchungen an abdominalen Hautdrüsen bei Leptogenys ocellifera und Odontomachus haematodes*. Staatsexamensarbeit, Univ. Frankfurt, 45 pp.
- Jessen, K. & Maschwitz, U. (1983) Abdominal glands in *Pachycondyla tridentata* (Smith) - Formicidae, Ponerinae. *Insectes Sociaux*, 30 (2), 123–133.
<http://dx.doi.org/10.1007/bf02223863>
- Jessen, K. & Maschwitz, U. (1985) Individual specific trails in the ant *Pachycondyla tesseronoda* (Formicidae, Ponerinae). *Naturwissenschaften*, 72 (10), 549–550.
<http://dx.doi.org/10.1007/bf00367608>
- Jessen, K. & Maschwitz, U. (1986) Orientation and recruitment behavior in the ponerine ant *Pachycondyla tesseronoda* (Emery) - laying of individual-specific trails during tandem running. *Behavioral Ecology and Sociobiology*, 19 (3), 151–155.
- Jessen, K., Maschwitz, U. & Hahn, M. (1979) Neue abdominaldrüsen bei ameisen. *Zoomorphologie*, 94, 49–66.
<http://dx.doi.org/10.1007/bf00994056>
- John, A., Schadschneider, A., Chowdhury, D. & Nishinari, K. (2008) Characteristics of ant-inspired traffic flow: applying the social insect metaphor to traffic models. *Swarm Intelligence*, 2, 25–41.
<http://dx.doi.org/10.1007/s11721-008-0010-8>
- Johnson, C. (1987) Biogeography and habitats of *Ponera exotica* (Hymenoptera, Formicidae). *Journal of Entomological Science*, 22 (4), 358–361.
- Joma, A.M.A. & Mackay, W.P. (2013) A new species of Afrotropical ants in the genus *Bothroponera* (Hymenoptera: Formicidae: Ponerinae). *Psyche*, 2013, Article ID 917847.
<http://dx.doi.org/10.1155/2013/917847>
- Jones, T.H., Garraffo, H.M., Blum, M.S., Everett, D.M., Hastings, H., & Ware, A.B. (1998) Elucidation of dimethylalkylpyrazines from the ant *Streblognathus aethiopicus* by GC-FTIR. *Journal of Chemical Ecology*, 24 (1), 125–134.
- Just, S. & Gronenberg, W. (1999) The control of mandible movements in the ant *Odontomachus*. *Journal of Insect Physiology*, 45, 231–240.
[http://dx.doi.org/10.1016/s0022-1910\(98\)00118-8](http://dx.doi.org/10.1016/s0022-1910(98)00118-8)
- Kalule-Sabiti, J.M.N. (1980) Ecological role of ants (Formicidae) in the ecosystem. *African Journal of Ecology*, 18 (1), 113–121.
<http://dx.doi.org/10.1111/j.1365-2028.1980.tb00274.x>
- Kannowski, P.B. (1959) The flight activities and colony-founding behavior of bog ants in southeastern Michigan. *Insectes Sociaux*, 7 (2), 115–162.
<http://dx.doi.org/10.1007/bf02225947>
- Karavaiev, V. (1925) Ponerinen (Fam. Formicidae) aus dem Indo-Australischen Gebiet. (Fortsetzung). *Konowia*, 4, 115–131.
- Karpakakunjaram, V., Nair, P., Varghese, T., Royappa, G., Kolatkar, M. & Gadagkar, R. (2003) Contributions to the biology of the queenless ponerine ant *Diacamma ceylonense* Emery (Formicidae). *Journal of the Bombay Natural History Society*, 100 (2&3), 533–543.

- Kaspari, M., Pickering, J. & Windsor, D. (2001) The reproductive flight phenology of a Neotropical ant assemblage. *Ecological Entomology*, 26, 245–257.
<http://dx.doi.org/10.1046/j.1365-2311.2001.00320.x>
- Kaufmann, E., Malsch, A.K.F., Erle, M. & Maschwitz, U. (2003) Compound nesting of *Strumigenys* sp. (Myrmicinae) and *Diacamma* sp. (Ponerinae), and other nesting symbioses of myrmicine and ponerine ants in Southeast Asia. *Insectes Sociaux*, 50, 88–97.
<http://dx.doi.org/10.1007/s000400300014>
- Kawabata, S. & Tsuji, K. (2005) The policing behavior ‘immobilization’ towards ovary-developed workers in the ant, *Diacamma* sp. from Japan. *Insectes Sociaux*, 52, 89–95.
<http://dx.doi.org/10.1007/s00040-004-0778-5>
- Ke, Y., Zhuang, T., Wang, C., Zhao, S. & Tian, W. (2008) Agonistic behavior of six ant species to *Coptotermes formosanus* (Isoptera: Rhinotermitidae) in laboratory assays. *Sociobiology*, 51 (1), 199–206.
- Keller, R.A. (2011) A phylogenetic analysis of ant morphology (Hymenoptera: Formicidae) with special reference to the poneromorph subfamilies. *Bulletin of the American Museum of Natural History*, 355, 1–90.
<http://dx.doi.org/10.1206/355.1>
- Kellner, K., Trindl, A., Heinze, J. & D’Ettorre, P. (2007) Polygyny and polyandry in small ant societies. *Molecular Ecology*, 16, 2363–2369.
<http://dx.doi.org/10.1111/j.1365-294x.2007.03297.x>
- Kempf, W.W. (1954) A descoberta do primeiro macho do gênero *Thaumatomyrmex* Mayr (Hymenoptera, Formicidae). *Revista Brasileira de Entomologia*, 1, 47–52.
- Kempf, W.W. (1960) Miscellaneous studies on Neotropical ants (Hymenoptera, Formicidae). *Studia Entomologica (n.s.)*, 3, 417–466.
- Kempf, W.W. (1961) As formigas do gênero *Pachycondyla* Fr. Smith no Brasil (Hymenoptera: Formicidae). *Revista Brasileira de Entomologia*, 10, 189–204.
- Kempf, W.W. (1967) A synopsis of the Neotropical ants of the genus *Centromyrmex* Mayr (Hymenoptera: Formicidae). *Studia Entomologica*, 9, 401–410.
- Kempf, W.W. (1971) A preliminary review of the ponerine ant genus *Dinoponera* Roger (Hymenoptera: Formicidae). *Studia Entomologica*, 14, 369–394.
- Kempf, W.W. (1972) Catálogo abreviado das formigas da região Neotropical. *Studia Entomologica*, 15, 3–344.
- Kempf, W.W. (1975) A revision of the neotropical ponerine ant genus *Thaumatomyrmex* Mayr (Hymenoptera: Formicidae). *Studia Entomologica*, 18 (1–4), 95–126.
- Kern, F. & Bestmann, H.J. (1993) Antennal electrophysiological responsiveness of the ponerine ant *Leptogenys diminuta* to trail and recruitment pheromones and its structure analogs. *Naturwissenschaften*, 80, 424–427.
<http://dx.doi.org/10.1007/bf01168340>
- Kikuchi, T., Tsuji, K., Ohnishi, J. & le Breton, J. (2007) Caste-biased acceptance of non-nestmates in a polygynous ponerine ant. *Animal Behaviour*, 73, 559–565.
<http://dx.doi.org/10.1016/j.anbehav.2006.04.015>
- Kikuta, N. & Tsuji, K. (1999) Queen and worker policing in the monogynous and monandrous ant, *Diacamma* sp. *Behavioral Ecology and Sociobiology*, 46, 180–189.
<http://dx.doi.org/10.1007/s002650050608>
- King, J.R., Andersen, A.N. & Cutter, A.D. (1998) Ants as bioindicators of habitat disturbance: validation of the functional group model for Australia’s humid tropics. *Biodiversity and Conservation*, 7, 1627–1638.
- Kirschenbaum, R. & Grace, J.K. (2007) Agonistic interactions of four ant species occurring in Hawaii with *Coptotermes formosanus* (Isoptera: Rhinotermitidae). *Sociobiology*, 50 (2), 643–651.
- Kistner, D.H., Witte, V. & Maschwitz, U. (2003) A new species of *Trachydonia* (Coleoptera: Staphylinidae, Aleocharinae) from Malaysia with some notes on its behavior as a guest of *Leptogenys* (Hymenoptera: Formicidae). *Sociobiology*, 42 (2), 381–389.
- Kolmer, K. & Heinze, J. (2000) Rank orders and division of labour among unrelated cofounding ant queens. *Proceedings of the Royal Society B*, 267, 1729–1734.
<http://dx.doi.org/10.1098/rspb.2000.1202>
- Kolmer, K., Hölldobler, B. & Heinze, J. (2002) Colony and population structure in *Pachycondyla* cf. *inversa*, a ponerine ant. *Monitore Zoologico Italiano*, 14 (2), 157–164.
<http://dx.doi.org/10.1080/08927014.2002.9522754>
- Koriba, D. (1963) Colony founding of a female of *Brachyponera chinensis* (Emery) in the observation cage (Hymenoptera, Formicidae). *Kontyu*, 31, 285–289.
- Kumar, A.R.V. (1990) Batch strength of hunting groups in *Leptogenys diminuta* (Formicidae: Ponerinae). In: Veeresh, G.K., Mauik, B. & Viraktamath, C.A. (Eds.), *Social Insects and the Environment*. E. J. Brieu, Leiden, pp. 562–563.
- Lachaud, J.-P. & Déjean, A. (1991a) Food sharing in *Odontomachus troglodytes* (Santschi): a behavioral intermediate stage in the evolution of social food exchange in ants. *Anales de Biología*, 17 (6), 53–61.
- Lachaud, J.-P. & Déjean, A. (1991b) Etude critique de la fondation des colonies en claustration totale chez les ponerines du genre *Brachyponera*. *Insectes Sociaux*, 7, 59–66.

- Lachaud, J.-P. & Déjean, A. (1994) Predatory behavior of a seed-eating ant: *Brachyponera senaarensis*. *Entomologia Experimentalis et Applicata*, 72, 145–155.
<http://dx.doi.org/10.1111/j.1570-7458.1994.tb01812.x>
- LaPolla, J.S., Suman, T., Sosa-Calvo, J. & Schultz, T.R. (2007) Leaf litter ant diversity in Guyana. *Biodiversity and Conservation*, 16, 491–510.
<http://dx.doi.org/10.1007/s10531-005-6229-4>
- Latreille, P.A. (1802a) *Histoire naturelle des fourmis, et recueil de mémoires et d'observations sur les abeilles, les araignées, les faucheurs, et autres insectes*. Impr. Crapelet (chez T. Barrois), Paris, xvi + 445 pp.
- Latreille, P.A. (1802b) *Histoire naturelle générale et particulière des Crustacés et des insectes. Tome 3. Familles naturelles des genres*. F. Dufart, Paris, xii + 467 pp.
- Latreille, P.A. (1802c) Description d'une nouvelle espèce de fourmi. *Bulletin des Sciences, par la Société Philomatique (de Paris)*, 3, 65–66.
- Latreille, P.A. (1804) Tableau méthodique des insectes. In: *Société de Naturalistes et d'Agriculteurs. Nouveau dictionnaire d'histoire naturelle. Tome 24*. Déterville, Paris, pp. 129–200.
- Latreille, P.A. (1810) *Considérations générales sur l'ordre naturel des animaux composant les classes des Crustacés, des Arachnides et des Insectes; avec un tableau méthodique de leurs genres, disposés en familles*. F. Schoell, Paris, 444 pp.
- Lattke, J.E. (1986) Two new species of neotropical *Anochetus* Mayr (Hymenoptera: Formicidae). *Insectes Sociaux*, 33 (3), 352–358.
<http://dx.doi.org/10.1007/bf02224250>
- Lattke, J.E. (2011) Revision of the New World species of the genus *Leptogenys* Roger (Insecta: Hymenoptera: Formicidae: Ponerinae). *Arthropod Systematics and Phylogeny*, 69, 127–264.
- Leal, I.R. & Oliveira, P.S. (1995) Behavioral ecology of the neotropical termite-hunting ant *Pachycondyla* (= *Termitopone*) *marginata*: colony founding, group-raiding and migratory patterns. *Behavioral Ecology and Sociobiology*, 37, 373–383.
<http://dx.doi.org/10.1007/bf00170584>
- Leath, T.M., Grier, T.J., Jacobson, R.S. & Fontana-Penn, M.E. (2006) Anaphylaxis to *Pachycondyla chinensis*. *Journal of Allergy and Clinical Immunology*, 117 (2), S129.
<http://dx.doi.org/10.1016/j.jaci.2005.12.517>
- Le Guillou, E.J.F. (1842) [1841] Catalogue raisonné des insectes hyménoptères recueillis dans le voyage de circumnavigation des corvettes l'Astrolabe et la Zélée. *Annales de la Société Entomologique de France*, 10, 311–324.
- Ledoux, A. (1952) Recherches préliminaires sur quelques points de la biologie d'*Odontomachus assiniensis* Latr. (Hym. Formicoidea). *Annales des Sciences Naturelles-Zoologie et Biologie Animale*, 14 (11), 231–248.
- Leluk, J., Schmidt, J. & Jones, D. (1989) Comparative studies on the protein composition of the hymenoptera venom reservoirs. *Toxicon*, 27 (1), 105–114.
[http://dx.doi.org/10.1016/0041-0101\(89\)90410-8](http://dx.doi.org/10.1016/0041-0101(89)90410-8)
- Le Masne, G. (1956) La signification des reproducteurs aptères chez la fourmi *Ponera eduardi* Forel. *Insectes Sociaux*, 3, 239–259.
<http://dx.doi.org/10.1007/bf02224305>
- Lenhart, P.A., Dash, S.T. & Mackay, W.P. (2013) A revision of the giant Amazonian ants of the genus *Dinoponera* (Hymenoptera, Formicidae). *Journal of Hymenoptera Research*, 31, 119–164.
<http://dx.doi.org/10.3897/jhr.31.4335>
- Lenko, K. (1966) A formiga *Leptogenys bohlsi* como predadora de isopodos (Hymenoptera: Formicidae). *Papels Avulsos de Zoologia*, 19, 59–61.
- Lepelletier de Saint-Fargeau, A. (1835) *Histoire naturelle des insectes. Hyménoptères. Tome I*. Roret, Paris, 547 pp.
- Lévieux, J. (1966) Note préliminaire sur les colonnes de chasse de *Megaponera foetens* F. (Hymenoptera: Formicidae). *Insectes Sociaux*, 13, 117–126.
<http://dx.doi.org/10.1007/bf02223567>
- Lévieux, J. (1976) Etude de la structure du nid de quelques espèces terricoles de fourmis tropicales. *Annales de l'Université d'Abidjan, sec. C*, 12, 23–33.
- Lévieux, J. (1979) La nutrition des fourmis granivores. III. Cycle d'activité et régime alimentaire en saison des pluies de *Brachyponera senaarensis* [sic] (Hym. Formicidae Ponerinae) fluctuations saisonnières. *Insectes Sociaux*, 26 (3), 232–239.
<http://dx.doi.org/10.1007/bf02223801>
- Lévieux, J. (1982) A comparison of the ground dwelling ant populations between a Guinea savanna and an evergreen rain forest of the Ivory Coast. *Biology of Social Insects. Proceedings of the Ninth Congress of the IUSSI*, pp. 48–53.
- Lévieux, J. (1983) The soil fauna of tropical savannas. IV. The ants. In: Bourliere, F. (Ed.), *Ecosystems of the world. Vol. 13*. Elsevier, Amsterdam, pp. 525–540.
- Lévieux, J. & Diomande, T. (1978) La nutrition des fourmis granivores. II. Cycle D'activité et régime alimentaire de *Brachyponera senaarensis* [sic] (Mayr) (Hymenoptera, Formicidae). *Insectes Sociaux*, 25 (3), 187–196.
<http://dx.doi.org/10.1007/bf02224740>
- Levy, R. (1996) Interspecific colony dispersion and niche relations of three large tropical rain forest ant species. *Tropical Rainforest*, 74, 331–340.

- http://dx.doi.org/10.1007/978-94-009-1685-2_33
- Liebig, J., Heinze, J. & Hölldobler, B. (1995) Queen size variation in the ponerine ant *Ponera coarctata* (Hymenoptera: Formicidae). *Psyche (Camb.)*, 102 (1), 1–12.
<http://dx.doi.org/10.1155/1995/34186>
- Liebig, J., Heinze, J. & Hölldobler, B. (1997) Trophallaxis and aggression in the ponerine ant, *Ponera coarctata*: implications for the evolution of liquid food exchange in the Hymenoptera. *Ethology*, 103 (9), 707–722.
<http://dx.doi.org/10.1111/j.1439-0310.1997.tb00180.x>
- Liebig, J., Hölldobler, B. & Peeters, C. (1998) Are ant workers capable of colony foundation? *Naturwissenschaften*, 85, 133–135.
<http://dx.doi.org/10.1007/s001140050470>
- Liebig, J., Peeters, C. & Hölldobler, B. (1999) Worker policing limits the number of reproductives in a ponerine ant. *Proceedings of the Royal Society B*, 266, 1865–1870.
<http://dx.doi.org/10.1098/rspb.1999.0858>
- Liebig, J., Peeters, C., Oldham, N.J., Markstädter, C. & Hölldobler, B. (2000) Are variations in cuticular hydrocarbons of queens and workers a reliable signal of fertility in the ant *Harpegnathos saltator*? *Proceedings of the National Academy of Sciences (USA)*, 97 (8), 4124–4131.
<http://dx.doi.org/10.1073/pnas.97.8.4124>
- Liebig, J. & Poethke, H. (2004) Queen lifespan and colony longevity in the ant *Harpegnathos saltator*. *Ecological Entomology*, 29, 203–207.
<http://dx.doi.org/10.1111/j.1365-2311.2004.00583.x>
- Linnaeus, C. (1758) *Systema naturae per regna tria naturae, secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis. Tomus I. Editio decima, reformata*. L. Salvii, Holmiae [= Stockholm], 824 pp.
- Lommelen, E., Schoeters, E. & Billen, J. (2002) Ultrastructure of the labial gland in the ant *Pachycondyla obscuricornis* (Hymenoptera, Formicidae). *Netherlands Journal of Zoology*, 52 (1), 61–68.
<http://dx.doi.org/10.1163/156854202760405186>
- Lommelen, E., Schoeters, E. & Billen, J. (2003) Development of the labial gland of the ponerine ant *Pachycondyla obscuricornis* (Hymenoptera, Formicidae) during the pupal stage. *Arthropod Structure and Development*, 32, 209–217.
[http://dx.doi.org/10.1016/s1467-8039\(03\)00052-5](http://dx.doi.org/10.1016/s1467-8039(03)00052-5)
- Longhurst, C. (1977) *Behavioral, chemical and ecological interactions between West African ants and termites*. Ph.D. Thesis, Southampton University, i + 301 pp.
- Longhurst, C., Baker, R. & Howse, P.E. (1979) Termite predation by *Megaponera-foetens* (Fab) (Hymenoptera, Formicidae) - coordination of raids by glandular secretions. *Journal of Chemical Ecology*, 5 (5), 703–719.
<http://dx.doi.org/10.1007/bf00986555>
- Longhurst, C., Baker, R. & Howse, P.E. (1980) A multicomponent mandibular gland secretion in the ponerine ant *Bothroponera soror* (Emery). *Journal of Insect Physiology*, 26 (8), 551–555.
[http://dx.doi.org/10.1016/0022-1910\(80\)90130-4](http://dx.doi.org/10.1016/0022-1910(80)90130-4)
- Longhurst, C., Baker, R., Howse, P.E. & Speed, W. (1978) Alkylpyrazines in ponerine ants: their presence in three genera, and caste specific behavioral responses to them in *Odontomachus troglodytes*. *Journal of Insect Physiology*, 24, 833–837.
[http://dx.doi.org/10.1016/0022-1910\(78\)90104-x](http://dx.doi.org/10.1016/0022-1910(78)90104-x)
- Longhurst, C. & Howse, P.E. (1979a) Foraging, recruitment and emigration in *Megaponera-foetens* (Fab) (Hymenoptera, Formicidae) from the Nigerian Guinea Savanna. *Insectes Sociaux*, 26 (3), 204–215.
<http://dx.doi.org/10.1007/bf02223798>
- Longhurst, C. & Howse P.E. (1979b) Some aspects of the biology of the males of *Megaponera-foetens* (Fab) (Hymenoptera, Formicidae). *Insectes Sociaux*, 26 (2), 85–91.
<http://dx.doi.org/10.1007/bf02223798>
- Longino, J.T. (1988) Notes on the taxonomy of the neotropical ant genus *Thaumatomyrmex* Mayr (Hymenoptera: Formicidae). In: Trager, J.C. (Ed.), *Advances in myrmecology*. E. J. Brill, Leiden, pp. 35–42.
- Longino, J.T. (2002) The ant fauna of a tropical rain forest: estimating species richness three different ways. *Ecology*, 83 (3), 689–702.
<http://dx.doi.org/10.2307/3071874>
- Longino, J.T. (2013) Ants of Costa Rica. Available from: <http://academic.evergreen.edu/projects/ants/AntsofCostaRica.html> (accessed 10 November 2013)
- Lopez, L.C. & Morgan, E.D. (1997) Explanation of bitter taste of venom of ponerine ant, *Pachycondyla apicalis*. *Journal of Chemical Ecology*, 23 (3), 705–712.
<http://dx.doi.org/10.1023/b:joec.0000006405.26872.ef>
- López, F., Agbogba, C. & Ndiaye, I. (2000) Prey chain transfer behavior in the African stink ant, *Pachycondyla tarsata* Fabr. *Insectes Sociaux*, 47 (4), 337–342.
<http://dx.doi.org/10.1007/pl00001726>
- Lucas, C., Fresneau, D., Kolmer, K., Heinze, J., Delabie, J.H.C. & Phom, D.B. (2002) A multidisciplinary approach to discriminating different taxa in the species complex *Pachycondyla villosa* (Formicidae). *Biological Journal of the Linnean Society*, 75, 249–259.

- <http://dx.doi.org/10.1111/j.1095-8312.2002.tb01425.x>
- Lucas, C., Pho, D.B., Fresneau, D. & Jallon, J.M. (2004) Hydrocarbon circulation and colonial signature in *Pachycondyla villosa*. *Journal of Insect Physiology*, 50, 595–607.
<http://dx.doi.org/10.1016/j.jinsphys.2004.04.006>
- Lucas, C., Pho, D.B., Jallon, J.M. & Fresneau, D. (2005) Role of cuticular hydrocarbons in the chemical recognition between ant species in the *Pachycondyla villosa* species complex. *Journal of Insect Physiology*, 51, 1148–1157.
<http://dx.doi.org/10.1016/j.jinsphys.2005.06.003>
- Luederwaldt, H. (1926) Observacoes biológicas sobre formigas brasileiras, especialmente do Estado de São Paulo. *Revista do Museu Paulista*, 14, 185–304.
- Luh, G.-C. & Lin, C.-Y. (2008) Optimal design of truss structures using ant algorithm. *Structural and Multidisciplinary Optimization*, 36, 365–379.
<http://dx.doi.org/10.1007/s00158-007-0175-6>
- Mackay, W.P. & Anderson, R.S. (1991) New distributional records for the ant genus *Ponera* (Hymenoptera, Formicidae) in North America. *Journal of the New York Entomological Society*, 99 (4), 696–699.
- Mackay, W.P. & Mackay, E.E. (2004) A new species of the ant genus *Leptogenys* (Hymenoptera: Formicidae) with inflated mandibles. *Sociobiology*, 43, 255–258.
- Mackay, W.P. & Mackay, E.E. (2008) Revision of the ants of the genus *Simopelta* Mann. In: Jiménez, E., Fernández, F., Arias, T.M. & Lozano-Zambrano, F.H. (Eds.), *Sistemática, biogeografía y conservación de las hormigas cazadoras de Colombia*. Instituto de Investigación de Recursos Biológicos Alexander von Humboldt, Bogotá, pp. 285–328.
- Mackay, W.P. & Mackay, E.E. (2010) *The systematics and biology of the New World ants of the genus Pachycondyla (Hymenoptera: Formicidae)*. Edwin Mellon Press, Lewiston, 642 pp.
- Maile, R., Jungnickel, H., Morgan, E.D., Ito, F. & Billen, J. (2000) Secretion of venom and Dufour glands in the ant *Leptogenys diminuta*. *Journal of Chemical Ecology*, 26 (11), 2497–2506.
- Mann, W.M. (1916) The Stanford Expedition to Brazil, 1911, John C. Branner, Director. The ants of Brazil. *Bulletin of the Museum of Comparative Zoology*, 60, 399–490.
- Mann, W.M. (1921) The ants of the Fiji Islands. *Bulletin of the Museum of Comparative Zoology*, 64, 401–499.
- Mann, W.M. (1922) Ants from Honduras and Guatemala. *Proceedings of the United States National Museum*, 61, 1–54.
<http://dx.doi.org/10.5479/si.00963801.61-2434.1>
- Mann, W.M. (1934) Stalking ants, savage and civilized. *National Geographic Magazine*, 66, 171–192.
- Mariano, C.S.F., Delabie, J.H.C., Ramos, L.S., Lacau, S. & Pompolo, S.G. (2004) *Dinoponera lucida* Emery (Formicidae: Ponerinae): the highest number of chromosomes known in Hymenoptera. *Naturwissenschaften*, 91, 182–185.
<http://dx.doi.org/10.1007/s00114-004-0514-z>
- Mariano, C.S.F., Pompolo, S.d.G., Silva, J.G., Delabie, J.H.C. (2011) Contribution of cytogenetics to the debate on the paraphyly of *Pachycondyla* spp. (Hymenoptera, Formicidae, Ponerinae). *Psyche*, 2012, Article ID 973897, 9 pp.
<http://dx.doi.org/10.1155/2012/973897>
- Marini, O.J. (1999) Distribution, composition, and dispersal of ant gardens and tending ants in three kinds of central Amazonian habitats. *Tropical Zoology*, 12 (2), 289–296.
<http://dx.doi.org/10.1080/03946975.1999.10539395>
- Marques-Silva, S., Matiello-Guss, C.P., Delabie, J.H.C., Mariano, C.S.F., Zanuncio, J.C. & Serrao, J.E. (2006) Sensilla and secretory glands in the antennae of a primitive ant: *Dinoponera lucida* (Formicidae: Ponerinae). *Microscopy Research and Technique*, 69, 885–890.
<http://dx.doi.org/10.1002/jemt.20356>
- Marukawa, K., Takikawa H. & Mori, K. (2001) Synthesis of the enantiomers of some methyl-branched cuticular hydrocarbons of the ant, *Diacamma* sp. *Bioscience, Biotechnology, and Biochemistry*, 65 (2), 305–314.
<http://dx.doi.org/10.1271/bbb.65.305>
- Maschwitz, U. (1981) Predatory behaviour and its correlation to recruitment behaviour morphology and nesting habits in three species of ponerine ants. In: *Neurobiology and Strategies of Adaptation, Joint symposium of the Hebrew University of Jerusalem, Université de Lyon and J. W. Goethe University*. Frankfurt, pp. 52–59.
- Maschwitz, U., Dorow, W.H.O., Buschinger, A. & Kalytta, G. (2000) Social parasitism involving ants of different subfamilies: *Polyrhachis lama* (Formicinae) an obligatory inquiline of *Diacamma* sp. (Ponerinae) in Java. *Insectes Sociaux*, 47, 27–35.
<http://dx.doi.org/10.1007/s000400050005>
- Maschwitz, U., Go, C., Kaufmann, E. & Buschinger, A. (2004) A unique strategy of host colony exploitation in a parasitic ant: workers of *Polyrhachis lama* rear their brood in neighbouring host nests. *Naturwissenschaften*, 91, 40–43.
<http://dx.doi.org/10.1007/s00114-003-0487-3>
- Maschwitz, U., Hahn, M. & Schönegege, P. (1979) Paralysis of prey in ponerine ants. *Naturwissenschaften*, 66, 213–214.
<http://dx.doi.org/10.1007/bf00366035>
- Maschwitz, U., Hölldobler, B. & Moeglich, M. (1974) Recruitment by tandem running in the ant *Bothroponera tesseronoda*. *Zeitschrift fuer Tierpsychologie*, 35 (2), 113–123.
- Maschwitz, U., Jessen, K. & Knecht, S. (1986) Tandem recruitment and trail laying in the ponerine ant *Diacamma rugosum* - signal analysis. *Ethology*, 71 (1), 30–41.
<http://dx.doi.org/10.1111/j.1439-0310.1986.tb00567.x>

- Maschwitz, U., Liefke, C. & Buschinger, A. (2001) How host and parasite communicate: signal analysis of tandem recruitment between ants of two subfamilies, *Diacamma* sp. (Ponerinae) and its inquiline *Polyrhachis lama* (Formicinae). *Sociobiology*, 37 (1), 65–77.
<http://dx.doi.org/10.1007/s000400050005>
- Maschwitz, U. & Mühlenberg, M. (1973) Tandem traveling: peculiar recruiting behavior in ants. *Natur und Museum (Frankfurt am Main)*, 103 (11), 396–398.
- Maschwitz, U. & Mühlenberg, M. (1975) The strategy of predation in some Oriental *Leptogenys* species (Formicidae: Ponerinae). *Oecologia*, 20, 65–83.
<http://dx.doi.org/10.1007/bf00364322>
- Maschwitz, U., Jessen, K. & Maschwitz, E. (1981) Foaming in *Pachycondyla* - a new defense mechanism in ants. *Behavioral Ecology and Sociobiology*, 9 (1), 79–81.
<http://dx.doi.org/10.1007/bf00299857>
- Maschwitz, U. & Schönege, P. (1977) Recruitment gland of *Leptogenys chinensis*. *Naturwissenschaften*, 64, 589–590.
<http://dx.doi.org/10.1007/bf00450650>
- Maschwitz, U. & Schönege, P. (1983) Forage communication, nest moving recruitment, and prey specialization in the oriental ponerine *Leptogenys chinensis*. *Oecologia*, 57, 175–182.
<http://dx.doi.org/10.1007/bf00379578>
- Maschwitz, U. & Steghaus-Kovac, S. (1991) Individualism versus cooperation - conflicting hunting and recruiting strategies among tropical ponerine ants (Hymenoptera, Formicidae). *Naturwissenschaften*, 78 (3), 103–113.
<http://dx.doi.org/10.1007/bf01131484>
- Maschwitz, U., Steghaus-Kovac, S., Gaube, R. & Hänel, H. (1989) A South East Asian ponerine ant of the genus *Leptogenys* (Hym., Form.) with army ant life habits. *Behavioral Ecology and Sociobiology*, 24, 305–316.
<http://dx.doi.org/10.1007/bf00290907>
- Masson, C. (1970a) Evidence, during ontogenesis of a primitive ant (*Mesoponera caffraria* F. Smith) of a late proliferation of globuli-cells at level of mushroom bodies. *Zeitschrift für Zellforschung und Mikroskopische Anatomie*, 106 (2), 220–231.
<http://dx.doi.org/10.1007/bf00335740>
- Masson, C. (1970b) Etude de développement postembryonnaire de lachaine nerveuse ventrale d'une fourmi primitive *Mesoponera caffraria* F. Smith (Ponerinae). *Bulletin de la Societe Zoologique de France*, 95, 147–154.
- Masson, C. (1972) Antennal system in ants. 1. Histology and ultrastructure of deutocerebron of *Camponotus vagus* (Formicinae) and *Mesoponera caffraria* (Ponerinae) - comparative study. *Zeitschrift für Zellforschung und Mikroskopische Anatomie*, 134 (1), 31–64.
- Masuda, U. & Mori, K. (2002) Synthesis of the four stereoisomers of 3,12-dimethylheptacosane, (Z)-9-pentacosene and (Z)-9-heptacosene, the cuticular hydrocarbons of the ant, *Diacamma* sp. *Bioscience, Biotechnology, and Biochemistry*, 6 (5), 1032–1038.
<http://dx.doi.org/10.1271/bbb.66.1032>
- Mathias, M.I.C. & Caetano, F.H. (1995a) Trophic eggs in workers of *Neoponera villosa* ants (Hymenoptera: Ponerinae). *Journal of Advanced Zoology*, 16 (2), 62–66.
- Mathias, M.I.C. & Caetano, F.H. (1995b) Corpora allata in females of *Neoponera villosa* ants (Hymenoptera, Formicidae) - relations with ovarian development. *Sociobiology*, 26 (3), 283–289.
- Mathias, M.I.C. & Caetano, F.H. (1996) Histochemical and ultrastructural cytochemistry of glycogen on ovarioles of *Neoponera villosa* ants (Hymenoptera: Ponerinae). *Journal of Advanced Zoology*, 17 (2), 64–67.
- Mathias, M.I.C. & Caetano, F.H. (1998) Ultrastructural study of the follicular epithelium in oocytes of *Pachycondyla* (*Neoponera*) *villosa* ants (Hymenoptera: Ponerinae). *Biocell*, 22 (1), 53–60.
- Mathias, M.I.C., Landim, C.C. & Caetano, F.H. (1991) Ultrastructural aspects of the mandibular glands of *Neoponera villosa* workers (Hymenoptera: Ponerinae). *Journal of Advanced Zoology*, 12 (2), 72–80.
- Mathias, M.I.C., Tomotake, M.E.M., Yabuki, A.T. & Caetano, F.H. (1995) Ultrastructure of the mandibular gland of *Pachycondyla striata* ants (Hymenoptera: Ponerinae). 1. Workers. *Journal of Advanced Zoology*, 16 (1), 1–4.
- Matsumura, S. (1912) *Thousand insects of Japan. Supplement IV*. Keishu-sha, Tokyo, 247 pp. + 14 pl. + 4 pp.
- Matsuura, K. (2002) Colony-level stabilization of soldier head width for head-plug defense in the termite *Reticulitermes speratus* (Isoptera: Rhinotermitidae). *Behavioral Ecology and Sociobiology*, 51, 172–179.
<http://dx.doi.org/10.1007/s00265-001-0426-2>
- Matsuura, K., Kuno, E. & Nishida, T. (2002) Homosexual tandem running as selfish herd in *Reticulitermes speratus*: novel antipredatory behavior in termites. *Journal of Theoretical Biology*, 214, 63–70.
<http://dx.doi.org/10.1006/jtbi.2001.2447>
- Matsuura, K. & Nishida, T. (2002) Mechanism, induction factors, and adaptive significance of dealation in the subterranean termite *Reticulitermes speratus* (Isoptera, Rhinotermitidae). *Insectes Sociaux*, 49, 241–244.
<http://dx.doi.org/10.1007/s00040-002-8308-9>
- Mayr, G. 1861. *Die europäischen Formiciden. Nach der analytischen Methode bearbeitet*. C. Gerolds Sohn, Wien, 80 pp.
- Mayr, G. (1862) Myrmecologische Studien. *Verhandlungen der Kaiserlich-Königlichen Zoologisch-Botanischen Gesellschaft in Wien*, 12, 649–776.
- Mayr, G. (1865) Formicidae. In: *Reise der Österreichischen Fregatte "Novara" um die Erde in den Jahren 1857, 1858, 1859*.

- Zoologischer Theil. Bd. II. Abt. I.* K. Gerold's Sohn, Wien, 119 pp.
- Mayr, G. (1866) Diagnosen neuer und wenig gekannter Formiciden. *Verhandlungen der Kaiserlich-Königlichen Zoologisch-Botanischen Gesellschaft in Wien*, 16, 885–908.
- Mayr, G. (1867) Adnotationes in monographiam formicidarum Indo-Neerlandicarum. *Tijdschrift voor Entomologie*, 10, 33–117.
- Mayr, G. (1870) Formicidae novogranadenses. *Sitzungsberichte der Kaiserlichen Akademie der Wissenschaften. Mathematisch-naturwissenschaftliche Classe. Abteilung I*, 61, 370–417.
- Mayr, G. (1884) [Untitled. Descriptions of eight new species.] In: Radoszkowsky, O. Fourmis de Cayenne Française. *Trudy Russkago Entomologicheskago Obshchestva*, 18, 31–38.
- Mayr, G. (1886) Notizen über die Formiciden-Sammlung des British Museum in London. *Verhandlungen der Kaiserlich-Königlichen Zoologisch-Botanischen Gesellschaft in Wien*, 36, 353–368.
- Mayr, G. (1887) Südamerikanische Formiciden. *Verhandlungen der Kaiserlich-Königlichen Zoologisch-Botanischen Gesellschaft in Wien*, 37, 511–632.
- Medeiros, F.N.S., Lopes, L.E., Moutinho, P.R.S., Oliveira, P.S. & Hölldobler, B. (1992) Functional polygyny, agonistic interactions and reproductive dominance in the neotropical ant *Odontomachus chelifer* (Hymenoptera, Formicidae, Ponerinae). *Ethology*, 91, 134–146.
<http://dx.doi.org/10.1111/j.1439-0310.1992.tb00857.x>
- Mill, A.E. (1982a) Faunal studies on termites (Isoptera) and observations on their ant predators (Hymenoptera: Formicidae) in the Amazon basin. *Revista Brasileira de Entomologia*, 26, 253–260.
- Mill, A.E. (1982b) Emigration of a colony of the giant termite hunter, *Pachycondyla commutata* (Roger) (Hymenoptera: Formicidae). *Entomologist's Monthly Magazine*, 118, 243–245.
- Mill, A.E. (1984) Predation by the ponerine ant *Pachycondyla commutata* on termites of the genus *Syntermes* in Amazonian rain forest. *Journal of Natural History*, 18 (3), 405–410.
<http://dx.doi.org/10.1080/00222938400770341>
- Moffett, M.W. (1985) An Indian ant's novel method for obtaining water. *National Geographic Research*, 1 (1), 146–149.
- Moffett, M.W. (1986) Evidence of workers serving as queens in the genus *Diacamma* (Hymenoptera: Formicidae). *Psyche (Camb.)*, 93 (1–2), 151–152.
<http://dx.doi.org/10.1155/1986/74256>
- Molet, M. & Peeters, C. (2006) Evolution of wingless reproductives in ants: weakly specialized ergatoid queen instead of gamergates in *Platythyrea conradi*. *Insectes Sociaux*, 53, 177–182.
<http://dx.doi.org/10.1007/s00040-005-0856-3>
- Molet, M., Peeters, C. & Fisher, B.L. (2007) Permanent loss of wings in queens of the ant *Odontomachus coquereli* from Madagascar. *Insectes Sociaux*, 54, 183–188.
<http://dx.doi.org/10.1007/s00040-007-0930-0>
- Monmarché, N., Venturini, G. & Slimane, M. (2000) On how *Pachycondyla apicalis* ants suggest a new search algorithm. *Future Generation Computer Systems*, 16, 937–946.
[http://dx.doi.org/10.1016/S0167-739X\(00\)00047-9](http://dx.doi.org/10.1016/S0167-739X(00)00047-9)
- Monnin, T., Malosse, C. & Peeters, C. (1998) Solid-phase microextraction and cuticular hydrocarbon differences related to reproductive activity in queenless ant *Dinoponera quadriceps*. *Journal of Chemical Ecology*, 24 (3), 473–490.
- Monnin, T. & Peeters, C. (1997) Cannibalism of subordinates' eggs in the monogynous queenless ant *Dinoponera quadriceps*. *Naturwissenschaften*, 84, 499–502.
<http://dx.doi.org/10.1007/s001140050433>
- Monnin, T. & Peeters, C. (1998) Monogyny and regulation of worker mating in the queenless ant *Dinoponera quadriceps*. *Animal Behaviour*, 55, 299–306.
<http://dx.doi.org/10.1006/anbe.1997.0601>
- Monnin, T. & Ratnieks, F.L.W. (1999) Reproduction versus work in queenless ants: when to join a hierarchy of hopeful reproductives? *Behavioral Ecology and Sociobiology*, 46, 413–422.
<http://dx.doi.org/10.1007/s002650050637>
- Monnin, T. & Ratnieks, F.L.W. (2001) Policing in queenless ponerine ants. *Behavioral Ecology and Sociobiology*, 50, 97–108.
<http://dx.doi.org/10.1007/s002650100351>
- Monnin, T., Ratnieks, F.L.W. & Brandão, C.R.F. (2003) Reproductive conflict in animal societies: hierarchy length increases with colony size in queenless ponerine ants. *Behavioral Ecology and Sociobiology*, 54, 71–79.
<http://dx.doi.org/10.1007/s00265-003-0600-9>
- Monnin, T., Ratnieks, F.L.W., Jones, G.R. & Beard, R. (2002) Pretender punishment induced by chemical signalling in a queenless ant. *Nature*, 419, 61–65.
<http://dx.doi.org/10.1038/nature00932>
- Monnin, T. & Peeters, C. (1999) Dominance hierarchy and reproductive conflicts among subordinates in a monogynous queenless ant. *Behavioral Ecology*, 10 (3), 323–332.
<http://dx.doi.org/10.1093/beheco/10.3.323>
- Monnin, T. & Peeters, C. (2008) How many gamergates is an ant queen worth? *Naturwissenschaften*, 95, 109–116.
<http://dx.doi.org/10.1007/s00114-007-0297-0>

- Morgan, E.D., Jungnickel, H., Keegans, S.J., do Nascimento, R.R., Billen, J., Gobin, B. & Ito, F. (2003) Comparative survey of abdominal gland secretions of the ant subfamily Ponerinae. *Journal of Chemical Ecology*, 29 (1), 95–114.
<http://dx.doi.org/10.1023/a:1021928630441>
- Morgan, E.D., do Nascimento, R.R., Keegans, S.J. & Billen, J. (1999) Comparative study of mandibular gland secretions of workers of ponerine ants. *Journal of Chemical Ecology*, 25 (6), 1395–1409.
<http://dx.doi.org/10.1023/a:1020987028163>
- Morini, M.S.C., Kamazuka, N., Leung, R., Suguituru, S.S. & da Silva, L.F. (2006) Ant fauna (Hymenoptera: Formicidae) in Magnoliophyta native to the Atlantic forest. *Sociobiology*, 47 (2), 433–444.
- Musthak Ali, T.M., Baroni Urbani, C. & Billen, J. (1992) Multiple jumping behaviors in the ant *Harpegnathos saltator*. *Naturwissenschaften*, 79, 374–376.
<http://dx.doi.org/10.1007/bf01140185>
- Nakata, K. (1995) Age polyethism, idiosyncrasy and behavioural flexibility in the queenless ponerine ant, *Diacamma* sp. *Journal of Ethology*, 13, 113–123.
<http://dx.doi.org/10.1007/bf02352570>
- Nakata, K. (1996a) Does behavioral flexibility compensate or constrain colony productivity? Relationship among age structure, labor allocation, and production of workers in ant colonies. *Journal of Insect Behavior*, 9 (4), 557–569.
<http://dx.doi.org/10.1007/bf02213880>
- Nakata, K. (1996b) The difference in behavioral flexibility among task behaviors in a ponerine ant, *Diacamma* sp. *Sociobiology*, 27 (2), 119–128.
- Nakata, K. (1998) Absence of sex-differential brood raising by workers in *Diacamma* sp. from Japan. *Behavioral Ecology and Sociobiology*, 43, 223–227.
<http://dx.doi.org/10.1007/s002650050486>
- Nakata, K. (2000) Stability in worker production and colony size in ant colonies (Hymenoptera: Formicidae). *Sociobiology*, 35 (3), 441–446.
- Nakata, K. & Tsuji, K. (1996) The effect of colony size on conflict over male-production between gamergate and dominant workers in the ponerine ant *Diacamma* sp. *Ethology, Ecology and Evolution*, 8 (2), 147–156.
<http://dx.doi.org/10.1080/08927014.1996.9522925>
- Nakata, K., Tsuji, K., Hölldobler, B. & Taki, A. (1998) Sexual calling by workers using the metatibial glands in the ant, *Diacamma* sp., from Japan (Hymenoptera: Formicidae). *Journal of Insect Behavior*, 11 (6), 869–877.
- Nascimento, R.R. do, Billen, J. & Morgan, E.D. (1993) The exocrine secretions of the jumping ant *Harpegnathos saltator*. *Comparative Biochemistry and Physiology*, 104B (3), 505–508.
[http://dx.doi.org/10.1016/0305-0491\(93\)90274-9](http://dx.doi.org/10.1016/0305-0491(93)90274-9)
- Nelder, M.P., Paysen, E.S., Zungoli, P.A. & Benson, E.P. (2006) Emergence of the introduced ant *Pachycondyla chinensis* (Formicidae: Ponerinae) as a public health threat in the southeastern United States. *Journal of Medical Entomology*, 43 (5), 1094–1098.
[http://dx.doi.org/10.1603/0022-2585\(2006\)43\[1094:eotiap\]2.0.co;2](http://dx.doi.org/10.1603/0022-2585(2006)43[1094:eotiap]2.0.co;2)
- Ogata, K. (1987) A generic synopsis of the poneroid complex of the family Formicidae in Japan (Hymenoptera). Part 1. Subfamilies Ponerinae and Cerapachyinae. *Esakia*, 25, 97–132.
- Okada, Y., Tsuji, K. & Miura, T. (2006) Morphological differences between sexes in the ponerine ant *Diacamma* sp. (Formicidae: Ponerinae). *Sociobiology*, 48 (2), 527–541.
- Oldham, N.J., Keegans, S.J., Morgan, E.D., Paiva, R.V.S., Brandão, C.R.F., Schoeters, E. & Billen, J. (1994) Mandibular gland contents of a colony of the queenless ponerine ant *Dinoponera australis*. *Naturwissenschaften*, 81, 313–316.
<http://dx.doi.org/10.1007/s001140050077>
- Oldham, N.J. & Morgan, E.D. (1993) Structures of the pyrazines from the mandibular gland secretion of the ponerine ant *Dinoponera australis*. *Journal of the Chemical Society, Perkin Transactions 1*, 2713–2716.
<http://dx.doi.org/10.1039/p19930002713>
- Oliveira, P.S. & Hölldobler, B. (1989) Orientation and communication in the neotropical ant *Odontomachus bauri* Emery (Hymenoptera, Formicidae, Ponerinae). *Ethology*, 83 (2), 154–166.
<http://dx.doi.org/10.1111/j.1439-0310.1989.tb00525.x>
- Oliveira, P.S. & Hölldobler, B. (1990) Dominance orders in the ponerine ant *Pachycondyla apicalis* (Hymenoptera, Formicidae). *Behavioral Ecology and Sociobiology*, 27, 385–393.
<http://dx.doi.org/10.1007/bf00164064>
- Oliveira, P.S. & Hölldobler, B. (1991) Agonistic interactions and reproductive dominance in *Pachycondyla obscuricornis* (Hymenoptera, Formicidae). *Psyche (Camb.)*, 98, 215–226.
<http://dx.doi.org/10.1155/1991/64635>
- Oliveira, P.S., Obermayer, M. & Hölldobler, B. (1998) Division of labor in the neotropical ant, *Pachycondyla stigma* (Ponerinae), with special reference to mutual antennal rubbing between nestmates (Hymenoptera). *Sociobiology*, 31 (1), 9–24.
- Onoyama, K. (1989) Notes on the ants of the genus *Hypoconerina* in Japan (Hymenoptera: Formicidae). *Edaphologia*, 41, 1–10.
- Orivel, J. & Déjean, A. (1999) Selection of epiphyte seeds by ant-garden ants. *Ecoscience*, 6 (1), 51–55.
- Orivel, J. & Déjean, A. (2000) Myrmecophily in Hesperidiidae. The case of *Vettius tertianus* in ant gardens. *Comptes Rendus de*

l'Academie des Sciences Serie III-Sciences de la vie-Life Sciences, 323, 705–715.

[http://dx.doi.org/10.1016/s0764-4469\(00\)01216-6](http://dx.doi.org/10.1016/s0764-4469(00)01216-6)

- Orivel, J. & Déjean, A. (2001) Comparative effect of the venoms of ants of the genus *Pachycondyla* (Hymenoptera: Ponerinae). *Toxicon*, 39 (2–3), 195–201.
[http://dx.doi.org/10.1016/s0041-0101\(00\)00113-6](http://dx.doi.org/10.1016/s0041-0101(00)00113-6)
- Orivel, J., Redeker, V., Le Caer, J.-P., Krier, F., Revol-Junelles, A.-M., Longeon, A., Chaffotte, A., Déjean, A. & Rossier, J. (2001) Ponericins, new antibacterial and insecticidal peptides from the venom of the ant *Pachycondyla goeldii*. *Journal of Biological Chemistry*, 276 (21), 17823–17829.
- Orivel, J., Souchal, A., Cerdan, P. & Déjean, A. (2000) Prey capture behavior of the arboreal ponerine ant *Pachycondyla goeldii* (Hymenoptera: Formicidae). *Sociobiology*, 35 (1), 131–140.
- Ortius, D. & Lechner, K. (1997) Nuptial flight in two ponerine ants, *Pachycondyla impressa* and *P. fauveli*, overlooking Machu Picchu, Peru. *Studies on Neotropical Fauna and Environment*, 32, 227–229.
- Ortiz, G. & Mathias, M.I.C. (2003) Morphohistological study of the venom gland in workers of the ant *Pachycondyla striata* F. Smith (Hymenoptera: Ponerinae). *Sociobiology*, 42 (1), 103–116.
- Ortiz, G. & Mathias, M.I.C. (2006) Venom gland of *Pachycondyla striata* worker ants (Hymenoptera: Ponerinae). Ultrastructural characterization. *Micron*, 37, 243–248.
<http://dx.doi.org/10.1016/j.micron.2005.10.008>
- Oster, G.F. & Wilson, E.O. (1978) *Caste and Ecology in the Social Insects*. Princeton University Press, Princeton, New Jersey, 352 pp.
- Ouellette, G.D., Fisher, B.L. & Girman, D.J. (2006) Molecular systematics of basal subfamilies of ants using 28S rRNA (Hymenoptera: Formicidae). *Molecular Phylogenetics and Evolution*, 40, 359–369.
<http://dx.doi.org/10.1016/j.ympev.2006.03.017>
- Overall, W.L. (1980) Observations on colony founding and migration of *Dinoponera gigantea*. *Journal of the Georgia Entomological Society*, 15 (4), 466–469.
- Overall, W.L. (1987) Defensive chemical weaponry in the ant *Pachycondyla harpax* (Formicidae, Ponerinae). *Journal of Entomological Science*, 22 (3), 268–269.
- Paiva, R.V.S. & Brandão, C.R.F. (1995) Nests, worker population, and reproductive status of workers, in the giant queenless ponerine ant *Dinoponera Roger* (Hymenoptera Formicidae). *Ethology, Ecology and Evolution*, 7, 297–312.
<http://dx.doi.org/10.1080/08927014.1995.9522938>
- Paknia, O. (2006) Distribution of the introduced ponerine ant *Pachycondyla senaarensis* (Hymenoptera: Formicidae) in Iran. *Myrmecologische Nachrichten*, 8, 235–238.
- Passos, L. & Oliveira, P.S. (2002) Ants affect the distribution and performance of seedlings of *Clusia criuva*, a primarily bird-dispersed rain forest tree. *Journal of Ecology*, 90 (3), 517–528.
<http://dx.doi.org/10.1046/j.1365-2745.2002.00687.x>
- Passos, L. & Oliveira, P.S. (2003) Interactions between ants, fruits and seeds in a restinga forest in south-eastern Brazil. *Journal of Tropical Ecology*, 19, 261–270.
<http://dx.doi.org/10.1017/s0266467403003298>
- Passos, L. & Oliveira, P.S. (2004) Interaction between ants and fruits of *Guapira opposita* (Nyctaginaceae) in a Brazilian sandy plain rainforest: ant effects on seeds and seedlings. *Oecologia*, 139, 376–382.
<http://dx.doi.org/10.1007/s00442-004-1531-5>
- Patek, S.N., Baio, J.E., Fisher, B.L. & Suarez, A.V. (2006) Multifunctionality and mechanical origins: ballistic jaw propulsion in trap-jaw ants. *Proceedings of the National Academy of Sciences (USA)*, 103 (34), 12787–12792.
<http://dx.doi.org/10.1073/pnas.0604290103>
- Paul, J. (2001) Mandible movements in ants. *Comparative Biochemistry and Physiology Part A*, 131, 7–20.
- Paul, J. & Gronenberg, W. (1999) Optimizing force and velocity: mandible muscle fiber attachments in ants. *Journal of Experimental Biology*, 202, 797–808.
- Paul, J. & Roces, F. (2003) Fluid intake rates in ants correlate with their feeding habits. *Journal of Insect Physiology*, 49, 347–357.
[http://dx.doi.org/10.1016/s0022-1910\(03\)00019-2](http://dx.doi.org/10.1016/s0022-1910(03)00019-2)
- Pavan, G., Priano, M., de Carli, P., Fanfani, A. & Giovannotti, M. (1997) Stridulatory organ and ultrasonic emission in certain species of ponerine ants (genus: *Ectatomma* and *Pachycondyla*, Hymenoptera, Formicidae). *Bioacoustics*, 8, 209–221.
<http://dx.doi.org/10.1080/09524622.1997.9753363>
- Peeters, C. (1985) *Social organization, breeding biology and the process of reproductive differentiation in Ophthalmopone berthoudi Forel, a ponerine ant*. Ph.D. Thesis, Univ. of the Witwatersrand, Johannesburg, 159 pp.
- Peeters, C. (1987) The diversity of reproductive systems in Ponerine ants. In: Eder, J. & Rembold, H. (Eds.), *Chemistry and Biology of Social Insects*. Verlag J. Peperny, München, pp. 253–254.
- Peeters, C. (1991a) The occurrence of sexual reproduction among ant workers. *Biological Journal of the Linnean Society*, 44, 141–152.
- Peeters, C. (1991b) Ergatoid queens and intercastes in ants - 2 distinct adult forms which look morphologically intermediate between workers and winged queens. *Insectes Sociaux*, 38 (1), 1–15.
<http://dx.doi.org/10.1007/bf01242708>

- Peeters, C. (1993) Monogyny and polygyny in ponerine ants with or without queens. *In*: Keller, L. (Ed.), *Queen number and sociality in insects*. Oxford University Press, Oxford, pp. 234–261.
- Peeters, C. & Billen, J. (1991) A novel exocrine gland inside the thoracic appendages ('gemmae') of the queenless ant *Diacamma australe*. *Experientia*, 47, 229–231.
<http://dx.doi.org/10.1007/bf01958143>
- Peeters, C., Billen, J. & Hölldobler, B. (1992) Alternative dominance mechanisms regulating monogyny in the queenless ant genus *Diacamma*. *Naturwissenschaften*, 79, 572–573.
- Peeters, C. & Crewe, R. (1985a) Worker reproduction in the ponerine ant *Ophthalmopone berthoudi*: an alternative form of eusocial organization. *Behavioral Ecology and Sociobiology*, 18, 29–37.
- Peeters, C. & Crewe, R. (1985b) Queenlessness and reproductive differentiation in *Ophthalmopone hottentota*. *South African Journal of Zoology*, 20, 268.
- Peeters, C. & Crewe, R. (1986a) Male biology in the queenless ponerine ant *Ophthalmopone berthoudi* Hymenoptera Formicidae. *Psyche (Camb.)*, 93 (3–4), 277–284.
<http://dx.doi.org/10.1155/1986/90827>
- Peeters, C. & Crewe, R. (1986b) Queenright and queenless breeding systems within the genus *Pachycondyla* (Hymenoptera, Formicidae). *Journal of the Entomological Society of Southern Africa*, 49 (2), 251–255.
- Peeters, C. & Crewe, R. (1987) Foraging and recruitment in ponerine ants: solitary hunting in the queenless *Ophthalmopone berthoudi* (Hymenoptera, Formicidae). *Psyche (Camb.)*, 94 (1–2), 201–214.
<http://dx.doi.org/10.1155/1987/74592>
- Peeters, C. & Crewe, R. (1988) Worker laying in the absence of an ergatoid queen in the ponerine ant genus *Plectroctena*. *South African Journal of Zoology*, 23 (2), 78–80.
- Peeters, C. & Higashi, S. (1989) Reproductive dominance controlled by mutilation in the queenless ant *Diacamma australe*. *Naturwissenschaften*, 76, 177–180.
<http://dx.doi.org/10.1007/bf00366404>
- Peeters, C., Higashi, S. & Ito, F. (1991) Reproduction in ponerine ants without queens: monogyny and exceptionally small colonies in the Australian *Pachycondyla sublaevis*. *Ethology, Ecology & Evolution*, 3, 145–152.
<http://dx.doi.org/10.1080/08927014.1991.9525380>
- Peeters, C. & Hölldobler, B. (1992) Notes on the morphology of the sticky "doorknobs" of larvae in an Australian *Hypoponera* sp. (Formicidae; Ponerinae). *Psyche (Camb.)*, 99, 23–30.
<http://dx.doi.org/10.1155/1992/96238>
- Peeters, C. & Hölldobler, B. (1995) Reproductive cooperation between queens and their mated workers: the complex life history of an ant with a valuable nest. *Proceedings of the National Academy of Sciences (USA)*, 92, 10977–10979.
<http://dx.doi.org/10.1073/pnas.92.24.10977>
- Peeters, C., Hölldobler, B., Moffett, M. & Musthak Ali, T.M. (1994) "Wall-papering" and elaborate nest architecture in the ponerine ant *Harpegnathos saltator*. *Insectes Sociaux*, 41, 211–218.
<http://dx.doi.org/10.1007/bf01240479>
- Peeters, C. & Ito, F. (2001) Colony dispersal and the evolution of queen morphology in social Hymenoptera. *Annual Review of Entomology*, 46, 601–630.
- Peeters, C., Liebig, J. & Hölldobler, B. (2000) Sexual reproduction by both queens and workers in the ponerine ant *Harpegnathos saltator*. *Insectes Sociaux*, 47, 325–332.
<http://dx.doi.org/10.1007/pl00001724>
- Peeters, C., Monnin, T. & Malosse, C. (1999) Cuticular hydrocarbons correlated with reproductive status in a queenless ant. *Proceedings of the Royal Society of London Series B - Biological Sciences*, 266 (1426), 1323–1327.
<http://dx.doi.org/10.1098/rspb.1999.0782>
- Peeters, C. & Tsuji, K. (1993) Reproductive conflict among ant workers in *Diacamma* sp. from Japan: dominance and oviposition in the absence of the gamergate. *Insectes Sociaux*, 40, 119–136.
<http://dx.doi.org/10.1007/bf01240701>
- Peixoto, A.V., Campiolo, S., Lemes, T.N., Delabie, J.H.C. & Hora, R.R. (2008) Comportamento e estrutura reprodutiva da formiga *Dinoponera lucida* Emery (Hymenoptera, Formicidae). *Revista Brasileira de Entomologia*, 52 (1), 88–94.
<http://dx.doi.org/10.1590/s0085-56262008000100016>
- Perrault, G.H. (2000) Les Probolomyrmecinae, nouvelle sous-famille pour le genre *Probolomyrmex* (Hymenoptera, Formicidae). *Bulletin de la Société Entomologique de France*, 105, 253–272.
- Perty, M. (1833) *Delectus animalium articulatum, quae in itinere per Brasiliam annis MDCCCXVII-MDCCCXX jussu et auspiciis Maximiliani Josephi I. Bavariae regis augustissimi peracto, collegerunt Dr. J. B. Spix et Dr. C. F. Ph. de Martius. Fasc. 3.* Published by the author, Monachii [= Munich], pp. 125–224.
- Petralia, R.S. & Vinson, S.B. (1980) Comparative anatomy of the ventral region of ant larvae, and its relation to feeding behavior. *Psyche (Camb.)*, 86, 375–394.
- Pezon, A., Denis, D., Cerdan, P., Valenzuela, J. & Fresneau, D. (2005) Queen movement during colony emigration in the facultatively polygynous ant *Pachycondyla obscuricornis*. *Naturwissenschaften*, 92, 35–39.
<http://dx.doi.org/10.1007/s00114-004-0583-z>
- Pfeiffer, M., Nais, J. & Linsenmair, K.E. (2006) Worker size and seed size selection in 'seed'-collecting ant ensembles

- (Hymenoptera: Formicidae) in primary rain forests on Borneo. *Journal of Tropical Ecology*, 22, 685–693.
<http://dx.doi.org/10.1017/s0266467406003622>
- Pizo, M.A. & Oliveira, P.S. (1998) Interaction between ants and seeds of a nonmyrmecochorous neotropical tree, *Cabralea canjerana* (Meliaceae), in the Atlantic forest of southeast Brazil. *American Journal of Botany*, 85 (5), 669–674.
<http://dx.doi.org/10.2307/2446536>
- Pizo, M.A. & Oliveira, P.S. (2001) Size and lipid content of nonmyrmecochorous diaspores: effects on the interaction with litter-foraging ants in the Atlantic rain forest of Brazil. *Plant Ecology*, 157, 37–52.
<http://dx.doi.org/10.1023/a:1013735305100>
- Powell, S. & Tschinkel, W.R. (1999) Ritualized conflict in *Odontomachus brunneus* and the generation of interaction-based task allocation: a new organizational mechanism in ants. *Animal Behaviour*, 58, 965–972.
<http://dx.doi.org/10.1006/anbe.1999.1238>
- Pratt, S.C., Carlin, N.F. & Calabi, P. (1994) Division of labor in *Ponera pennsylvanica* (Formicidae: Ponerinae). *Insectes Sociaux*, 41, 43–61.
<http://dx.doi.org/10.1007/bf01240572>
- Prins, A.J. (1978) Hymenoptera. In: Werger, M.J.A. (Ed.), *Biogeography and ecology of southern Africa*. Junk, The Hague, pp. 823–875.
- Radchenko, A. (1993) Ants from Vietnam in the collection of the Institute of Zoology, PAS, Warsaw. I. Pseudomyrmecine, Dorylinae, Ponerinae. *Annales Zoologici*, 44 (7), 75–82.
- Radchenko, A. (2005) Monographic revision of the ants (Hymenoptera: Formicidae) of North Korea. *Annales Zoologici*, 55 (2), 127–221.
- Raimundo, R.L.G., Guimaraes, P.R., Almeida-Neto, M. & Pizo, M.A. (2004) The influence of fruit morphology and habitat structure on ant-seed interactions: a study with artificial fruits. *Sociobiology*, 44 (2), 261–270.
- Rakotonirina, J.C. & Fisher, B.L. (2013) Revision of the *Pachycondyla sikorae* species-group (Hymenoptera: Formicidae) in Madagascar. *Zootaxa*, 3683, 447–485.
<http://dx.doi.org/10.11646/zootaxa.3683.4.8>
- Ramaswamy, K., Peeters, C., Yuvana, S.P., Varghese, T., Pradeep, H.D., Dietemann, V., Karpakakunjaram, V., Cobb, M. & Gadagkar, R. (2004) Social mutilation in the ponerine ant *Diacamma*: cues originate in the victims. *Insectes Sociaux*, 51 (4), 410–413.
<http://dx.doi.org/10.1007/s00040-004-0765-x>
- Rakotonirina, J.C. & Fisher, B.L. (2013) Revision of the *Pachycondyla wasmannii*-group (Hymenoptera: Formicidae) from the Malagasy region. *Zootaxa*, 3609 (3), 101–141.
<http://dx.doi.org/10.11646/zootaxa.3609.3.12>
- Reddell, J. & Cokendolpher, J. (2001) Ants (Hymenoptera: Formicidae) from the caves of Belize, Mexico and California and Texas (U.S.A.). *Texas Memorial Museum, Speleological Monographs*, 5, 129–154.
- Robertson, H.G. (2002) Revision of the ant genus *Streblognathus* (Hymenoptera: Formicidae: Ponerinae). *Zootaxa*, 97, 1–16.
- Roger, J. (1860) Die Ponera-artigen Ameisen. *Berliner Entomologische Zeitschrift*, 4, 278–312.
- Roger, J. (1861) Die Ponera-artigen Ameisen (Schluss). *Berliner Entomologische Zeitschrift*, 5, 1–54.
- Roger, J. (1863a) Die neu aufgeführten Gattungen und Arten meines Formiciden-Verzeichnisses nebst Ergänzung einiger früher gegebenen Beschreibungen. *Berliner Entomologische Zeitschrift*, 7, 131–214.
<http://dx.doi.org/10.1002/mmnd.47918630116>
- Roger, J. (1863b) Verzeichniss der Formiciden-Gattungen und Arten. *Berliner Entomologische Zeitschrift*, 7 (Beilage), 1–65.
- Roncin, E. & Deharveng, L. (2003) *Leptogenys khammouanensis* sp. nov. (Hymenoptera: Formicidae). A possible troglobitic species of Laos, with a discussion on cave ants. *Zoological Science*, 20, 919–924.
<http://dx.doi.org/10.2108/zsj.20.919>
- Rüger, M.H., Fröba, J. & Foitzik, S. (2008) Larval cannibalism and worker-induced separation of larvae in *Hypoponera* ants: a case of conflict over caste determination? *Insectes Sociaux*, 55, 12–21.
<http://dx.doi.org/10.1007/s00040-007-0965-2>
- Santos, I.S., Costa, M.A., Mariano, C.S.F., Delabie, J.H.C., Andrade-Souza, V. & Silva, J.G. (2010) A cytogenetic approach to the study of Neotropical *Odontomachus* and *Anochetus* ants (Hymenoptera: Formicidae). *Annals of the Entomological Society of America*, 103, 424–429.
<http://dx.doi.org/10.1603/an09101>
- Santschi, F. (1914) Formicides de l'Afrique occidentale et australe du voyage de Mr. le Professeur F. Silvestri. *Bollettino del Laboratorio di Zoologia Generale e Agraria della Reale Scuola Superiore d'Agricoltura. Portici*, 8, 309–385.
- Santschi, F. (1921) Ponerinae, Dorylinae et quelques autres formicides néotropiques. *Bulletin de la Société Vaudoise des Sciences Naturelles*, 54, 81–103.
- Santschi, F. (1923) *Solenopsis* et autres fourmis néotropicales. *Revue Suisse de Zoologie*, 30, 245–273.
- Santschi, F. (1924) Revue du genre *Plectroctena* F. Smith. *Revue Suisse de Zoologie*, 31, 155–173.
- Santschi, F. (1938) Notes sur quelques *Ponera* Latr. *Bulletin de la Société Entomologique de France*, 43, 78–80.
- Schatz, B., Suzzoni, J.P., Corbara, B. & Déjean, A. (2001) Selection and capture of prey in the African ponerine ant *Plectroctena minor* (Hymenoptera: Formicidae). *Acta Oecologia*, 22, 55–60.
- Schatz, B., Orivel, J., Lachaud, J.P., Beugnon, G. & Déjean, A. (1999) Sitemate recognition: the case of *Anochetus traegordhi*

- (Hymenoptera: Formicidae) preying on *Nasutitermes* (Isoptera: Termitidae). *Sociobiology*, 34 (3), 569–580.
- Schemske, D.W. (1982) Ecological correlates of a neotropical mutualism: ant assemblages at *Costus* extrafloral nectaries. *Ecology*, 63 (4), 932–941.
<http://dx.doi.org/10.2307/1937233>
- Schilder, K., Heinze, J. & Hölldobler, B. (1999a) Colony structure and reproduction in the thelytokous parthenogenetic ant *Platythyrea punctata* (F. Smith) (Hymenoptera, Formicidae). *Insectes Sociaux*, 46, 150–158.
<http://dx.doi.org/10.1007/s000400050126>
- Schilder, K., Heinze, J., Gross, R. & Hölldobler, B. (1999b) Microsatellites reveal clonal structure of populations of the thelytokous ant *Platythyrea punctata* (F. Smith) (Hymenoptera; Formicidae). *Molecular Ecology*, 8, 1497–1507.
<http://dx.doi.org/10.1046/j.1365-294x.1999.00727.x>
- Schlüns, E.A., Neumann, P., Schlüns, H., Hepburn, H.R. & Moritz, R.F.A. (2006) Nestmate recognition and genetic variability among individuals from nests of the queenless ponerine ant, *Streblognathus aethiopicus* Smith (Hymenoptera: Formicidae). *African Entomology*, 14 (1), 95–102.
- Schmidt, C. (2013) Molecular phylogenetics of ponerine ants (Hymenoptera: Formicidae: Ponerinae). *Zootaxa*, 3647 (2), 201–250.
<http://dx.doi.org/10.11646/zootaxa.3647.2.1>
- Schmidt, J.O., Blum, M.S. & Overal, W.L. (1984) Hemolytic activities of stinging insect venoms. *Archives of Insect Biochemistry and Physiology*, 1, 155–160.
<http://dx.doi.org/10.1002/arch.940010205>
- Schoeters, E. & Billen, J. (1995) Morphology and ultrastructure of the convoluted gland in the ant *Dinoponera australis* (Hymenoptera: Formicidae). *International Journal of Insect Morphology and Embryology*, 24 (3), 323–332.
[http://dx.doi.org/10.1016/0020-7322\(94\)00024-k](http://dx.doi.org/10.1016/0020-7322(94)00024-k)
- Schoeters, E. & Billen, J. (1997) The post-pharyngeal gland in *Dinoponera* ants (Hymenoptera: Formicidae): unusual morphology and changes during the secretory process. *International Journal of Insect Morphology and Embryology*, 25 (4), 443–447.
[http://dx.doi.org/10.1016/s0020-7322\(96\)00016-5](http://dx.doi.org/10.1016/s0020-7322(96)00016-5)
- Seifert, B. (2004) *Hypoponera punctatissima* (Roger) and *H. schauinslandi* (Emery) - Two morphologically and biologically distinct species (Hymenoptera: Formicidae). *Abhandlungen und Berichte des Naturkundemuseums Goerlitz*, 75, 61–81.
- Shattuck, S.O. & Slipinska, E. (2012) Revision of the Australian species of the ant genus *Anochetus* (Hymenoptera Formicidae). *Zootaxa*, 3426, 1–28.
<http://dx.doi.org/10.11646/zootaxa.3716.2.1>
- Shivashankar, T. (1985) *Studies on the ecology and foraging behavior of Leptogenys processionalis Jerdon* (Hymenoptera: Formicidae). MSc (Agri) thesis, University of Agricultural Science, Bangalore, 97 pp.
- Shivashankar, T., Kumar, A.R.V. & Veeresh, G.K. (1995) Ponerine ants as potential predators of termites under forest ecosystem. *Biological Control of Social Forest and Plantation Crops Insects*, 137–151.
- Shivashankar, T., Sharathchandra, H.C. & Veeresh, G.K. (1989) Foraging activity and temperature relations in the ponerine ant *Harpegnathos saltator* Jerdon (Formicidae). *Proceedings of the Indian Academy Sciences - Animal Sciences*, 98 (5), 367–372.
<http://dx.doi.org/10.1007/bf03179963>
- Sitthicharoenchai, D. & Chantarawat, N. (2006) Ant species diversity in the establishing area for Advanced Technology Institute at Lai-Nan Sub-district, Wiang Sa District, Nan Province, Thailand. *Natural History Journal of Chulalongkorn University*, 6 (2), 67–74.
- Sledge, M.F., Crewe, R.M. & Peeters, C.P. (1996) On the relationship between gamergate number and reproductive output in the queenless ponerine ant *Pachycondyla* (= *Ophthalmopone*) *berthoudi*. *Naturwissenschaften*, 83 (6), 282–284.
<http://dx.doi.org/10.1007/s001140050289>
- Sledge, M.F., Peeters, C. & Crewe, R.M. (1999) Fecundity and the behavioral profile of reproductive workers in the queenless ant *Pachycondyla* (= *Ophthalmopone*) *berthoudi*. *Ethology*, 105, 303–316.
<http://dx.doi.org/10.1046/j.1439-0310.1999.00398.x>
- Sledge, M.F., Peeters, C. & Crewe, R.M. (2001) Reproductive division of labour without dominance interactions in the queenless ponerine ant *Pachycondyla* (= *Ophthalmopone*) *berthoudi*. *Insectes Sociaux*, 48 (1), 67–73.
<http://dx.doi.org/10.1007/pl00001748>
- Smith, F. (1857) Catalogue of the hymenopterous insects collected at Sarawak, Borneo; Mount Ophir, Malacca; and at Singapore, by A. R. Wallace. [part]. *Journal of the Proceedings of the Linnean Society. Zoology*, 2, 42–88.
<http://dx.doi.org/10.1111/j.1096-3642.1857.tb01759.x>
- Smith, F. (1858) *Catalogue of hymenopterous insects in the collection of the British Museum. Part VI. Formicidae*. British Museum, London, 216 pp.
- Smith, F. (1859) Catalogue of hymenopterous insects collected by Mr. A. R. Wallace at the islands of Aru and Key. [part]. *Journal of the Proceedings of the Linnean Society. Zoology*, 3, 132–158.
<http://dx.doi.org/10.1111/j.1096-3642.1859.tb00077.x>
- Smith, F. (1861) Catalogue of hymenopterous insects collected by Mr. A. R. Wallace in the islands of Ceram, Celebes, Ternate, and Gilolo. [part]. *Journal of the Proceedings of the Linnean Society. Zoology*, 6, 36–48.

<http://dx.doi.org/10.1111/j.1096-3642.1861.tb00927.x>

- Smith, F. (1871) A catalogue of the Aculeate Hymenoptera and Ichneumonidae of India and the Eastern Archipelago. With introductory remarks by A. R. Wallace. [part]. *Journal of the Proceedings of the Linnean Society. Zoology*, 11, 285–348.
<http://dx.doi.org/10.1111/j.1096-3642.1871.tb02225.x>
- Smith, M.R. (1934) Ponerine ants of the genus *Euponera* in the United States. *Annals of the Entomological Society of America*, 27, 557–564.
- Snelling, R.R. (1981) Systematics of social Hymenoptera. In: Hermann, H.R. (Ed.), *Social insects. Vol. 2*. Academic Press, New York, pp. 369–453.
- Soares, S.M. & Schoederer, J.H. (2001) Ant-nest distribution in a remnant of tropical rainforest in southeastern Brazil. *Insectes Sociaux*, 48, 280–286.
<http://dx.doi.org/10.1007/pl00001778>
- Sommer, K. & Hölldobler, B. (1992) Coexistence and dominance among queens and mated workers in the ant *Pachycondyla tridentata*. *Naturwissenschaften*, 79 (10), 470–472.
- Sommer, K., Hölldobler, B. & Jessen, K. (1994) The unusual social organization of the ant *Pachycondyla tridentata* (Formicidae, Ponerinae). *Journal of Ethology*, 12 (2), 175–185.
<http://dx.doi.org/10.1007/bf02350062>
- Sommer, K., Hölldobler, B. & Rembold, H. (1993) Behavioral and physiological aspects of reproductive control in a *Diacamma* species from Malaysia (Formicidae, Ponerinae). *Ethology*, 94, 162–170.
<http://dx.doi.org/10.1111/j.1439-0310.1993.tb00556.x>
- Soroker, V., Fresneau, D. & Hefetz, A. (1998) Formation of colony odor in ponerine ant *Pachycondyla apicalis*. *Journal of Chemical Ecology*, 24 (6), 1077–1090.
- Soroker, V., Lucas, C., Simon, T., Fresneau, D., Durand, J.L. & Hefetz, A. (2003) Hydrocarbon distribution and colony odour homogenisation in *Pachycondyla apicalis*. *Insectes Sociaux*, 50, 212–217.
<http://dx.doi.org/10.1007/s00040-003-0669-1>
- Spagna, J.C., Vakis, A.I., Schmidt, C.A., Patek, S.N., Zhang, X., Tsutsui, N.D. & Suarez, A.V. (2008) Phylogeny, scaling, and the generation of extreme forces in trap-jaw ants. *Journal of Experimental Biology*, 211, 2358–2368.
<http://dx.doi.org/10.1242/jeb.015263>
- Spinola, M. (1851) Compte rendu des Hyménoptères inédits provenant du voyage entomologique de M. Ghiliani dans le Para en 1846. *Extrait des Mémoires de l'Académie des Sciences de Turin*, (2) 13, 3–78.
- Steghaus-Kovac, S. & Maschwitz, U. (1993) Predation on earwigs: a novel diet specialization within the genus *Leptogenys* (Formicidae: Ponerinae). *Insectes Sociaux*, 40, 337–340.
<http://dx.doi.org/10.1007/bf01242370>
- Steghaus-Kovac, S., Maschwitz, U., Attygalle, A.B., Frighetto, R.T.S., Frighetto, N., Vostrowsky, O. & Bestmann, H.J. (1992) Trail-following responses of *Leptogenys diminuta* to stereoisomers of 4-methyl-3-heptanol. *Experientia*, 48, 690–694.
<http://dx.doi.org/10.1007/bf02118321>
- Sujii, E.R., Garcia, M.A., Fontes, E.M.G. & O'Neil, R.J. (2004) *Pachycondyla obscuricornis* as natural enemy of the spittlebug *Deois flavopicta*. *Pesquisa Agropecuária Brasileira*, 39 (6), 607–609.
<http://dx.doi.org/10.1590/s0100-204x2004000600014>
- Suwabe, M., Ohnishi, H., Kikuchi, T. & Tsuji, K. (2007) Nestmate discrimination in the queenless ponerine ant *Diacamma* sp. from Japan. *Entomological Science*, 10, 7–10.
<http://dx.doi.org/10.1111/j.1479-8298.2006.00193.x>
- Suzzoni, J.P., Schatz, B. & Déjean, A. (2000) Essential and alternative prey in a ponerine ant: variations according to the colony life cycle. *Comptes Rendus de l'Académie des Sciences Serie III-Sciences de la vie-Life Sciences*, 323, 1003–1008.
[http://dx.doi.org/10.1016/s0764-4469\(00\)01246-4](http://dx.doi.org/10.1016/s0764-4469(00)01246-4)
- Takahashi, J., Kikuchi, T., Ohnishi, H. & Tsuji, K. (2005) Isolation and characterization of 10 microsatellite loci in the Ponerinae ant *Pachycondyla luteipes* (Hymenoptera; Formicidae). *Molecular Ecology Notes*, 5, 749–751.
<http://dx.doi.org/10.1111/j.1471-8286.2005.01051.x>
- Tautz, J., Hölldobler, B. & Danker, T. (1994) The ants that jump - different techniques to take-off. *Zoology*, 98 (1), 1–6.
- Taylor, B. (2008) The Ants of (sub-Saharan) Africa. Available from: <http://antbase.org/ants/africa/> (accessed 1 October 2008)
- Taylor, R.W. (1967) A monographic revision of the ant genus *Ponera* Latreille (Hymenoptera: Formicidae). *Pacific Insects Monographs*, 13, 1–112.
- Taylor, R.W. (1969) The identity of *Dorylozelus mjobergi* Forel (Hymenoptera: Formicidae). *Journal of the Australian Entomological Society*, 8, 131–133.
<http://dx.doi.org/10.1111/j.1440-6055.1969.tb00746.x>
- Taylor, R.W. (1988) The nomenclature and distribution of some Australian and New Caledonian ants of the genus *Leptogenys* Roger (= *Prionogenys* Emery, n. syn.) (Hymenoptera: Formicidae: Ponerinae). *General and Applied Entomology*, 20, 33–37.
- Taylor, R.W. & Brown, D.R. (1985) *Zoological Catalogue of Australia 2. Hymenoptera: Formicoidea, Vespoidea and Sphecoidea*. ABRS, Canberra, 381 pp.
- Tentschert, J., Kolmer, K., Hölldobler, B., Bestmann, H.-J., Delabie, J.H.C. & Heinze, J. (2001) Chemical profiles, division of labor and social status in *Pachycondyla* queens (Hymenoptera: Formicidae). *Naturwissenschaften*, 88, 175–178.

<http://dx.doi.org/10.1007/s001140100218>

- Teranishi, Y. (1929) Habits and distributions of Japanese ants. *Zoological Magazine*, 41, 312–332.
- Terayama, M. (1990) Discovery of worker caste in *Trachymesopus darwini* (Forel, 1893). *Japanese Journal of Entomology*, 58, 897–898.
- Terayama, M. (1996) Taxonomic studies on the Japanese Formicidae, part 2. Seven genera of Ponerinae, Cerapachyinae and Myrmicinae. *Nature and Human Activities*, 1, 9–32.
- Terayama, M. (1999) Taxonomic studies of the Japanese Formicidae, Part 4. Three new species of Ponerinae. *Memoirs of the Myrmecological Society of Japan*, 1, 7–15.
- Thiele, E. & Mathias, M.I.C. (1999) Morphology, ultramorphology and histology of ovaries of workers and mated queens of *Pachycondyla striata* ants (Hymenoptera: Ponerinae). *Biocell*, 23 (1), 51–64.
- Thiele, E. & Mathias, M.I.C. (2003) Morphology, ultramorphology and morphometry of the fat body of virgin females and queens of the ants *Pachycondyla striata* (Hymenoptera: Formicidae). *Sociobiology*, 42 (2), 243–254.
- Tirgari, S. & Paknia, O. (2005) First record of the ponerine ant *Pachycondyla sennaarensis* (Hymenoptera: Formicidae) in Iran, with notes on its ecology. *Zoology in the Middle East*, 34, 67–70.
<http://dx.doi.org/10.1080/09397140.2005.10638084>
- Tiwari, R.N. (1999) Taxonomic studies on ants of southern India (Insecta: Hymenoptera: Formicidae). *Memoirs of the Zoological Survey of India*, 18 (4), 1–96.
- Theunis, T., Gilbert, M., Roisin, Y. & Leponce, M. (2005) Spatial structure of litter-dwelling ant distribution in a subtropical dry forest. *Insectes Sociaux*, 52, 366–377.
<http://dx.doi.org/10.1007/s00040-005-0822-0>
- Tomotake, M.E.M., Mathias, M.I.C., Yabuki, A.T. & Caetano, F.H. (1992) Scanning electron microscopy of mandibular glands of workers and queens of the ants *Pachycondyla striata* (Hymenoptera: Ponerinae). *Journal of Advanced Zoology*, 13 (1–2), 1–6.
- Torres, J.A., Snelling, R.R. & Jones, T.H. (2000) Distribution, ecology and behavior of *Anochetus kemphi* (Hymenoptera: Formicidae) and description of the sexual forms. *Sociobiology*, 36 (3), 505–516.
- Trager, J.C. & Johnson, C. (1988) The ant genus *Leptogenys* (Hymenoptera: Formicidae, Ponerinae) in the United States. In: Trager, J.C. (Ed.), *Advances in Myrmecology*. E. J. Brill, New York, pp. 29–33.
- Traniello, J.F.A. & Hölldobler, B. (1984) Chemical communication during tandem running in *Pachycondyla obscuricornis* (Hymenoptera: Formicidae). *Journal of Chemical Ecology*, 10 (5), 783–794.
- Trindl, A., Heinze, J. & D’Ettorre, P. (2004) Isolation and characterization of five microsatellite loci in the ponerine ant *Pachycondyla inversa* (Hymenoptera, Formicidae). *Molecular Ecology Notes*, 4, 583–585.
<http://dx.doi.org/10.1111/j.1471-8286.2004.00743.x>
- Trunzer, B., Heinze, J. & Hölldobler, B. (1998) Cooperative colony founding and experimental primary polygyny in the ponerine ant *Pachycondyla villosa*. *Insectes Sociaux*, 45, 267–276.
<http://dx.doi.org/10.1007/s000400050087>
- Trunzer, B., Heinze, J. & Hölldobler, B. (1999) Social status and reproductive success in queenless ant colonies. *Behaviour*, 136, 1093–1105.
<http://dx.doi.org/10.1163/156853999501775>
- Tsuji, K., Egashira, K. & Hölldobler, B. (1999) Regulation of worker reproduction by direct physical contact in the ant *Diacamma* sp. from Japan. *Animal Behaviour*, 58, 337–343.
- Tsuji, K., Peeters, C. & Hölldobler, B. (1998) Experimental investigation of the mechanism of reproductive differentiation in the queenless ant, *Diacamma* sp., from Japan. *Ethology*, 104, 633–643.
<http://dx.doi.org/10.1111/j.1439-0310.1998.tb00098.x>
- Tulloch, G.S. (1934) Vestigial wings in *Diacamma* (Hymenoptera: Formicidae). *Annals of the Entomological Society of America*, 27, 273–277.
- van Walsum, E., Gobin, B., Ito, F. & Billen, J. (1998) Worker reproduction in the ponerine ant *Odontomachus simillimus* (Hymenoptera: Formicidae). *Sociobiology*, 32 (3), 427–440.
- van Zweden, J.S., Fürst, M.A., Heinze, J. & D’Ettorre, P. (2007) Specialization in policing behavior among workers in the ant *Pachycondyla inversa*. *Proceedings of the Royal Society B*, 274, 1421–1428.
<http://dx.doi.org/10.1098/rspb.2007.0113>
- Varghese, T. (2006) Description of a new species of the Ponerine ant genus, *Emeryopone* (Hymenoptera: Formicidae) from Karnataka, India. *Biospectra*, 1 (1), 89–92.
- Vasconcellos, A., Santana, G.G. & Souza, A.K. (2004) Nest spacing and architecture, and swarming of males of *Dinoponera quadriceps* (Hymenoptera, Formicidae) in a remnant of the Atlantic forest in northeast Brazil. *Brazilian Journal of Biology*, 64 (2), 357–362.
<http://dx.doi.org/10.1590/s1519-69842004000200022>
- Viginier, B., Peeters, C., Brazier, L. & Doums, C. (2004) Very low genetic variability in the Indian queenless ant *Diacamma indicum*. *Molecular Ecology*, 13, 2095–2100.
<http://dx.doi.org/10.1111/j.1365-294x.2004.02201.x>
- Villet, M.H. (1990a) Division of labour in the Matabele ant *Megaponera foetens* (Fabr.) (Hymenoptera: Formicidae). *Ecology, Ethology and Evolution*, 2, 397–417.

- <http://dx.doi.org/10.1080/08927014.1990.9525400>
- Villet, M.H. (1990b) Colony foundation in the ponerine ant, *Mesoponera caffraria* (F. Smith) (Hymenoptera: Formicidae). *South African Journal of Zoology*, 25 (1), 39–40.
- Villet, M.H. (1990c) Social organization of *Platythyrea lamellosa* (Roger) (Hymenoptera, Formicidae). 2. Division of labor. *South African Journal of Zoology*, 25 (4), 254–259.
- Villet, M.H. (1991a) Colony foundation in *Plectroctena mandibularis* F. Smith, and the evolution of ergatoid queens in *Plectroctena* (Hymenoptera: Formicidae). *Journal of Natural History*, 25, 979–983.
<http://dx.doi.org/10.1080/00222939100770641>
- Villet, M.H. (1991b) Social differentiation and division of labour in the queenless ant *Platythyrea schultzei* Forel 1910 (Hymenoptera Formicidae). *Tropical Zoology*, 4, 13–29.
<http://dx.doi.org/10.1080/03946975.1991.10539472>
- Villet, M.H. (1991c) Reproduction and division of labour in *Platythyrea* cf. *cribrinodis* (Gerstaecker 1858) (Hymenoptera Formicidae): comparisons of individuals, colonies and species. *Tropical Zoology*, 4, 209–231.
<http://dx.doi.org/10.1080/03946975.1991.10539491>
- Villet, M.H. (1992a) The social biology of *Hagensia havilandi* (Forel 1901) (Hymenoptera Formicidae) and the origin of queenlessness in ponerine ants. *Tropical Zoology*, 5, 195–206.
<http://dx.doi.org/10.1080/03946975.1992.10539192>
- Villet, M.H. (1992b) Exploring the biology of obligate queenlessness: social organization in Platythyreine ants. In: Billen, J.P. (Ed.), *Biology and Evolution of Social Insects*. Leuven University Press, Leuven, Belgium, pp. 291–294.
- Villet, M.H. (1993) Cooccurrence of mated workers and a mated queen in a colony of *Platythyrea arnoldi* (Hymenoptera, Formicidae). *South African Journal of Zoology*, 28 (1), 56–57.
- Villet, M.H. (1994) Reproductive organization in the ponerine ant *Pachycondyla fossigera* Mayr (Hymenoptera, Formicidae). *African Entomology*, 2 (2), 185–187.
- Villet, M.H. (1999) Reproductive behaviour of *Plectroctena mandibularis* F. Smith (Hymenoptera: Formicidae), a ponerine ant with ergatoid queens. *African Entomology*, 7 (2), 289–291.
- Villet, M.H., Crewe, R.M. & Duncan, F.D. (1991) Evolutionary trends in the reproductive biology of ponerine ants (Hymenoptera: Formicidae). *Journal of Natural History*, 25 (6), 1603–1610.
<http://dx.doi.org/10.1080/00222939100770991>
- Villet, M.H., Crewe, R.M. & Robertson, H. (1989) Mating behavior and dispersal in *Paltothyreus tarsatus* Fabr. (Hymenoptera, Formicidae). *Journal of Insect Behavior*, 2 (3), 413–417.
<http://dx.doi.org/10.1007/bf01068065>
- Villet, M.H. & Duncan, F.D. (1992) Reproductive abilities of orphaned workers of two ponerine ant species (Hymenoptera: Formicidae). *Journal of the Entomological Society of Southern Africa*, 55 (2), 280–282.
- Villet, M.H., Hanrahan, S.A. & Walther, C. (1990a) Larval structures associated with larva-to-adult trophallaxis in *Platythyrea* (Hymenoptera: Formicidae). *International Journal of Insect Morphology and Embryology*, 19 (5/6), 243–256.
[http://dx.doi.org/10.1016/0020-7322\(90\)90010-m](http://dx.doi.org/10.1016/0020-7322(90)90010-m)
- Villet, M.H., Hart, A. & Crewe, R.M. (1990b) Social organization of *Platythyrea lamellosa* (Roger) (Hymenoptera, Formicidae). 1. Reproduction. *South African Journal of Zoology*, 25 (4), 250–253.
- Villet, M.H., Peeters, C.P. & Crewe, R.M. (1984) The occurrence of a pygidial gland in four genera of ponerine ants (Hymenoptera: Formicidae). *Journal of the Georgia Entomological Society*, 19, 413–416.
- Villet, M.H. & Wildman, M.H. (1991) Division of labour in the obligately queenless ant *Pachycondyla krugeri* (= *Bothroponera krugeri*) Forel 1910 (Hymenoptera Formicidae). *Tropical Zoology*, 4 (2), 233–250.
<http://dx.doi.org/10.1080/03946975.1991.10539492>
- Wang, D. & Ip, W.H. (2005) Ant search based control optimisation strategy for a class of chaotic system. *International Journal of Systems Science*, 36 (15), 951–959.
<http://dx.doi.org/10.1080/00207720500327444>
- Ward, P.S. (2000) Broad-scale patterns of diversity in leaf litter ant communities. In: Agosti, D., J., Alonso, E. & Schultz, T.R. (Eds.), *Ants: Standard Methods for Measuring and Monitoring Biodiversity*. Smithsonian Institution Press, Washington, D.C. pp. 99–131.
- Wajnberg, E., Acosta-Avalos, D., El-Jaick, L.J., Abraçado, L., Coelho, J.L.A., Bakuzis, A.F., Morais, P.C. & Esquivel, D.M.S. (2000) Electron paramagnetic resonance study of the migratory ant *Pachycondyla marginata* abdomens. *Biophysical Journal*, 78, 1018–1023.
[http://dx.doi.org/10.1016/s0006-3495\(00\)76660-4](http://dx.doi.org/10.1016/s0006-3495(00)76660-4)
- Wajnberg, E., Cernicchiaro, G. & Esquivel, D.M.S. (2004) Antennae: the strongest magnetic part of the migratory ant. *BioMetals*, 17, 467–470.
<http://dx.doi.org/10.1023/b:biom.0000029443.93732.62>
- Ware, A.B. (1994) Factors eliciting stridulation by the ponerine ant *Streblognathus aethiopicus* Smith (Hymenoptera: Formicidae). *African Entomology*, 2 (1), 31–36.
- Ware, A.B., Compton, S.G. & Robertson, H.G. (1990) Gamergate reproduction in the ant *Streblognathus aethiopicus* Smith (Hymenoptera, Formicidae, Ponerinae). *Insectes Sociaux*, 37 (3), 189–199.
<http://dx.doi.org/10.1007/bf02224047>

- Weber, N.A. (1939) New ants of rare genera and a new genus of ponerine ants. *Annals of the Entomological Society of America*, 32, 91–104.
- Weber, N.A. (1942) New doryline, cerapachyine and ponerine ants from the Imatong Mountains, Anglo-Egyptian Sudan. *Proceedings of the Entomological Society of Washington*, 44, 40–49.
- Weber, N.A. (1949) New ponerine ants from equatorial Africa. *American Museum Novitates*, 1398, 1–9.
- Weber, N.A. (1964) Termite prey of some African ants. *Entomological News*, 75, 197–204.
- Westwood, J.O. (1840) Observations on the genus *Typhlopone*, with descriptions of several exotic species of ants. *Annals and Magazine of Natural History*, 6, 81–89.
- Wetterer, J.K. (2012a) Worldwide spread of the stigma ant, *Pachycondyla stigma* (Hymenoptera: Formicidae). *Myrmecological News*, 16, 39–44.
- Wetterer, J.K. (2012b) Geographic spread of the samsum or sword ant, *Pachycondyla (Brachyponera) sennaarensis* (Hymenoptera Formicidae). *Myrmecological News*, 18, 13–18.
- Wheeler, D., Liebig, J. & Hölldobler, B. (1999) Atypical vitellins in ponerine ants (Formicidae: Hymenoptera). *Journal of Insect Physiology*, 45, 287–293.
[http://dx.doi.org/10.1016/S0022-1910\(98\)00124-3](http://dx.doi.org/10.1016/S0022-1910(98)00124-3)
- Wheeler, G.C. & Wheeler, J. (1952) The ant larvae of the subfamily Ponerinae - Part II. *American Midland Naturalist*, 48, 604–672.
<http://dx.doi.org/10.2307/2422200>
- Wheeler, G.C. & Wheeler, J. (1957) The larva of *Simopelta* (Hymenoptera: Formicidae). *Proceedings of the Entomological Society of Washington*, 59, 191–194.
- Wheeler, G.C. & Wheeler, J. (1964) The ant larvae of the subfamily Ponerinae: supplement. *Annals of the Entomological Society of America*, 57, 443–462.
- Wheeler, G.C. & Wheeler, J. (1971a) Ant larvae of the subfamily Ponerinae: second supplement. *Annals of the Entomological Society of America*, 64, 1197–1217.
- Wheeler, G.C. & Wheeler, J. (1971b) The larvae of the ant genus *Bothroponera* (Hymenoptera: Formicidae). *Proceedings of the Entomological Society of Washington*, 73, 386–394.
- Wheeler, G.C. & Wheeler, J. (1974) Ant larvae of the subfamily Ponerinae: third supplement (Hymenoptera: Formicidae). *Proceedings of the Entomological Society of Washington*, 76, 278–281.
- Wheeler, G.C. & Wheeler, J. (1976) Supplementary studies on ant larvae: Ponerinae. *Transactions of the American Entomological Society*, 102, 41–64.
- Wheeler, G.C. & Wheeler, J. (1980) Supplementary studies on ant larvae: Ponerinae, Myrmicinae and Formicinae. *Transactions of the American Entomological Society*, 106, 527–545.
- Wheeler, G.C. & Wheeler, J. (1985) A simplified conspectus of the Formicidae. *Transactions of the American Entomological Society*, 111, 255–264.
- Wheeler, G.C. & Wheeler, J. (1986a) The larva of *Dinoponera* (Hymenoptera: Formicidae: Ponerinae). *Psyche (Camb.)*, 92, 387–391.
<http://dx.doi.org/10.1155/1985/38707>
- Wheeler, G.C. & Wheeler, J. (1986b) Supplementary studies of ant larvae: Ponerinae. *Transactions of the American Entomological Society*, 112, 85–94.
- Wheeler, G.C. & Wheeler, J. (1989) Notes on ant larvae: Ponerinae. *Journal of the New York Entomological Society*, 97, 50–55.
- Wheeler, G.C. & Wheeler, J. (1990) Notes on ant larvae. *Transactions of the American Entomological Society*, 115, 457–473.
- Wheeler, J.W. & Blum, M.S. (1973) Alkylpyrazine alarm pheromones in ponerine ants. *Science*, 182, 501–503.
<http://dx.doi.org/10.1126/science.182.4111.501>
- Wheeler, W.M. (1900a) The habits of *Ponera* and *Stigmatomma*. *Biological Bulletin*, 11 (2), 43–69.
- Wheeler, W.M. (1900b) A study of some Texan Ponerinae. *Biological Bulletin*, 11 (1), 1–31.
- Wheeler, W.M. (1904) A crustacean-eating ant (*Leptogenys elongata* Buckley). *Biological Bulletin*, 6 (6), 251–259.
- Wheeler, W.M. (1910) *Ants: their structure, development and behavior*. Columbia University Press, New York, xxv + 663 pp.
- Wheeler, W.M. (1911) A list of the type species of the genera and subgenera of Formicidae. *Annals of the New York Academy of Sciences*, 21, 157–175.
- Wheeler, W.M. (1918) A study of some ant larvae, with a consideration of the origin and meaning of the social habit among insects. *Proceedings of the American Philosophical Society*, 57 (4), 293–343.
- Wheeler, W.M. (1919) The ants of Borneo. *Bulletin of the Museum of Comparative Zoology*, 63, 43–147.
- Wheeler, W.M. (1920) The subfamilies of Formicidae, and other taxonomic notes. *Psyche (Camb.)*, 27, 46–55.
- Wheeler, W.M. (1922a) Observations on *Gigantiops destructor* Fabricius and other leaping ants. *Biological Bulletin (Woods Hole)*, 42, 185–201.
- Wheeler, W.M. (1922b) Ants of the American Museum Congo expedition. A contribution to the myrmecology of Africa. VII. Keys to the genera and subgenera of ants. *Bulletin of the American Museum of Natural History*, 45, 631–710.
- Wheeler, W.M. (1923a) Report on the ants collected by the Barbados-Antigua Expedition from the University of Iowa in 1918. *Studies in Natural History, Iowa University*, 10 (3), 3–9.
- Wheeler, W.M. (1923b) Ants of the genera *Myopias* and *Acanthoponera*. *Psyche (Camb.)*, 30, 175–192.
- Wheeler, W.M. (1925) Neotropical ants in the collections of the Royal Museum of Stockholm. *Arkiv for zoologi*, 17A (8), 1–55.

- Wheeler, W.M. (1929) Three new genera of ants from the Dutch East Indies. *American Museum Novitates*, 349, 1–8.
- Wheeler, W.M. (1933a) Three obscure genera of ponerine ants. *American Museum Novitates*, 672, 1–23.
- Wheeler, W.M. (1933b) *Colony-founding among ants, with an account of some primitive Australian species*. Harvard University Press, Cambridge, 179 pp.
- Wheeler, W.M. (1935) Ants of the genera *Belonopelta* Mayr and *Simopelta* Mann. *Revista de Entomologia (Rio de Janeiro)*, 5, 8–19.
- Wheeler, W.M. (1936) Ecological relations of ponerine and other ants to termites. *Proceedings of the American Academy of Arts and Sciences*, 71, 159–243.
<http://dx.doi.org/10.2307/20023221>
- Wheeler, W.M. & Chapman, J.W. (1922) The mating of *Diacamma*. *Psyche (Camb.)*, 29, 203–211.
- Wheeler, W.M. & Chapman, J.W. (1925) The ants of the Philippine Islands. Part I, Dorylinae and Ponerinae. *Philippine Journal of Science*, 28, 47–73.
- Wheeler, W.M. & Gaige, F.M. (1920) *Euponera gilva* (Roger), a rare North American ant. *Psyche (Camb.)*, 27, 69–72.
<http://dx.doi.org/10.1155/1920/26869>
- Wild, A.L. (2002) The genus *Pachycondyla* (Hymenoptera: Formicidae) in Paraguay. *Boletín del Museo Nacional de Historia Natural del Paraguay*, 14 (1–2), 1–18.
- Wild, A.L. (2005) Taxonomic revision of the *Pachycondyla apicalis* species complex (Hymenoptera: Formicidae). *Zootaxa*, 834, 1–25.
- Wildman, M.H. & Crewe, R.M. (1988) Gamergate number and control over reproduction in *Pachycondyla krugeri* (Hymenoptera, Formicidae). *Insectes Sociaux*, 35 (3), 217–225.
<http://dx.doi.org/10.1007/bf02224055>
- Wilkins, K.J., Harman, K. & Villet, M.H. (2006) Recruitment behaviour in the ponerine ant, *Plectroctena mandibularis* F. Smith (Hymenoptera: Formicidae). *African Entomology*, 14 (2), 367–372.
- Willey, R.B. & Brown, W.L. Jr. (1983) New species of the ant genus *Myopias* (Hymenoptera: Formicidae: Ponerinae). *Psyche (Camb.)*, 90, 249–285.
- Wilson, E.O. (1955a) Ecology and behavior of the ant *Belonopelta deletrix* Mann (Hymenoptera: Formicidae). *Psyche (Camb.)*, 62, 82–87.
- Wilson, E.O. (1955b) The status of the ant genus *Microbolbos* Donisthorpe. *Psyche (Camb.)*, 62, 136.
- Wilson, E.O. (1957) The *tenuis* and *selenophora* groups of the ant genus *Ponera* (Hymenoptera: Formicidae). *Bulletin of the Museum of Comparative Zoology*, 116, 355–386.
- Wilson, E.O. (1958a) The beginnings of nomadic and group-predatory behavior in the ponerine ants. *Evolution*, 12 (1), 24–31.
- Wilson, E.O. (1958b) Studies on the ant fauna of Melanesia. I. The tribe Leptogenyini. II. The tribes Amblyoponini and Platythyreini. *Bulletin of the Museum of Comparative Zoology*, 118, 101–153.
- Wilson, E.O. (1958c) Studies on the ant fauna of Melanesia III. Rhytidoponera in western Melanesia and the Moluccas. IV. The tribe Ponerini. *Bulletin of the Museum of Comparative Zoology*, 119, 303–371.
- Wilson, E.O. (1959a) Some ecological characteristics of ants in New Guinea rain forests. *Ecology*, 40 (3), 437–447.
- Wilson, E.O. (1959b) Studies on the ant fauna of Melanesia V. The tribe Odontomachini. *Bulletin of the Museum of Comparative Zoology*, 120, 483–510.
- Wilson, E.O. (1976) Which are the most prevalent ant genera? *Studia Entomologica*, 19 (1–4), 187–200.
- Wilson, E.O. & Taylor, R.W. (1967) The ants of Polynesia (Hymenoptera: Formicidae). *Pacific Insects Monograph*, 14, 1–109.
- Witte, V., Hanel, H., Weissflog, A., Rosli, H. & Maschwitz, U. (1999) Social integration of the myrmecophilous spider *Gamasomorpha maschwitzi* (Araneae: Oonopidae) in colonies of the South East Asian army ant, *Leptogenys distinguenda* (Formicidae: Ponerinae). *Sociobiology*, 34 (1), 145–159.
- Witte, V., Janssen, R., Eppenstein, A. & Maschwitz, U. (2002) *Allopeas myrmecophilos* (Gastropoda, Pulmonata), the first myrmecophilous mollusc living in colonies of the army ant *Leptogenys distinguenda* (Formicidae, Ponerinae). *Insectes Sociaux*, 49, 301–305.
<http://dx.doi.org/10.1007/pl00012646>
- Witte, V. & Maschwitz, U. (2000) Raiding and emigration dynamics in the ponerine army ant *Leptogenys distinguenda* (Hymenoptera, Formicidae). *Insectes Sociaux*, 47, 76–83.
<http://dx.doi.org/10.1007/s000400050012>
- Witte, V. & Maschwitz, U. (2002) Coordination of raiding and emigration in the ponerine army ant *Leptogenys distinguenda* (Hymenoptera: Formicidae: Ponerinae) a signal analysis. *Journal of Insect Behavior*, 15 (2), 195–217.
<http://dx.doi.org/10.1007/s000400050012>
- Wroughton, R.C. (1892) Our ants. Part I. *Journal of the Bombay Natural History Society*, 7, 13–60.
- Xu, Z. (1998) Two new record genera and three new species of Formicidae (Hymenoptera) from China. *Entomologia Sinica*, 5, 121–127.
- Xu, Z. (2000) Five new species and one new record of the ant genus *Leptogenys* Roger (Hymenoptera: Formicidae) from Yunnan Province, China. *Entomologia Sinica*, 7, 117–126.
- Xu, Z.-H. (2001a) A systematic study on the ant genus *Ponera* Latreille (Hymenoptera, Formicidae) of China. *Entomotaxonomia*, 23, 51–60.
- Xu, Z.-H. (2001b) Four new species of the ant genus *Ponera* Latreille (Hymenoptera: Formicidae) from Yunnan, China.

- Yamane, S. (2007) *Pachycondyla nigrata* and related species in Southeast Asia. In: Snelling, R.R., Fisher, B.L. & Ward, P.S. (Eds.), *Advances in ant systematics (Hymenoptera: Formicidae): homage to E. O. Wilson - 50 years of contributions*. Memoirs of the American Entomological Institute, pp. 650–663.
- Yamane, S. (2009) *Odontoponera denticulata* (F. Smith) (Formicidae: Ponerinae), a distinct species inhabiting disturbed areas. *ARI*, 32, 1–8.
- Yamauchi, K., Kimura, Y., Corbara, B., Kinomura, K. & Tsuji, K. (1996) Dimorphic ergatoid males and their reproductive behavior in the ponerine ant *Hypoponera bondroiti*. *Insectes Sociaux*, 43, 119–130.
<http://dx.doi.org/10.1007/bf01242564>
- Yamauchi, K., Oguchi, S., Nakamura, Y., Suetake, H., Kawada, N. & Kinomura, K. (2001) Mating behavior of dimorphic reproductives of the ponerine ant, *Hypoponera nubutama*. *Insectes Sociaux*, 48, 83–87.
<http://dx.doi.org/10.1007/pl00001763>
- Yéo, K., Molet, M. & Peeters, C. (2006) When David and Goliath share a home: compound nesting of *Pyramica* and *Platythyrea* ants. *Insectes Sociaux*, 53, 435–438.
<http://dx.doi.org/10.1007/s00040-005-0890-9>
- Yoshimura, M. & Fisher, B.L. (2007) A revision of male ants of the Malagasy region (Hymenoptera: Formicidae): Key to subfamilies and treatment of the genera of Ponerinae. *Zootaxa*, 1654, 21–40.
- Yu, D.W. & Davidson, D.W. (1997) Experimental studies of species-specificity in *Cecropia*-ant relationships. *Ecological Monographs*, 67 (3), 273–294.
<http://dx.doi.org/10.2307/2963456>
- Zahl, P.A. (1959) Giant insects of the Amazon. *National Geographic*, 115, 632–669.
- Zara, F.J., Cabrera, A.C., Jaffe, K. & Caetano, F.H. (2002) Chemical analysis of different larval instars and tissues of *Pachycondyla* (= *Neoponera*) *villosa* (Hymenoptera: Formicidae, Ponerinae). *Sociobiology*, 39 (1), 89–101.
<http://dx.doi.org/10.1163/157075603769682530>
- Zara, F.J. & Caetano, F.H. (2001) Number of larval instars of the ant *Pachycondyla* (= *Neoponera*) *villosa* (Formicidae: Ponerinae) determined by the rule of Dyar. *Sociobiology*, 37 (3B), 679–686.
<http://dx.doi.org/10.1590/s1519-69842004000400022>
- Zara, F.J., Caetano, F.H., Cabrera, A.C.G. & Jaffé, K. (2003) Ultrastructure of last larval instar fat body cells of *Pachycondyla* (= *Neoponera*) *villosa* (Formicidae: Ponerinae): cytochemical and chemical analysis. *Animal Biology*, 53 (1), 1–16.
<http://dx.doi.org/10.1163/157075603769682530>
- Zhou, S. (2001) *Ants of Guangxi*. Guangxi Normal University Press, Guilin, China, 255pp.
- Zhou, H., Chen, J. & Chen, F. (2007) Ant-mediated seed dispersal contributes to the local spatial pattern and genetic structure of *Globba lancangensis* (Zingiberaceae). *Journal of Heredity*, 98 (4), 317–324.
<http://dx.doi.org/10.1093/jhered/esm032>