

ZOOTAXA

3836

Revision of the Malagasy ponerine ants of the genus *Leptogenys* Roger (Hymenoptera: Formicidae)

JEAN CLAUDE RAKOTONIRINA^{1,2,3} & BRIAN L. FISHER³

¹*Madagascar Biodiversity Center, BP 6257, Parc Botanique et Zoologique de Tsimbazaza, Antananarivo, Madagascar.*
E-mail: jcrakoto25@yahoo.com

²*Département d'Entomologie, Faculté des Sciences, BP 906, Université d'Antananarivo, Antananarivo, Madagascar.*

³*Entomology, California Academy of Sciences, 55 Music Concourse Drive, San Francisco, CA 94118, U.S.A.*
E-mail: bfisher@calacademy.org



Magnolia Press
Auckland, New Zealand

JEAN CLAUDE RAKOTONIRINA & BRIAN L. FISHER

Revision of the Malagasy ponerine ants of the genus *Leptogenys* Roger (Hymenoptera: Formicidae)

(Zootaxa 3836)

163 pp.; 30 cm.

15 Jul. 2014

ISBN 978-1-77557-449-1 (paperback)

ISBN 978-1-77557-450-7 (Online edition)

FIRST PUBLISHED IN 2014 BY

Magnolia Press

P.O. Box 41-383

Auckland 1346

New Zealand

e-mail: zootaxa@mapress.com

<http://www.mapress.com/zootaxa/>

© 2014 Magnolia Press

All rights reserved.

No part of this publication may be reproduced, stored, transmitted or disseminated, in any form, or by any means, without prior written permission from the publisher, to whom all requests to reproduce copyright material should be directed in writing.

This authorization does not extend to any other kind of copying, by any means, in any form, and for any purpose other than private research use.

ISSN 1175-5326 (Print edition)

ISSN 1175-5334 (Online edition)

Table of contents

Abstract	4
1. Introduction	5
2. Material and methods	6
3. Results	7
Taxonomic synopsis of the genus <i>Leptogenys</i>	7
Malagasy species groups	9
Identification key to species groups of the workers of Malagasy <i>Leptogenys</i>	9
Checklist of <i>Leptogenys</i> species from the Malagasy region	10
Identification key to species of the worker caste of Malagasy <i>Leptogenys</i>	11
Malagasy species of <i>Leptogenys</i>	39
The <i>attenuata</i> group	39
<i>Leptogenys angusta</i> (Forel)	40
<i>Leptogenys coerulescens</i> Emery	42
<i>Leptogenys comajojo</i> Rakotonirina and Fisher, sp. n.	44
<i>Leptogenys edsoni</i> Rakotonirina and Fisher, sp. n.	46
<i>Leptogenys fasika</i> Rakotonirina and Fisher, sp. n.	48
<i>Leptogenys grandidieri</i> Forel	50
<i>Leptogenys johary</i> Rakotonirina and Fisher, sp. n.	52
<i>Leptogenys lucida</i> Rakotonirina and Fisher, sp. n.	53
<i>Leptogenys malama</i> Rakotonirina and Fisher, sp. n.	55
<i>Leptogenys mangabe</i> Rakotonirina and Fisher, sp. n.	57
<i>Leptogenys manongarivo</i> Rakotonirina and Fisher, sp. n.	60
<i>Leptogenys variabilis</i> Rakotonirina and Fisher, sp. n.	60
<i>Leptogenys zoly</i> Rakotonirina and Fisher, sp. n.	63
The <i>fiandra</i> group	67
<i>Leptogenys alamando</i> Rakotonirina and Fisher, sp. n.	67
<i>Leptogenys anjara</i> Rakotonirina and Fisher, sp. n.	69
<i>Leptogenys fiandra</i> Rakotonirina and Fisher, sp. n.	70
<i>Leptogenys rabesonii</i> Rakotonirina and Fisher, sp. n.	72
The <i>incisa</i> group	75
<i>Leptogenys alluaudi</i> Emery	75
<i>Leptogenys antongilensis</i> Emery	77
<i>Leptogenys barimaso</i> Rakotonirina and Fisher, sp. n.	79
<i>Leptogenys chrislaini</i> Rakotonirina and Fisher, sp. n.	81
<i>Leptogenys gracilis</i> Emery	83
<i>Leptogenys imerinensis</i> Forel, stat. rev., stat. n.	84
<i>Leptogenys incisa</i> Forel	87
<i>Leptogenys lavavava</i> Rakotonirina and Fisher, sp. n.	88
<i>Leptogenys manja</i> Rakotonirina and Fisher, sp. n.	90
<i>Leptogenys namana</i> Rakotonirina and Fisher, sp. n.	91
<i>Leptogenys oswaldi</i> (Forel)	93
<i>Leptogenys pilaka</i> Rakotonirina and Fisher, sp. n.	95
<i>Leptogenys sahamalaza</i> Rakotonirina and Fisher, sp. n.	97
<i>Leptogenys suarensis</i> Emery, stat. rev., stat. n.	99
<i>Leptogenys tatsimo</i> Rakotonirina and Fisher, sp. n.	101
<i>Leptogenys vitsy</i> Rakotonirina and Fisher, sp. n.	102
<i>Leptogenys voeltzkowi</i> Forel	104
The <i>maxillosa</i> group	109
<i>Leptogenys falcigera</i> Roger	109
<i>Leptogenys maxillosa</i> (F. Smith)	111
<i>Leptogenys pavesii</i> Emery	113
The <i>saussurei</i> group	116
<i>Leptogenys acutirostris</i> Santschi	116
<i>Leptogenys ambo</i> Rakotonirina and Fisher, sp. n.	118
<i>Leptogenys andritantely</i> Rakotonirina and Fisher, sp. n.	120
<i>Leptogenys lohahela</i> Rakotonirina and Fisher, sp. n.	121
<i>Leptogenys ralipra</i> Rakotonirina and Fisher, sp. n.	123
<i>Leptogenys saussurei</i> (Forel)	125
<i>Leptogenys vatovavy</i> Rakotonirina and Fisher, sp. n.	126
The <i>stuhlmanni</i> group	129
<i>Leptogenys stuhlmanni</i> Mayr	129
The <i>toeraniva</i> group	131

<i>Leptogenys avaratra</i> Rakotonirina and Fisher, sp. n.	131
<i>Leptogenys avo</i> Rakotonirina and Fisher, sp. n.	133
<i>Leptogenys bezanozano</i> Rakotonirina and Fisher, sp. n.	135
<i>Leptogenys toeraniva</i> Rakotonirina and Fisher, sp. n.	136
The <i>truncatirostris</i> group	139
<i>Leptogenys alataenia</i> Rakotonirina and Fisher, sp. n.	140
<i>Leptogenys arcirostris</i> Santschi	141
<i>Leptogenys borivava</i> Rakotonirina and Fisher, sp. n.	143
<i>Leptogenys diana</i> Rakotonirina and Fisher, sp. n.	145
<i>Leptogenys fotsivava</i> Rakotonirina and Fisher, sp. n.	147
<i>Leptogenys namoroka</i> Rakotonirina and Fisher, sp. n.	148
<i>Leptogenys ridens</i> Forel	150
<i>Leptogenys truncatirostris</i> Forel	152
<i>Leptogenys tsingy</i> Rakotonirina and Fisher, sp. n.	154
Uncertain species group.	157
<i>Leptogenys mayotte</i> Rakotonirina and Fisher, sp. n.	157
<i>Leptogenys rabebe</i> Rakotonirina and Fisher, sp. n.	159
Acknowledgments.	160

Abstract

Leptogenys is the most diverse ponerine ant genus in the world; it is widespread throughout tropical and subtropical regions and there are over 200 extant species described. Most species have ergatoid queens, and many have falcate, bowed mandibles and are specialists on isopod prey. Here, the Malagasy *Leptogenys* are revised with 60 species recognized, of which 40 are newly described, 18 redescribed, and two subspecies raised to species rank and redescribed. Included in the revision are a key to species based on the worker caste, geographic distributions, descriptions of intraspecific variation, and notes on natural history. The following species are redescribed: *L. acutirostris* Santschi, *L. alluaudi* Emery, *L. angusta* (Forel), *L. antongilensis* Emery, *L. arcirostris* Santschi, *L. coeruleascens* Emery, *L. falcigera* Roger, *L. gracilis* Emery, *L. grandidieri* Forel, *L. incisa* Forel, *L. maxillosa* (F. Smith), *L. oswaldi* Forel, *L. pavesii* Emery, *L. ridens* Forel, *L. saussurei* (Forel), *L. stuhlmanni* Mayr, *L. truncatirostris* Forel, and *L. voeltzkowi* Forel. The following are raised to species and redescribed: *L. imerinensis* Forel stat. rev., stat. n.; and *L. suarensis* Emery stat. rev., stat. n. The following are described as new: *L. alamando* sp. n., *L. alataenia* sp. n., *L. ambo* sp. n., *L. andritantely* sp. n., *L. anjara* sp. n., *L. avaratra* sp. n., *L. avo* sp. n., *L. barimaso* sp. n., *L. bezanozano* sp. n., *L. borivava* sp. n., *L. chrislaini* sp. n., *L. comajojo* sp. n., *L. diana* sp. n., *L. edsoni* sp. n., *L. fasika* sp. n., *L. fiandry* sp. n., *L. fotsivava* sp. n., *L. johary* sp. n., *L. lavavava* sp. n., *L. lohahela* sp. n., *L. lucida* sp. n., *L. malama* sp. n., *L. mangabe* sp. n., *L. manja* sp. n., *L. manongarivo* sp. n., *L. mayotte* sp. n., *L. namana* sp. n., *L. namoroka* sp. n., *L. pilaka* sp. n., *L. rabebe* sp. n., *L. rabesonii* sp. n., *L. ralipra* sp. n., *L. sahamalaza* sp. n., *L. tatsimo* sp. n., *L. toeraniva* sp. n., *L. tsingy* sp. n., *L. variabilis* sp. n., *L. vatovavy* sp. n., *L. vitsy* sp. n., and *L. zohy* sp. n. Most of these species are endemic to the region. Of the endemic species, two are restricted to the Comoros (*L. comajojo*, *L. mayotte*), 52 occur only in Madagascar, and two are shared by both islands (*L. fiandry*, *L. gracilis*). Three species in the *maxillosa* group, considered introduced to the region, are recorded from Madagascar, Comoros, Mauritius, Reunion, and Seychelles. *Leptogenys stuhlmanni*, the only species in the *stuhlmanni* group, which was collected and first described from Moheli by Forel in 1907, has not been rediscovered and may have gone locally extinct.

Key words: taxonomy, *Leptogenys*, Malagasy region, Madagascar, micro-endemics, key to species, *attenuata* group, *fiandry* group, *incisa* group, *maxillosa* group, *saussurei* group, *stuhlmanni* group, *toeraniva* group, *truncatirostris* group

The manuscript was greatly improved by comments provided by Barry Bolton, John Longino, Barry L. Bressler and an anonymous reviewer. The present contribution was part of the PhD research of JCR supported by The Lakeside Foundation of CAS. Ernst Mayr Grant supported JCR's visit to the MCZ. Funding for the field research was supported by the National Science Foundation grants DEB-0072713, DEB-0344731, and DEB-0842395, awarded to BLF.

References

- Bingham, C. (1903) *The Fauna of British India, including Ceylon and Burma. Hymenoptera 2. Ants and Cuckoo wasps.* Taylor and Francis, London, 506 pp.
- Bolton, B. (1975) A revision of the ant genus *Leptogenys* Roger (Hymenoptera: Formicidae) in the Ethiopian region with a review of the Malagasy species. *Bulletin of British Museum of Natural History, Entomology*, 31, 235–305.
- Bolton, B. (1995) *A new general catalogue of the ants of the world.* Harvard University Press, Cambridge, Massachusetts, 512 pp.
- Bolton, B. (2000) The ant tribe Dacetini. *Memoirs of the American Entomological Institute*, 65, 1–1028.
- Bolton, B. (2007) Taxonomy of the dolichoderine ant genus *Technomyrmex* Mayr (Hymenoptera: Formicidae) based on the worker caste. *Contributions of the American Entomological Institute*, 35, 1–150.
- Brown, W.L. Jr. (1963) Characters and synonymies among the genera of ants, part 3. Some members of the tribe Ponerini. *Breviora*, 190, 1–10.
- Brown, W.L. Jr. (1973) A comparison of Hylean and Congo-West African rainforest ant faunas. In: Meggers, B.J., Ayensu, E.S. & Duckworth, W.D. (Eds.), *Tropical Forest Ecosystems in Africa and South America: a Comparative Review.* Smithsonian Institution Press, Washington, D.C., pp. 161–185.
- Colwell, R.K. (1996) *Biota. The biodiversity database manager.* Sinauer Associates, Sunderland, Massachusetts, 860 pp + application software.
- Dalla Torre, K.W. (1893) *Catalogus Hymenopterorum Hucusque Descriptorum Systematicus et Synonomicus. Vol. 7. Formicidae (Heterogyna).* W. Engelmann, Leipzig, 289 pp.
- Davies, S.J., Villet, M.H., Blomefield, T.M. & Crewe, R.M. (1994) Reproduction and division of labour in *Leptogenys schwabi* Forel (Hymenoptera Formicidae), a polygynous, queenless ponerine ant. *Ethology Ecology and Evolution*, 6, 507–517. <http://dx.doi.org/10.1080/08927014.1994.9522975>
- Dejean, M. & Evraerts, C. (1997) Predatory behavior in the genus *Leptogenys*: A comparative study. *Journal of Insect Behavior*, 2, 177–191.
- Donisthorpe, H.S.J.K. (1948) *Microbolbus testaceus*, a new genus and species of ponerine ant. *The Entomologist*, 81, 170–171.
- Dufour, L. (1864) Note sur une nouvelle espèce de fourmi. (*Formica Vinsonnella*). *Annales de la Société Entomologique de France*, 4, 210.
- Eberhard, W.G. (1986) *Sexual selection and animal genitalia.* Harvard University Press: Cambridge, Massachusetts, 244 pp.
- Emery, C. (1892) Sopra alcune formiche raccolte all'Ingegnere L. Bricchetti Robecchi nel paese dei Somali. *Annali del Museo Civico di Storia Naturale Giacomo Doria (Genova)*, 12, 110–122.
- Emery, C. (1894) Mission scientifique de M. Ch. Alluaud aux îles Séchelles (mars, avril, mai 1892). 2ème mémoire. Formicidés. *Annales de la Société Entomologique de France*, 63, 67–72.
- Emery, C. (1895a) Mission scientifique de M. Ch. Alluaud dans le territoire de Diego-Suarez (Madagascar-Nord). (Avril-août 1893). *Annales de la Société Entomologique de Belgique*, 39, 336–345.
- Emery, C. (1895b) Descriptions de quelques fourmis nouvelles d'Australie. *Annales de la Société Entomologique de Belgique*, 39, 345–358.
- Emery, C. (1895c) Voyage de M. E. Simon dans l'Afrique australe (janvier-avril 1893). 3ème mémoire. Formicidés. *Annales de la Société Entomologique de France*, 64, 15–56.
- Emery, C. (1899) Formiche di Madagascar raccolte dal Sig. A. Mocquerys nei pressi della Baia di Antongil (1897–1898). *Bollettino della Società Entomologica Italiana*, 31, 263–290.
- Emery, C. (1911) Hymenoptera. Fam. Formicidae. Subfam. Ponerinae. *Genera Insectorum*, 118, 1–125.
- Forel, A. (1891) Les Formicidés. [part]. In: Granddidier, A. (Ed.), *Histoire physique, naturelle, et politique de Madagascar. Vol. XX. Histoire naturelle des Hyménoptères. Deuxième partie (28e fascicule).* Hachette et Cie, Paris, v + 237 pp.
- Forel, A. (1892) Nouvelles espèces de formicidés de Madagascar. (Récoltées par M. Sikora) *Annales de la Société Entomologique de Belgique*, 36, 516–535.
- Forel, A. (1895) A fauna das formigas do Brazil. *Boletim do Museu Paraense de Historia Natural e Ethnographia*, 1, 89–143.
- Forel, A. (1897) Ameisen aus Nossi-Bé, Majunga, Juan de Nova (Madagaskar), den Aldabra-Inseln und Sansibar. Gesammelt von Herrn Dr. A. Voeltzkow aus Berlin. *Abhandlungen herausgegeben von der Senckenbergischen Naturforschenden Gesellschaft*, 21, 185–208.
- Forel, A. (1901) Formiciden des Naturhistorischen Museums zu Hamburg. Neue *Calyptomyrmex*-, *Dacryon*-, *Podomyrma*-, und *Echinopla*-Arten. *Jahrbuch der Hamburgischen Wissenschaftlichen Anstalten*, 18, 45–82.
- Forel, A. (1907) Ameisen von Madagaskar, den Comoren und Ostafrika. In Voeltzkow, A. (Ed.), *Reise in Ostafrika in den*

- Jahren 1903–1905. Stuttgart, pp. 75–92.
- Forel, A. (1910) Glanures myrmécologiques. *Annales de la Société Entomologique de Belgique*, 54, 6–32.
- Forel, A. (1912) The Percy Sladen Trust Expedition to the Indian Ocean in 1905, under the leadership of Mr. J. Stanley Gardiner, M.A. Volume 4, No. 11. Fourmis des Seychelles et des Aldabras, reçues de M. Hugh Scott. *Transactions of the Linnean Society of London, Zoology*, 15, 159–167.
- Forel, A. (1915) Results of Dr. E. Mjöberg's Swedish scientific expeditions to Australia, 1910–1913. 2. Ameisen. *Arkiv för Zoologi*, 9 (16), 1–119.
- Heterick, B. (2006) A revision of the Malagasy ants belonging to genus *Monomorium* Mayr, 1855 (Hymenoptera: Formicidae). *Proceedings of the California Academy of Sciences*, 57, 69–202.
- Hijmans, R.J., Guarino, L. & Mathur, P. (2011) DIVA-GIS, version 7.5. A geographic information system for the analysis of species distribution data. Available from: <http://www.diva-gis.org> (accessed 24 April 2013)
- Hlaváč, P. & Janda, M. (2009) *Leptogenopapus mirabilis*, a new genus and species of Lomechusini (Coleoptera: Staphylinidae, Aleocharinae) from Papua New Guinea associated with ants of the genus *Leptogenys* Roger. *Zootaxa*, 2062, 57–64.
- Ito, F. (1996) Colony composition and morphological caste differentiation between ergatoid queens and workers in the ponerine ant genus *Leptogenys* in the Oriental tropics. *Ethology Ecology and Evolution*, 9, 335–343.
<http://dx.doi.org/10.1080/08927014.1997.9522876>
- LaPolla, J.S., Hawkes, P.G. & Fisher, B.L. (2011) Monograph of *Nylanderia* (Hymenoptera: Formicidae) of the World, Part I: *Nylanderia* in the Afrotropics. *Zootaxa*, 3110, 10–36.
- Lattke, J.E. (2011) Revision of the New World species of the genus *Leptogenys* Roger (Insecta: Hymenoptera: Formicidae: Ponerinae). *Arthropod Systematics and Phylogeny*, 69, 127–264.
- Maschwitz, U. & Schrnegge, P. (1983) Forage communication, nest moving recruitment, and prey specialization in the oriental ponerine *Leptogenys chinensis*. *Oecologia*, 57, 175–182.
<http://dx.doi.org/10.1007/bf00379578>
- Maschwitz, U., Steghaus-Kovac, S., Gaube, R. & Hänel, H. (1989) A South-east Asian ponerine ant of the genus *Leptogenys* (Hymenoptera: Formicidae) with army ant life habits. *Behavioral Ecology and Sociobiology*, 24, 305–316.
<http://dx.doi.org/10.1007/bf00290907>
- Mayr, G. (1862) Myrmecologische Studien. *Verhandlungen der Zoologisch-Botanischen Gesellschaft in Wien*, 12, 649–776.
- Mayr, G. (1893) Formiciden von Herrn Dr. Fr. Stuhlmann in Ost-Afrika gesammelt. *Jahrbuch der Hamburgischen Wissenschaftlichen Anstalten*, 10, 193–201.
- Mayr, E. (1963) *Animal Species and Evolution*. Harvard University Press, Cambridge, Massachusetts, 797 pp.
- McGlynn, T.P. (1999) The worldwide transfer of ants: geographical distribution and ecological invasions. *Journal of Biogeography*, 26, 535–48.
<http://dx.doi.org/10.1046/j.1365-2699.1999.00310.x>
- Peeters, C.P. & Crewe, R.M. (1985) Insemination controls the reproductive division of labour in a ponerine ant. *Naturwissenschaften*, 71, 50–51.
<http://dx.doi.org/10.1007/bf00365989>
- Peeters, C. & Ito, F. (2001) Colony dispersal and the evolution of queen morphology in social Hymenoptera. *Annual Review of Entomology*, 46, 601–630.
- Rakotonirina, J.C. & Fisher, B.L. (2013a) Revision of the *Pachycondyla wasmannii*-group (Hymenoptera: Formicidae) from the Malagasy region. *Zootaxa*, 3609, 101–141.
<http://dx.doi.org/10.11646/zootaxa.3609.3.12>
- Rakotonirina, J.C. & Fisher, B.L. (2013b) Revision of the *Pachycondyla sikorae* species-group (Hymenoptera: Formicidae) in Madagascar. *Zootaxa*, 3683, 447–485.
<http://dx.doi.org/10.11646/zootaxa.3683.4.8>
- Raxworthy, C.J. & Nussbaum, R.A. (1995) Systematics, speciation and biogeography of the dwarf chameleons (*Brookesia*; *Reptilia*, *Squamata*, *Chamaeleontidae*) of northern Madagascar. *Journal of Zoology*, 235, 525–558. [Lond.]
<http://dx.doi.org/10.1111/j.1469-7998.1995.tb01767.x>
- Roger, J. (1861) Die Ponera-artigen Ameisen (Schluss). *Berliner Entmologische Zeitschrift*, 5, 1–54.
- Roncin, E. & Deharveng, L. (2003). *Leptogenys khammouanensis* sp. nov. (Hymenoptera: Formicidae). A possible troglobitic species of Laos, with a discussion on cave ants. *Zoological science*, 20, 919–24.
<http://dx.doi.org/10.2108/zsj.20.919>
- Santschi, F. (1912) Fourmis d'Afrique et de Madagascar. *Annales de la Société Entomologique de Belgique*, 56, 150–167.
- Santschi, F. (1926) Trois notes myrmécologiques. *Annales de la Société Entomologique de France*, 95, 13–28.
- Schmidt, C. (2013) Molecular phylogenetics of ponerine ants (Hymenoptera: Formicidae: Ponerinae). *Zootaxa*, 3647, 201–250.
<http://dx.doi.org/10.11646/zootaxa.3647.2.1>
- Smith, F. (1857) Catalogue of the hymenopterous insects collected at Sarawak, Borneo; mount Ophir, Malacca; and at Singapore by A. R. Wallace. *Journal of the Proceedings of the Linnean Society, Zoology*, 2, 42–130.
<http://dx.doi.org/10.1111/j.1096-3642.1857.tb01759.x>
- Smith, F. (1858) *Catalogue of the hymenopterous insects in the collection of the British Museum. Part VI. Formicidae*, London, UK, 216 pp.
- Smith, F. (1871) A catalogue of the aculeate Hymenoptera and Ichneumonidae of India and the Eastern Archipelago.

- Zoological Journal of the Linnean Society*, 11, 285–415.
- Smith, F. (1879) Descriptions of new species of aculeate Hymenoptera collected by the Rev. Thos. Blackburn in the Sandwich Islands. *Zoological Journal of the Linnean Society*, 14, 674–685.
<http://dx.doi.org/10.1111/j.1096-3642.1879.tb02459.x>
- Steghaus-Kovac, S. & Maschwitz, U. (1993) Predation on earwigs: a novel diet specialization within the genus *Leptogenys* (Formicidae: Ponerinae). *Insectes Sociaux*, 40, 337–340.
<http://dx.doi.org/10.1007/bf01242370>
- Taylor, R. (1969) The identity of *Dorylozelus mjobergi* Forel (Hymenoptera: Formicidae). *Journal of the Australian Entomological Society*, 8, 131–133.
- Taylor, R.W. & Brown, D.R. (1985) Hymenoptera: Formicoidea. In: *Zoological Catalogue of Australia. Vol. 2*. Australian Government publishing Service, Canberra, Australia, pp. 1–149.
- Taylor, R.W. (1988) The nomenclature and distribution of some Australian and New Caledonian ants of the genus *Leptogenys* Roger (=Prionogenys Emery, n. syn.) (Hymenoptera: Formicidae: Ponerinae). *General and Applied Entomology*, 20, 33–37.
- Vences, M. & Glaw, F. (2002) Molecular phylogeography of *Boophis tephraeomystax*: a test case for east-west vicariance in Malagasy anurans (Amphibia, Anura, Mantellidae). *Spixiana*, 25, 79–84.
- Vences, M., Wollenberg, K.C., Vieites, D.R. & Lees, D.C. (2009) Madagascar as a model region of species diversification. *Trends in Ecology and Evolution*, 24, 456–465.
<http://dx.doi.org/10.1016/j.tree.2009.03.011>
- Villet, M.H. (1989) A syndrome leading to ergatoid queens in ponerine ants (Hymenoptera: Formicidae). *Journal of Natural History*, 23, 825–832.
<http://dx.doi.org/10.1080/00222938900770431>
- Ward, P.S. (2001) Taxonomy, phylogeny and biogeography of the ant genus *Tetraponera* (Hymenoptera: Formicidae) in the Oriental and Australian regions. *Invertebrate Taxonomy*, 2001, 15, 589–665.
- Weber, N.A. (1942) New doryline, cerapachyne and ponerine ants from the Imatong Mountains, Anglo-Egyptian Sudan. *Proceedings of the Entomological Society of Washington*, 44, 40–49.
- Wheeler, W.M. (1922a) A synonymic list of the ants of the Ethiopian region. *Bulletin of the American Museum of Natural History*, 45, 711–1004.
- Wheeler, W.M. (1922b) Ants of the American Museum Congo expedition. A contribution to the myrmecology of Africa. IX. A synonymic list of the ants of the Malagasy region. *Bulletin of the American Museum of Natural History*, 45, 1005–1055.
- Wilson, E.O. (1955) The status of the ant genus *Microbolbos* Donisthorpe. *Psyche*, 62, 136.
<http://dx.doi.org/10.1155/1955/82646>
- Wilson, E.O. & Taylor, R.W. (1967) The ants of Polynesia. *Pacific Insects Monographs*, 14, 1–109.
- Xu, Z. (2000) Five new species and one new record species of the ant genus *Leptogenys* Roger (Hymenoptera: Formicidae) from Yunnan Province, China. *Entomologia Sinica*, 7, 117–126.
<http://dx.doi.org/10.1111/j.1744-7917.2000.tb00348.x>
- Yoder, A.D. & Heckman, K. (2006) Mouse lemur phylogeography revises a model of ecogeographic constraint in Madagascar. In: Fleagle, J. & Lehman, S.M. (Eds.), *Primate Biogeography: Progress and Prospects*. Kluwer, pp. 255–268.