

<http://dx.doi.org/10.11646/zootaxa.3856.1.7>
<http://zoobank.org/urn:lsid:zoobank.org:pub:4F1D1B7E-F67A-430E-A743-F4E39B0B9853>

A new species of *Bryophila* Treitschke, 1825 from Mongolia (Lepidoptera, Noctuidae, Bryophilinae)

OLEG PEKARSKY^{1,4}, ANTON V. VOLYNKIN² & ALEXEI YU. MATOV³

¹ H-1068 Budapest, Felsőerdősor u. 16–18, Hungary. E-mail: opbp@t-online.hu

² Altai State University, South Siberian Botanical Garden. Lenina str. 61. RF-656000. Barnaul, Russian Federation; Tigirek State Natural Reserve. Nikitina str. 111, office 42. RF-656043. Barnaul, Russian Federation. E-mail: volynkin_a@mail.ru

³ Zoological Institute RAS, Universitetskaja emb. 1, RF-199034, Saint-Petersburg, Russia.

E-mail: noctua2006@yandex.ru, noctua@zin.ru

⁴ Corresponding author

Abstract

A new species of the *Bryophila* (*Scythobrya*) *salomonis* species-group, *B. kaszabi* sp. n. is described. A diagnostic comparison is made with *B. miltophaea* Hampson, 1908 and *B. plumbeola* Staudinger, 1881. Adults, male and female genitalia of the new and related species are illustrated.

Key words: Lepidoptera, Noctuidae, Bryophilinae, *Bryophila*, *Scythobrya*, new species, Mongolia

Introduction

The taxonomic knowledge of the *salomonis*-group of the genus *Bryophila* is based on the milestone work of Boursin (1954) who described *Cryphia salomonis* from the Elburz Mountains and provided the genitalia of the species relegated by him to belong to this species complex (the *salomonis*-group). Subsequently, Boursin (1960) described for this species-complex, a subgenus *Scythobrya* with the type-species *Bryophila sublitterata* Filipjev, 1931. In the next decade, Boursin described a few additional taxa of the subgenus (*C. eucharista*, *C. icterica*, *C. molybdea* & *C. klapperichi* (1960), *C. paghmana* (1963a), *C. hedygrapha* (1963b), *C. omotoi* (1968), *C. acharista* (1970). Later two new taxa *Bryophila* (*Scythobrya*) *uzahovi* (Ronkay & Herczig, 1991) and *Bryophila* (*Scythobrya*) *lugubris* Gaal-Haszler et al, 2012 have been published in the subgenus *Scythobria* (Herczig et al. 1991; Lödl et al. 2012). The revised checklist of the subgenus has been published first by Hacker (1990) and, later by Fibiger et al. (2009). The latter checklist contains also *B. (Scytobria) mongolica* Boursin, 1961. However, this species is not a member of *Scythobrya* but, according to the external features of the examined female holotype, belongs to the genus *Victrix* Staudinger, 1871 (subgenus *Poliobrya* Hampson, 1908).

Present paper contains the description of a new species of *Bryophila* (*Scythobrya*) from Mongolia. This species was firstly found by Zoltán Kaszab in 1966 who collected a single female specimen. Twenty years later, two additional females were collected by Péter Gyulai and Zoltán Varga in the Khovd aimak (SW Mongolia). New materials, collected recently in Mongolia, provided a series of specimens of both sexes of new species described below. The depositary of the types of the new species is stated in the paragraph ‘Type material’. Acronyms of collections are as follows: AVB—coll. A.V. Volynkin, Barnaul, Russia; HNHM—Hungarian Natural History Museum, Budapest, Hungary; MDS—coll. M. Dvořák, Smrčná, Czech Republic; OPB—coll. O. Pekarsky, Budapest, Hungary; PGY—coll. P. Gyulai, Miskolc, Hungary; ZISP—Zoological Institute of Russian Academy of Sciences, St. Petersburg, Russia; ZVD—coll. Z. Varga, Debrecen, Hungary.



FIGURE 12. SW Mongolia, Khovd aimak, Bodonchijn-Gol basin, Hundij-Gol riv. valley, 46°06'N, 92°30'E, 3.vii.2010, type locality of *B. kaszabi* (Photo by R. V. Yakovlev).

Acknowledgements

We thank Dr. László Ronkay (HNHM, Budapest) for critical comments on the manuscript, to Mr. Gábor Ronkay (Budapest, Hungary) and Dr. Zoltán Varga (Debrecen University, Hungary) for loaned material for investigation, Dr. Roman V. Yakovlev (Altai State University, Barnaul, Russia) for valuable material from south-western Mongolia and the picture of the type locality of the new species, and HNHM Budapest for access of their collection material.

References

- Boursin, Ch. (1954) Zwei neue *Cryphia* Hb. (*Bryophila*)-Arten aus dem vorderasiatisch-mediterranen Faunenkreis. (Beiträge zur Kenntnis der 'Agrotidae-Trifinae', LXV (66). *Zeitschrift der Wiener Entomologische Gesellschaft*, 39, 85–89, 2 pls.
- Boursin, Ch. (1960) Nouvelles «Trifinae» d'Afghanistan de l'expédition Klapperich (4^{me} note) (Lep. Noctuidae). (Contributions à l'Etude des «Noctuidae-Trifinae», CIV). *Bulletin Mensuel de la Société Linnéenne de Lyon*, 29, 167–174.
- Boursin, Ch. (1963) Nouvelles races de Noctuidae Palearctiques (Lep. Noctuidae). (Contributions à l'Etude des «Noctuidae-Trifinae», 140). *Bulletin Mensuel de la Société Linnéenne de Lyon*, 32, 254–262.
- Boursin, Ch. (1963) Description de quinze espèces nouvelles provenant de l'expédition 1962 de M. et Mme A. Vartian en Perse et en Afghanistan et deux genres nouvelles (Lep. Noctuidae). (Contributions à l'Etude des «Noctuidae-Trifinae», 141). *Bulletin Mensuel de la Société Linnéenne de Lyon*, 32, 290–305.
- Boursin, Ch. (1968) Description de 26 espèces nouvelles de Noctuidae Trifinae Palearctiques et d'un sous-genre nouveau de la sous-famille des Apatelinae. (Contributions à l'Etude des Noctuidae Trifinae, 160 (suite et fin). *Entomops*, 11, 85–108.
- Boursin, Ch. (1970) 40 espèces nouvelles de Noctuidae Trifinae Palearctiques et deux genres nouvelles sous-familles Noctuidae et amphipyrinae. (Contributions à l'Etude des Noctuidae Trifinae, 166 (2). *Entomops*, 18, 45–79.
- Fibiger, M., Ronkay, L., Steiner, A. & Zilli, A. (2009) *Pantheinae – Bryophilinae. Noctuidae Europaea*, 11. Entomological Press, Sorø, 504 pp.
- Hacker, H. (1990) Die Genera *Cryphia* Hübner, 1818 und *Mniotype* Franclemont, 1941 im himalayanischen Raum. *Esperiana*, 1, 259–375.
- Hampson, G.F. (1908) *Catalogue of the Lepidoptera Phalaenae in the British Museum*, 7. London, Taylor and Francis, 709 pp.,

- plates 108–122.
- Herczig, B., Ronkay, L., Bathiev, A.M., Gizatulin, I.I., Korolj, T.S., Tochiev, T.Y. & Uzahov, D.I. (1991) Contributions to the knowledge of the Noctuidae (Lepidoptera) fauna of the NE Caucasus II. *Annales historico-naturales Musei nationalis hungarici*, 83, 125–134.
- Lödl, M., Gaal-Haszler, S., Jovanovic-Kruspel, S., Ronkay, G., Ronkay, L. & Varga, Z. (2012) *The Vartian Collection. Part I. Noctuoidea. Fibigeriana, 1*. Heterocera Press, Budapest, 303 pp.