

ZOOTAXA

3916

A revision of the New World species of *Cremonops* Förster (Hymenoptera: Braconidae: Agathidinae)

ERIKA M. TUCKER, ERIC G. CHAPMAN & MICHAEL J. SHARKEY
Department of Entomology, University of Kentucky. E-mail: Erika.Tucker@uky.edu



Magnolia Press
Auckland, New Zealand

ERIKA M. TUCKER, ERIC G. CHAPMAN & MICHAEL J. SHARKEY
A revision of the New World species of *Cremnops* Förster (Hymenoptera: Braconidae: Agathidinae)
(*Zootaxa* 3916)

83 pp.; 30 cm.

9 Feb. 2015

ISBN 978-1-77557-633-4 (paperback)

ISBN 978-1-77557-634-1 (Online edition)

FIRST PUBLISHED IN 2015 BY

Magnolia Press

P.O. Box 41-383

Auckland 1346

New Zealand

e-mail: zootaxa@mapress.com

<http://www.mapress.com/zootaxa/>

© 2015 Magnolia Press

All rights reserved.

No part of this publication may be reproduced, stored, transmitted or disseminated, in any form, or by any means, without prior written permission from the publisher, to whom all requests to reproduce copyright material should be directed in writing.

This authorization does not extend to any other kind of copying, by any means, in any form, and for any purpose other than private research use.

ISSN 1175-5326 (Print edition)

ISSN 1175-5334 (Online edition)

Table of contents

| | |
|--|----|
| Abstract | 3 |
| Introduction | 4 |
| Methods | 5 |
| Results and discussion | 10 |
| Key to <i>Cremonops</i> of the New World | 15 |
| Species treatments | 36 |
| Descriptions | 37 |
| <i>Cremonops apicalipennis</i> Berta | 37 |
| <i>Cremonops ashmeadi</i> (Morrison) | 38 |
| <i>Cremonops bertae</i> NEW SPECIES | 39 |
| <i>Cremonops boliviensis</i> Berta | 41 |
| <i>Cremonops californicus</i> (Morrison) | 42 |
| <i>Cremonops cameronii</i> (Dalla Torre) | 43 |
| <i>Cremonops cluttsi</i> NEW SPECIES | 45 |
| <i>Cremonops comstocki</i> (Morrison) | 46 |
| <i>Cremonops crassifemur</i> (Muesebeck) | 47 |
| <i>Cremonops cubensis</i> (Cresson) | 49 |
| <i>Cremonops desertor</i> (Linnaeus) | 50 |
| <i>Cremonops ferrugineus</i> (Cameron) | 52 |
| <i>Cremonops guanicanus</i> Wolcott | 53 |
| <i>Cremonops haematodes</i> (Brullé) | 55 |
| <i>Cremonops kelloggii</i> (Morrison) | 56 |
| <i>Cremonops marshi</i> Berta | 58 |
| <i>Cremonops meabilis</i> (Cresson) | 59 |
| <i>Cremonops melanopterus</i> Ashmead | 60 |
| <i>Cremonops montrealensis</i> (Morrison) | 62 |
| <i>Cremonops nymphius</i> NEW SPECIES | 63 |
| <i>Cremonops pectoralis</i> (Ashmead) | 64 |
| <i>Cremonops plesipectoralis</i> Berta | 66 |
| <i>Cremonops shenefelti</i> Marsh | 67 |
| <i>Cremonops slossonae</i> (Morrison) | 68 |
| <i>Cremonops tibiomaculatus</i> Berta | 69 |
| <i>Cremonops violaceipennis</i> (Cameron) | 71 |
| <i>Cremonops virginensis</i> (Morrison) | 72 |
| <i>Cremonops vulgaris</i> (Cresson) | 73 |
| <i>Cremonops washingtonensis</i> (Shenefelt) | 75 |
| <i>Cremonops wileycoyotius</i> NEW SPECIES | 76 |
| <i>Cremonops willinki</i> Berta | 77 |
| <i>Cremonops witkopegasus</i> NEW SPECIES | 79 |
| <i>Cremonops yucatanus</i> Berta | 80 |
| Acknowledgements | 81 |
| References | 81 |

Abstract

The New World species of the genus *Cremonops* are revised. Thirty-three species of *Cremonops* are treated; five are described as new, i.e., *C. bertae* sp. nov., *C. cluttsi* sp. nov., *C. nymphius* sp. nov., *C. wileycoyotius* sp. nov. and *C. witkopegasus* sp. nov. Six species are synonymized, i.e., *Cremonops caribensis* Berta, 1998, is synonymized under *C. guanicanus* Wolcott, 1924; *C. nigrosternum* (Morrison 1917) is synonymized under *C. haematodes* (Brullé 1846); *C. punctatus* Berta, 1998, is synonymized under *C. marshi* Berta, 1998; *C. sharkei* Berta, 1998, is synonymized under *C. montrealensis* (Morrison 1917); *C. turrialbae* Berta de Fernandez, 1998, is synonymized under *C. ferrugineus* (Cameron 1887); and *C. misionensis* Berta, 1987, is synonymized under *C. slossonae* (Morrison 1917).

Cremonops florissanticola is transferred to its original combination *Bracon florissanticola* Cockerell, 1919, st. rev. Included are a molecular phylogeny, a dichotomous key, links to distribution maps, an electronic interactive key, and images of holotypes.

Key words: Cremonoptini, Pegasus wasp, dichotomous key, interactive key, new species, parasitoid




PLATE 33. *Cremnops yucatanus*. **A.** lateral habitus; **B.** dorsal habitus; **C.** lateral head; **D.** mesopleuron; **E.** mesoscutum; **F.** face; **G.** wings; **H.** propodeum; **I.** hind leg.

Acknowledgements

I would like to thank all the museums listed in this publication for their specimen loans, without which this project would not have been possible. We thank Dr. Talia Karim (UCGC) for help with photographing the fossil specimen, *B. florissanticola* and Emila Perez (IFML) for photographing the type specimens of *C. boliviensis* and *C. misionensis*. We thank Giulia Yurie Iza de Campos (DCBU) and Julia Carnaz Benincasa (DCBU) for their help with DNA extraction and PCR. And many thanks to HIC lab members John M. Leavengood Jr. and Victoria Pook for their expertise and time in editing this manuscript. Funding was provided by the Hatch Project: KY-2355066000.

References

- Akaike, H. (1974) A new look at the statistical model identification. *IEEE Transactions on Automatic Control*, 19 (6), 716–723. <http://dx.doi.org/10.1109/tac.1974.1100705>
- Bartlett, B.R., Clausen, C.P., DeBach, P., Goeden, R.D., Legner, E.F., McMurtry, J.A. & Oatman, E.R. (1978) *Introduced parasites and predators of arthropod pests and weeds: A world review*. Agricultural Research Service, United States Department of Agriculture Handbook No. 480, 545 pp.
- Berta, C.D. (1987) Dos nuevas especies de *Cremnops* Foerster (Hymenoptera, Braconidae, Agathidinae) de Argentina Y Bolivia [Two new species of *Cremnops*, new record Foerster (Hymenoptera: Braconidae: Agathidinae) of Argentina and Bolivia]. *Acta Zoologica Lilloana*, 39 (1), 13–16.

- Berta, D.C. (1998) Contribucion al conocimiento del genero *Cremnops* Foerster, 1862 (Braconidae, Agathidinae) en la region Neotropical [The genus *Cremnops* Foerster, 1862 (Braconidae, Agathidinae) in the Neotropical region]. *Acta Zoologica Lilloana*, 44 (1), 231–288.
- Bhat, S. (1979) Oriental species of *Cremnops* Foerster (Hymenoptera: Braconidae). *Entomon*, 4 (1), 27–39.
- Brown, R.W. (1956) *Composition of scientific words: a manual of methods and a lexicon of materials for the practice of logotechnics*. Smithsonian Institution Press, 882 pp.
- Chen, J. & Yang, J. (2006) Hymenoptera Braconidae (IV) Agathidinae. *Fauna Sinica. Insecta*, 46 (i–vii), 1–301.
- Chu, J.T. & Hsia, S.H. (1937) A list of the known Hymenopterous parasites of the European corn borer (*Pyrausta nubilalis* Huebner). *Entomology and Pathology*, 5 (8i), 136–147.
- Cockerell, T.D.A. (1919) Some fossil parasitic Hymenoptera. *American Journal of Science*, 47, 376–380.
<http://dx.doi.org/10.2475/ajs.s4-47.281.376>
- Dallwitz, M.J., Paine, T.A. & Zurcher, E.J. (1993 onwards) User's guide to the DELTA System: a general system for processing taxonomic descriptions. 4th edition. Available from: <http://delta-intkey.com> (accessed January 2014)
- Dallwitz, M.J., Paine, T.A. & Zurcher, E.J. (2000 onwards) User's guide to Intkey: a program for interactive identification and information retrieval. Available from: <http://delta-intkey.com> (accessed January 2014)
- Dallwitz, M.J., Paine, T.A. & Zurcher, E.J. (1999 onwards) User's guide to the DELTA Editor. Available from: <http://delta-intkey.com> (accessed January 2014)
- Dallwitz, M.J., Paine, T.A. & Zurcher, E.J. (2000 onwards) Principles of interactive keys. Available from: <http://delta-intkey.com> (accessed January 2014)
- Drummond, A.J., Ashton, B., Cheung, M., Heled, J., Kearse, M., Moir, R., Stones-Havas, S., Thierer, T. & Wilson, A. (2009) Geneious v4.7. Available from: <http://www.geneious.com/> (accessed January 2014)
- Evenhuis, N.L. (2007) The insect and spider collections of the world website. Available from: <http://hbs.bishopmuseum.org/codens/codens-r-us.html> (accessed 1 January 2014)
- Folmer, O., Black, M., Hoeh, W., Lutz, R. & Vrijenhoek, R. (1994) DNA primers for amplification of mitochondrial cytochrome c oxidase subunit I from diverse metazoan invertebrates. *Molecular Marine Biology and Biotechnology*, 3, 294–297.
- Förster, A. (1862) Synopsis der Familien und Gattungen der Braconiden. *Verhandlungen des Naturhistorischen Vereins der Preussischen Rheinlande und Westfalens*, 199, 225–288.
- Garthwaite, P.F. & Desai, M.H. (1939) On the biology of the parasites of the teak defoliators, *Hapalia machaeralis* Walk. (Pyralidae) and *Hyblaea puera* Cram. (Hyblaeidae) in Burma. *Indian Forest Records*, 5, 307–353.
- Gillespie, J.J., Munro, J.B., Heraty, J.M., Yoder, M.J., Owen, A.K. & Carmichael, A.E. (2005) Secondary structural model of the 28S rRNA expansion segments D2 and D3 for chalcidoid wasps (Hymenoptera: Chalcidoidea). *Molecular Biology and Evolution*, 22, 1593–1608.
<http://dx.doi.org/10.1093/molbev/msi152>
- Goloboff, P.A., Farris, J.S. & Nixon, K.C. (2008) TNT, a free program for phylogenetic analysis. *Cladistics*, 24, 774–786.
<http://dx.doi.org/10.1111/j.1096-0031.2008.00217.x>
- Hajibabaei, M., Smith, M.A., Janzen, D.H., Rodriguez, J.J., Whitfield, J.B. & Hebert, P.D.N. (2006) A minimalist barcode can identify a specimen whose DNA is degraded. *Molecular Ecology Notes*, 6, 959–964.
<http://dx.doi.org/10.1111/j.1471-8286.2006.01470.x>
- Halfister, G. (1987) Biogeography of the montane entomofauna of Mexico and Central America. *Annual Review of Entomology*, 32, 95–114.
<http://dx.doi.org/10.1146/annurev.ento.32.1.95>
- Hall, T.A. (1999) BioEdit: a user-friendly biological sequence alignment editor and analysis program for Windows 95/98/NT. *Nucleic Acids Symposium Series*, 41, 95–98.
- Hancock, J.M., Taut, D. & Dover, G.A. (1988) Evolution of the secondary structure and compensatory mutations of the ribosomal RNAs of *Drosophila melanogaster*. *Molecular Biology and Evolution*, 5, 393–414.
- Hebert, P.D.N., Cywinski, A., Ball, S.L. & deWaard, R. (2003) Biological identifications through DNA barcodes. *The Royal Society*, 270, 313–321.
<http://dx.doi.org/10.1098/rspb.2002.2218>
- Hebert, P.D.N., Penten, E.H., Burns, J.M., Janzen, D.H. & Hallwachs, W. (2004) Ten species in one: DNA barcoding reveals cryptic species in the neotropical skipper butterfly *Astaples fulgerator*. *Proceedings of the National Academy of Sciences of the United States of America*, 101 (41), 14812–14817.
<http://dx.doi.org/10.1073/pnas.0406166101>
- Katoh, K., Asimenos, G. & Toh, H. (2009) Multiple Alignment of DNA Sequences with MAFFT. In: Posada, D. (Ed.), *Bioinformatics for DNA Sequence Analysis. Vol. 537. Methods in Molecular Biology*, pp. 39–64.
http://dx.doi.org/10.1007/978-1-59745-251-9_3
- Kimura, M. (1980) A simple method for estimating evolutionary rates of base substitutions through comparative studies of nucleotide sequences. *Journal of Molecular Evolution*, 16, 111–120.
<http://dx.doi.org/10.1007/BF01731581>
- Mardulyn, P. & Whitfield, J.B. (1999) Phylogenetic Signal in the COI, 16S, and 28S Genes for inferring relationships among genera of Microgastrinae (Hymenoptera; Braconidae): Evidence of a high diversification rate in this group of Parasitoids. *Molecular Phylogenetics and Evolution*, 12 (3), 282–294.
<http://dx.doi.org/10.1006/mpev.1999.0618>
- Marsh, P.M. (1961) A taxonomic study of the genus *Cremnops* Foerster in America north of Mexico (Hymenoptera:

- Braconidae). *Annals of the Entomological Society of America*, 54, 851–861.
- Nixon, G.E.J. (1956) Two new braconid parasites of *Loxostege frustalis* Zell. in South Africa. *Journal of the Entomological Society of South Africa*, 19, 128–131.
- Penn, O., Privman, E., Ashkenazy, H., Landan, G., Graur, D. & Pupko, T. (2010) GUIDANCE: a web server for assessing alignment confidence scores. *Nucleic Acids Research*, 38 (Web Server issue), W23–W28.
<http://dx.doi.org/10.1093/nar/gkq443>
- Posada, D. (2008) jModelTest: phylogenetic model averaging. *Molecular Biology and Evolution*, 25 (7), 1253–1256.
<http://dx.doi.org/10.1093/molbev/msn083>
- Rambaut, A. (2006) Fig Tree: tree figure drawing tool version 1.3.1. Institute of Evolutionary Biology, University of Edinburgh. Available from: <http://tree.bio.ed.ac.uk/> (accessed 1 January 2014)
- Rodriguez, F., Oliver, J.L., Marin, A. & Medina, J.R. (1990) The general stochastic model of nucleotide substitution. *Journal of Theoretical Biology*, 142, 485–501.
[http://dx.doi.org/10.1016/S0022-5193\(05\)80104-3](http://dx.doi.org/10.1016/S0022-5193(05)80104-3)
- Ronquist, F. & Huelsenbeck, J.P. (2003) MRBAYES 3: Bayesian phylogenetic inference under mixed models. *Bioinformatics*, 19, 1572–1574.
<http://dx.doi.org/10.1093/bioinformatics/btg180>
- Sharkey, M.J. & Clutts, S.A. (2011) A revision of Thai Agathidinae (Hymenoptera: Braconidae), with descriptions of six new species. *Journal of Hymenoptera Research*, 22, 69–132.
<http://dx.doi.org/10.3897/jhr.22.1299>
- Sharkey, M.J. & Wharton, R.A. (1997) Morphology and terminology. In: Wharton, R.A., Marsh, P.M. & Sharkey, M.J. (Eds.), *Manual of the New World genera of Braconidae (Hymenoptera)*. No. 1. Special Publication of the International Society of Hymenopterists, pp. 19–38.
- Sharkey, M.J. (1997) Subfamily Agathidinae. In: Wharton, R.A., Marsh, P.M. & Sharkey, M.J. (Eds.), *Manual of the New World genera of Braconidae (Hymenoptera)*. No. 1. Special Publication of the International Society of Hymenopterists, pp. 69–74.
- Sharkey, M.J. (1996) The Agathidinae (Hymenoptera: Braconidae) of Japan. *Bulletin of the National Institute of Agro-Environmental Sciences*, 13, 1–100.
- Sharkey, M.J. (1998) Agathidinae [in Russian with English translation]. In: Ler, P.A. (Ed.), *Key to the insects of Russian Far East. Vol. 4. Neuropteroidea, Mecoptera, Hymenoptera*. Pt 3. pp. 520–531.
- Sharkey, M.J. (2004) Synopsis of the Agathidinae (Hymenoptera: Braconidae) of America north of Mexico. *Trudy Russkago Entomologicheskago Obschestva* [Proceeding of the Russian Entomological Society. St. Petersburg], 75 (1), 134–152.
- Sharkey, M.J., Laurence, N.M., Sharanowski, B., Quicke, D.L.J. & Murray, D. (2006) Revision of the Agathidinae (Hymenoptera: Braconidae) with comparisons of static and dynamic alignments. *Cladistics*, 22, 546–567.
<http://dx.doi.org/10.1111/j.1096-0031.2006.00121.x>
- Sharkey, M.J., Parys, K.A. & Clutts, S.A. (2011) A new genus of Agathidinae with the description of a new species parasitic on *Samea multiplicalis* (Guenée). *Journal of Hymenoptera Research*, 23, 43–53.
<http://dx.doi.org/10.3897/jhr.23.1100>
- Simmonds, F.J. (1947) The biology of the parasites of *Loxostege sticticalis* L. in North America *Bracon vulgaris* (Cress.) (Braconidae, Agathidinae). *Bulletin of Entomological Research*, 39, 145–155.
<http://dx.doi.org/10.1017/S000748530003025X>
- Smith, R.C. & Franklin, W.W. (1954) The garden webworm *Loxostege similalis* Guen. as an alfalfa pest in Kansas. *Journal of the Kansas Entomological Society*, 27 (1), 27–38.
- Stamatakis, A. (2006) Phylogenetic models of rate heterogeneity: A high performance computing perspective. Proceedings of the 20th International Parallel and Distributed Processing Symposium 2006, Rhodes, Greece.
<http://dx.doi.org/10.1109/IPDPS.2006.1639535>
- Swofford, D.L. (2003) *PAUP* Phylogenetic Analysis Using Parsimony (*and Other Methods)*. Version 4. Sinauer Associates, Sunderland, Massachusetts.
- Tooker, J.F. & Hanks, L.M. (2000) Flowering plant hosts of adult hymenopteran parasitoids of central Illinois. *Annals of the Entomological Society of America*, 93 (3), 580–588.
[http://dx.doi.org/10.1603/0013-8746\(2000\)093\[0580:FPOAH\]2.0.CO;2](http://dx.doi.org/10.1603/0013-8746(2000)093[0580:FPOAH]2.0.CO;2)
- Vaidya, G., Lohman, D.J. & Meier, R. (2011) SequenceMatrix: concatenation software for the fast assembly of multi-gene datasets with character set and codon information. *Cladistics*, 27, 171–180.
<http://dx.doi.org/10.1111/j.1096-0031.2010.00329.x>
- Welter-Schultes, F.W. (2012) *Guidelines for the capture and management of digital zoological names information*. Version 1.0. Global Biodiversity Information Facility, Copenhagen, 126 pp.
- Yoder, M.J., Mikó, I., Seltmann, K.C., Bertone, M.A. & Deans, A.R. (2010) A Gross Anatomy Ontology for Hymenoptera. *PLoS ONE*, 5 (12), e15991.
<http://dx.doi.org/10.1371/journal.pone.0015991>
- Yu, D.S., Van Achterberg, C. & Horstmann, K. (2009) World Ichneumonoidea 2009. Taxonomy, biology, morphology and distribution [Ichneumonidae]. Taxapad 2009 (Scientific names for information management) Interactive catalogue, Vancouver, Canada. [Flash drive]
- Zwickl, D.J. (2006) *Genetic algorithm approaches for the phylogenetic analysis of large biological sequence datasets under the maximum likelihood criterion*. Ph.D. dissertation, The University of Texas at Austin, 125 pp.