



## Review of the genus *Parerigone* Brauer (Diptera: Tachinidae) with five new species from China

QIANG WANG<sup>1</sup>, CHUNTIAN ZHANG<sup>2,3</sup> & XINHUA WANG<sup>1,3</sup>

<sup>1</sup>College of Life Science, Nankai University, Tianjin 300071, China

<sup>2</sup>Liaoning Key Laboratory of Evolution and Biodiversity, Shenyang Normal University, Shenyang 110034, China

<sup>3</sup>Corresponding authors. E-mail: [chuntianzhang@aliyun.com](mailto:chuntianzhang@aliyun.com); [xhwang@nankai.edu.cn](mailto:xhwang@nankai.edu.cn)

### Abstract

The genus *Parerigone* (Diptera, Tachinidae) is reviewed. Five new species from China, *P. atrisetosa* sp. nov., *P. flava* sp. nov., *P. flavisquama* sp. nov., *P. laxifrons* sp. nov. and *P. wangi* sp. nov., are described and illustrated. *Parerigone flavihirta* (Chao & Sun) is proposed as a new synonym of *P. takanoi* Mesnil. Diagnosis of species examined and a key to the 15 species of *Parerigone* are provided.

**Key words:** Diptera, Phasiinae, *Parerigone*, new species, new synonym, key

### Introduction

The genus *Parerigone* (Diptera, Tachinidae) was erected by Brauer (1898) with a single species, *P. aurea*, from Ussuri in the Russian Far East. Later, Mesnil (1953, 1957) added two species of the genus from Myanmar. Herting (1981) recorded one from Japan and Chao *et al.* (1990) reported five species from China. Shima (2011) described one species from Nepal and gave notes on the male and female terminalia and a key to 11 species of this genus. During our systematic study of the Phasiinae of China, we examined many tachinid specimens and type specimens. In addition to the previously described species, we recognized five new species from China. The descriptions and illustration of these new species are given below. Additionally, we confirm *P. flavihirta* (Chao & Sun) as a synonym of *P. takanoi* Mesnil, as previously suggested by Shima (2011). The diagnoses of species examined and a key to 15 species of *Parerigone* are provided.

### Material and methods

Material was studied from the collections of the following institutions:


**IZCAS** Institute of Zoology, Chinese Academy of Sciences, Beijing, China.

**NKU** College of Life Science, Nankai University, Tianjin, China.

**SYNU** Liaoning Key Laboratory of Evolution and Biodiversity, Shenyang Normal University, Shenyang, China.

Terminology follows McAlpine (1981) except for the terms phallus, pregonite and postgonite in the male terminalia, which follows Sinclair (2000) (instead of aedeagus, gonopod and paramere of McAlpine 1981). Examinations were made with a stereoscopic microscope, Zeiss Discovery V8. Measurements were made following Shima (1996).

Consecutive digital images of adults (Figs. 1–20) were taken with a Canon EOS 7D and images were blended with Helicon Focus software.



**FIGURES 41–44.** Female terminalia in lateral view. **41.** *Parerigone atrisetosa* sp. nov. **42.** *Parerigone flava* sp. nov. **43.** *Parerigone flavisquama* sp. nov. **44.** *Parerigone laxifrons* sp. nov. Scale bars = 0.25 mm.

### Literature cited

- Brauer, F. (1898) Beiträge zur Kenntnis der Muscaria schizometopa. I. Bemerkungen zu den Originalexemplaren der von Bigot, Macquart und Robineau-Desvoidy beschriebenen Muscaria schizometopa aus der Sammlung des Herrn G. H. Verrall. Zweite Folge. *Sitzungsberichte der Mathematisch-Naturwissenschaftlichen Classe der Kaiserlichen Akademie der Wissenschaften in Wien, Abteilung I*, 107, 329–546.
- Chao, C.-M., Sun, X.-K. & Zhou, S.-X. (1990) Studies on the tribe Parerigonini from China. *Acta Zootaxonomica Sinica*, 15, 230–241. [in Chinese with English summary]
- Chao, C.-M., Liang, E.-Y., Shi, Y.-S., Zhou, S.-X., Sun, X.-K. & Chen, R.-J. (1998) Tachinidae. In: Xue W.-Q. & Chao C.-M. (Eds.), *Flies of China. Vol. 2*. Liaoning Science and Technology Press, Shenyang, pp. 1366–2425. [in Chinese]
- Crosskey, R.W. (1976) A taxonomic conspectus of the Tachinidae (Diptera) of the Oriental Region. *Bulletin of the British Museum (Natural History), Entomology Supplement*, 26, 1–357.
- Herting, B. (1974) Revision der von J. Egger, J.R. Schiner, F. Brauer und J.E. Bergenstamm beschriebenen europäischen Tachiniden und Rhinophorinen (Diptera). *Naturkundliches Jahrbuch der Stadt Linz*, 20, 129–145.
- Herting, B. (1981) Typenrevisionen einiger paläarktischer Raupenfliegen (Dipt. Tachinidae) und Beschreibungen neuer Arten. *Stuttgarter Beiträge zur Naturkunde, Serie A (Biologie)*, 346, 1–21.
- Herting, B. & Dely-Draskovits, Á. (1993) Family Tachinidae. In: Soós, Á. & Papp, L. (Eds.), *Catalogue of Palaearctic Diptera. Vol. 13. Anthomyiidae – Tachinidae*. Hungarian Natural History Museum, Budapest, pp. 118–458.
- McAlpine, J.F. (1981) Morphology and terminology - adults. In: McAlpine, J.F., Petersen, B.V., Shewell, G.E., Teskey, H.J., Vockeroth, J.R. & Wood, D.M. (Eds.), *Manual of Nearctic Diptera. Vol. 1. Agriculture Canada Monograph*, 27, 9–63.
- Mesnil, L.P. (1953) Nouveaux tachinaires d'Orient (2<sup>e</sup> partie). *Bulletin et Annales de la Société Entomologique de Belgique*, 89, 146–178.
- Mesnil, L.P. (1957) Nouveaux tachinaires d'Orient. (Deuxième série.) *Mémoires de la Société Royale d'Entomologie de Belgique*, 28, 1–80.
- O'Hara, J.E., Shima, H. & Zhang, C.-T. (2009) Annotated catalogue of the Tachinidae (Insecta: Diptera) of China. *Zootaxa*, 2190, 1–236.

- Shima, H. (1996) A systematic study of the tribe Winthemiini from Japan (Diptera, Tachinidae). *Beiträge zur Entomologie*, 46, 169–235.
- Shima, H. (2011) Notes on *Parerigone* with a description of a new species from Nepal (Diptera: Tachinidae). *Canadian Entomologist*, 143, 674–687.  
<http://dx.doi.org/10.4039/n11-030>
- Sinclair, B.J. (2000) Morphology and terminology of Diptera male genitalia. In: Papp, L. & Darvas, B. (Eds.), *Contribution to a manual of Palearctic Diptera (with special reference to flies of economic importance)*. Vol. 1. *General and applied dipterology*. Science Herald, Budapest, 53–74.
- Tschorsnig, H.-P. (1985) Taxonomie forstlich wichtiger Parasiten: Untersuchungen zur Struktur des männlichen Postabdomens der Raupenfliegen (Diptera, Tachinidae). *Stuttgarter Beiträge zur Naturkunde, Serie A (Biologie)*, 383, 1–137.
- Tschorsnig, H.-P. & Richter, V.A. (1998) Family Tachinidae. In: Papp, L. & Darvas, B. (Eds.), *Contributions to a manual of Palearctic Diptera (with special reference to flies of economic importance)*. Vol. 3. *Higher Brachycera*. Science Herald, Budapest, pp. 691–827.