


<http://dx.doi.org/10.11646/zootaxa.3796.3.11>


<http://zoobank.org/urn:lsid:zoobank.org:pub:20A8BCDA-2B7D-4226-9BC7-75ACA5EAB648>

**JHABAR MAL, RAJENDRA NAGAR & R. SWAMINATHAN (2014) Record of *Natula matsuurai* Sugimoto (Orthoptera: Gryllidae: Trigonidiinae) and other sword-tailed crickets from India. *Zootaxa*, 3760(3): 458–462.**


Please find the following plates as part of the article:




**PLATE IA.** *Natula* Gorochov, 1987. (A–L), *Natula matsuurai* (Sugimoto, 2001) : A, Male; B, Female; C, Face with a transverse dark strip near epistomal suture; D, Fifth joint of maxillary palpi hatchet shaped; E, Lateral field of tegmina deeper than lateral lobe of pronotum; F, Hind tibia with 3 pairs of dorsal spines on both sides but largest inner apical spurs as long as or half of basitarsus; G, Fore tibia with oval shaped outer and inner tympanum; H, Harp vein only one, Mirror area occupying half dorsal surface, not divided with a small concentric inner veinlet; I, Pronotum with roundly convex anterior margin; J, Female ovipositor strongly upcurved, half as long as hind femur, three fifth area from base widened and bumpy, with a dorsal groove, cerci as long as ovipositor; K, Male sub-genital plate longer than wide, hind margin narrowly truncated with a small projected median lobe, two styli present; L, Female sub-genital plate roundly triangular.




**PLATE IB.** *Natula* Gorochov, 1987. (A–K), *Natula matsuurai* (Sugimoto, 2001) : A, Head; B, Maxillary palpi; C, Second tarsal segment; D, Tympanum on fore tibia; E, Forewing lateral view showing longitudinal veins; F, Hind femur without stripe; G, Male Forewing mirror longer than wide; H, Female sub-genital plate triangular; I, Male sub-genital plate longer than wide, hind margin with a small projected median lobe; J, Hind tibial spines (3 pairs) on both sides; K, Ovipositor upcurved with a dorsal groove.




**PLATE IIA.** *Paratrigonidium* Brunner, 1893. (A–K), *Paratrigonidium nitidum* Brunner, 1893 : A–B, Male and female black, shining; the male with membranous elytra, while female elytra corneous, convex with plain, longitudinal veins. Vertex flattened and sloping; C, Head wide and black; antennae yellow with first joint black; D, Pronotum black, pubescent; E, Palpi long, yellowish, fifth joint of maxillary palpi long, feebly widening at apex; F, Tympanum external; G, Male elytra membranous; H, The hind femur with a feeble brownish band/stripe; I, Legs yellowish; J, Lateral field of tegmina in male blackish, presenting 3 parallel veins and the fourth incomplete; K, The female ovipositor fulvous at base, darkened in the middle, cerci long.




**PLATE II B.** *Paratrigonidium* Brunner, 1893. (A–E), *Paratrigonidium nitidum* Brunner, 1893 : A, Male elytra membranous & hairvein only one; B, Palpi long, yellowish, fifth joint of maxillary palpi long, feebly widening at apex; C, Lateral field of tegmina in male blackish, presenting 3 parallel veins and the fourth incomplete; D, The hind femur with a feeble brownish band/stripe; E, The female ovipositor fulvous at base, darkened in the middle. *Trigonidium* Rambur, 1839. (F–I), *Trigonidium humbertianum* (Saussure, 1878): F, Anterior tibiae with tympanum on both sides; G, Fifth joint of maxillary palpi large and triangular; H, Female ovipositor curved, compressed, acute at apex; I, Male sub-genital plate feebly notched at apex.



**PLATE III.** *Trigonidium* Rambur, 1839. (A–H), *Trigonidium humbertianum* (Saussure, 1878) : A, Male; B, Female; C, Eyesrounded protruding; D–E, Fifth joint of maxillary palpi large and triangular; F, Anterior tibiae with tympanum on both sides; G, Female ovipositor curved, compressed, acute at apex; H, Male sub-genital plate feebly notched at apex.



**PLATE IVA.** *Metioche* Stal, 1877. (A–J), *Metioche japonica* (Ichikawa, 2001) : A, Male; B, Inner margin of eyes more brightlyrimmed; C, Male sub-genital plate; D, Fore tibiae without tympanum on both sides; E, Shape of last segment of maxillary palpi—secundiform; F, Male genitalia; G, Female; H, Tegmina convex; I, Female ovipositor upturned, shaped; apex sharp with teeth on; J, sub-genital plate triangular.



**PLATE IVB.** *Metioche* Stal, 1877. (A–G), *Metioche japonica* (Ichikawa, 2001): A, Eyes rounded, large and widely separated; B, Antennae: Scape and pedicel dark black, flagellum light in colour; C, Shape of last segment of maxillary palpi-securiform; D, Female sub-genital plate triangular; E, Male sub-genital plate; F, Male genitalia; G, Female ovipositor upturned, sabre shaped; apex-sharp with teeth on ventre.